

Snake River Watershed (SRW)

Groundwater Restoration and Protection Strategies Report



November 2020

GRAPS Report #12



Snake River Watershed Groundwater Restoration and Protection Strategies Report

Minnesota Department of Health
Source Water Protection Unit
PO Box 64975,
St. Paul, MN 55164-0975
(651) 201-4695
carrie.raber@state.mn.us
www.health.state.mn.us

Upon request, this material will be made available in an alternative format such as large print, Braille, or audio recording.
Printed on recycled paper.



The development of the GRAPS report was funded by money received from the Clean Water Fund through the Clean Water, Land, and Legacy Amendment. The goal of the Clean Water Fund is to protect, enhance, and restore Minnesota's lakes, rivers, streams, and groundwater.

Contributors

The following agencies dedicated staff time and resources toward the development of the Snake River Watershed GRAPS report:

- Minnesota Board of Water and Soil Resources (BWSR)
- Minnesota Department of Agriculture (MDA)
- Minnesota Department of Health (MDH)
- Minnesota Department of Natural Resources (DNR)
- Minnesota Pollution Control Agency (MPCA)

Photo Credit: The photo on the front page is in the Snake River Watershed, courtesy of the MPCA.

Summary

Groundwater is an important resource in the Snake River Watershed (SRW) One Watershed One Plan (1W1P) planning effort¹. Groundwater use trended upward until 1998, which has since slowly declined to levels recorded in 1988. Approximately 85 percent of groundwater withdrawn is for public water supply use, with approximately five percent used for industrial processing as the second largest user. In addition, groundwater accounts for 100 percent of the region's drinking water. It is important to ensure adequate supplies of high quality groundwater remain available for the region's residents, businesses, and natural resources.

Consumers in the SRW depends primarily on buried sand and gravel aquifers for drinking water. These aquifers are covered by fine-grained sediment deposited by glaciers during the most recent ice age. The central portion of the watershed in eastern Kanabec and western Pine County sources drinking water from bedrock sandstone aquifers in the Mt. Simon/Hinckley Sandstone/Fond du Lac Formation. To a far lesser extent, some drinking water comes from surficial sand and gravel aquifers of glacial origins and crystalline bedrock, where groundwater is found locally in faults and fractures.

Groundwater has a greater risk to contamination in areas of high pollution sensitivity². While large parts of the SRW are protected by layers of dense glacial till, much of the southern portion of the watershed has highly permeable sand and gravel at the surface. Understanding pollution sensitivity is a key consideration to prevent groundwater pollution. Many land-use activities (including row crop agriculture, stormwater, septic systems, and tanks/landfills) within the watershed could contaminate groundwater if pollutants are not carefully managed, especially in areas of high pollution sensitivity.

Contamination, both naturally occurring and from human activity, is present in parts of the watershed groundwater, specifically:

- **Nitrate** – less than one percent of tested drinking water wells had levels at or above the SDWA standard of 10 mg/L.
- MDA Township Testing Program (TTP) sampled drinking water wells for nitrate in Southfork Township in Kanabec County. Sampling occurs in townships where row crop production combined with vulnerable geology increase the risk of nitrate samples exceeding the Safe Drinking Water Act (SDWA) standard
- There is one MDA ambient monitoring well in the center of the watershed in Kanabec County. The sampling data recorded the highest nitrate result of 28.6 mg/L during the period of 2013-2018.
- There are no MPCA ambient groundwater monitoring wells in the SRW.
- **Arsenic** – over two percent of the 491 tested wells had levels exceeding the SDWA of 10 µg/L. The EPA has set a goal of 0 µg/L for arsenic in drinking water because there is no safe level of arsenic in drinking water.

¹ For this report, the boundary of the SRW is the HUC 8 major watershed with no changes for planning purposes.

² Areas of high pollution sensitivity allow the rapid downward movement of water into surficial sands (water table) aquifers, increasing the risk for groundwater contamination from surface pollutants.

- **Pesticides** – there is one MDA ambient monitoring well within the watershed. The monitoring well in Kanabec County recorded four common detection pesticides in 2018.
- **Contaminated sites** – there are 103 active tank sites that could leak chemicals into the environment and 10 leak sites that may cause localized groundwater pollution if not properly managed. The risk to groundwater is greatest in areas of high pollution sensitivity.
- One closed landfill with known groundwater contamination plumes is found within the watershed.

These contaminants can affect both private wells and public water systems when levels exceed drinking water standards. Approximately 31 percent of the people living in the watershed get their drinking water from a community public water supply system. Wellhead Protection Plans have been developed for 10 of the 12 community public water suppliers in the SRW and identify land use protections strategies for the approximately 6,000 acres in Drinking Water Supply Management Areas (DWSMAs).

Permitted groundwater is primarily sourced from buried sand and gravel aquifers, along with bedrock aquifers in the watershed. There are 10 active groundwater-level monitoring wells in the SRW and of those wells, six had enough measurements to calculate a statistical trend. Five wells had an upward trend in water levels and one well had no trend in water levels

Activities on the land surface can affect groundwater levels by reducing infiltration (groundwater recharge) especially in the southern portion of the watershed; these activities include changes in vegetation, increased areas of impervious surface, and changing surface water or stormwater flow.

The SRW includes significant natural features, including surface waters that depend on groundwater to sustain them. If groundwater quantity or quality is degraded, these resources are at risk. The following features occur within the watershed:

- One designated trout stream.
- There are 19 lakes in the SRW with a lake ratio of 10 or less and are considered groundwater dependent lakes, susceptible to changing aquifer levels.
- Wetland complexes across the entire watershed are susceptible to changing aquifer levels.
- Thirty-five distinct native plant communities connected to groundwater and one community complex. In addition, 28 state-listed endangered, threatened, or special concern plant and animal species connected to groundwater that are at risk to changing aquifer levels and degraded groundwater quality.

To address risks both from groundwater overuse and from the introduction of pollutants, this report outlines a broad range of strategies that can be implemented, as well as specific actions that individuals, local government, and other partners can take. The nine categories of strategies highlighted below were selected to address the key risks to groundwater and drinking water within the 1W1P planning area. Areas of higher pollution sensitivity is often an appropriate place to prioritize pollution prevention activities.

1. **Education and Outreach:** Educate landowners, private well users, and others about how their actions affect groundwater and how they can conserve, restore, and protect groundwater.
2. **SSTS Management:** Monitor, maintain, and/or upgrade SSTS to ensure proper operation and treatment.
3. **Irrigation Water Management:** Control the volume, frequency, and application rate of irrigation water to sustain groundwater.
4. **Land Use Planning and Management:** Use city or county government planning and regulations along with land management goals that implement best management practices (BMPs), conserve water, and educate stakeholders to protect groundwater levels, quality, and contributions to groundwater dependent features.

5. **Contaminant Planning and Management:** Use land use planning, ordinances, and collaboration with state regulatory agencies to protect groundwater and drinking water supplies from contaminant releases.
6. **Conservation Easements:** Maintain and expand the amount of land protected from being converted to high intensity uses, such as row crop agriculture.
7. **Cropland Management:** Encourage the implementation of voluntary practices to manage resource concerns while minimizing environmental loss.
8. **Nutrient Management:** Assure that application of crop fertilizer or manure follows guidelines for the right source, right rate, right time, and right place.
9. **Integrated Pest Management:** Implement a pest management approach that incorporates the many aspects of plant health care/crop protection in ways that mitigate harmful environmental impacts and protect human health.

This GRAPS report was designed to help prioritize and target local efforts to restore and protect groundwater resources in the watershed. Representatives from BWSR, MDA, MDH, DNR, and MPCA compiled existing state and regional data, and developed maps to establish a baseline understanding of groundwater conditions and associated resource management concerns for the 1W1P planning boundary. The team highlighted strategies and supporting actions that can be applied at a county or watershed-level to help restore and protect groundwater. To target local implementation, actions listed in this report are paired with those counties and subwatersheds (HUC-10) where risks have been identified. This report should be used in conjunction with the WRAPS report, which focuses on surface water issues and needs, to ensure that both groundwater and surface water are effectively addressed during the 1W1P planning process.³

³ It is important to note that groundwater science lacks the predictive tools available for surface water analysis and as such cannot provide quantifiable strategies commonly found in WRAPS. BWSR recognizes this challenge and has provided guidance in the Setting Measurable Goals document (https://bwsr.state.mn.us/sites/default/files/2019-09/1W1P_guidebook.pdf) to meet the 1W1P measurability requirement.

Contents

- Snake River Watershed (SRW).....1
- Groundwater Restoration and Protection Strategies Report.....1
 - Summary.....3
 - Contents.....6
 - Figures.....7
 - Tables.....9
 - Introduction..... 10
 - What Is the GRAPS Report?..... 10
 - How to Use this Report 11
 - Snake River Watershed Overview 12
 - Land Use..... 14
 - Geology and Hydrogeology 15
 - Pollution Sensitivity 17
 - Wellhead Protection Planning and Drinking Water Supply Management Areas..... 22
 - Private Wells 25
 - Extreme Weather 27
 - Snake River Watershed Groundwater Issues and Concerns 29
 - Groundwater Quality Issues and Concerns 29
 - Nitrate..... 29
 - Pesticides..... 36
 - Arsenic 37
 - Radionuclides 39
 - Ambient Groundwater Monitoring 39
 - Potential Contaminant Sources..... 40
 - Groundwater Quantity Issues and Concerns..... 48
 - Groundwater Use 48
 - Groundwater Level Monitoring..... 54
 - Groundwater Connected Natural Features at Risk 61
 - How to Address Groundwater Quantity Issues..... 70
 - Snake River Watershed Strategies and Actions to Restore and Protect Groundwater 71

Tips for Prioritizing and Targeting Strategies and Actions	71
Determine Your Goal	71
Match the Right Action with the Right Location	71
Know the Pollution Sensitivity	71
Consider Multiple Benefits	71
Leverage Other Programs and Practices	72
Emphasize Protection	72
Strategies and Actions for Snake River Watershed	72
How to Use the Table of Actions and Strategies	73
Summary of Key Findings and Issues	75
Table of Actions and Strategies to Restore and Protect Groundwater	77
Descriptions of Supporting Strategies	97
Conservation Easements	97
Contaminant Planning and Management	99
Cropland Management	99
Education and Outreach	100
Integrated Pest Management	101
Irrigation Water Management	101
Land Use Planning and Management	101
Nutrient Management	102
SSTS Management	104
Making Sense of the Regulatory Environment	105
Appendices	108
List of Acronyms	108
Glossary of Key Terms	109
Dataset Sources	111
Additional Resources	112
References	122

Figures

Figure 1: Watershed Approach Framework	10
Figure 2: Snake River Watershed - is comprised of eight Subwatersheds (HUC-10)	13

Figure 3: Snake River Watershed - Land Cover. Forests account for 35 percent of land cover in the watershed.	14
Figure 4: Snake River Watershed – Primary Aquifers by Section.....	16
Figure 5: Snake River Watershed - Pollution Sensitivity of Near Surface Materials	18
Figure 6: Recharge Travel Time for Near-Surface Materials	19
Figure 7: Snake River Watershed - Pollution Sensitivity of Wells.	20
Figure 8: Recharge Travel Time for Buried Aquifers.....	21
Figure 9: Snake River Watershed - Wellhead Protection Plan Development Status for Community Public Water Systems.....	23
Figure 10: Snake River Watershed - Drinking Water Supply Management Areas.	24
Figure 11: Snake River Watershed - Density of drinking water wells per section. There are 4,104 private wells identified.	26
Figure 12: Snake River Watershed – Drinking water wells and flood zone risk to contamination.	28
Figure 13: Snake River Watershed - Nitrate Results and Pollution Sensitivity of Near Surface Materials	32
Figure 14: Snake River Watershed - MDA Township Testing Program.	33
Figure 15: Snake River Watershed – MDA Monitoring Wells and Nitrate Results.....	34
Figure 16: Snake River Watershed - Arsenic Results	38
Figure 17: Snake River Watershed – Active Feedlots. There are 173 active feedlots within the watershed	42
Figure 18: Snake River Watershed - MPCA Active Tank and Leak Sites and Pollution Sensitivity of Near-Surface Materials.....	45
Figure 19: Snake River Watershed - MPCA Closed Landfill	46
Figure 20: Reported water use from the DNR permit holders by resource category.....	49
Figure 21: Reported groundwater use from DNR permit holders by aquifer category	50
Figure 22: Reported groundwater use from DNR permit holders by use category..	51
Figure 23: Snake River Watershed - Distribution of groundwater appropriation permits for 2018 by volume reported and use category..	53
Figure 24: Snake River Watershed – Distribution of groundwater appropriation permits for 2018 by volume reported and aquifer category.	55
Figure 25: Snake River Watershed – Active Groundwater-Level Monitoring Wells in the Snake Watershed by decade monitoring started.....	56
Figure 26: Location of active groundwater-level monitoring wells with enough data to calculate a statistical trend.....	57
Figure 27: Hydrograph of well 01006 compared to precipitation.....	58
Figure 28 (a): Hydrograph of well 48007 compared to precipitation	58
Figure 29: Hydrograph of well 48008 compared to precipitation.....	59

Figure 30: Hydrograph of well 48009 compared to precipitation.....	60
Figure 31: Hydrograph of well 48010 compared to precipitation.....	60
Figure 32: Hydrograph of well 33012 compared to precipitation.....	61
Figure 33: Snake River Watershed – Trout Streams, Public Waters, and Native Plant Communities Connected with Groundwater	63
Figure 34: Snake River Watershed - Rare Plants, Animals, and Native Plant Communities Connected with Groundwater	65
Figure 35: Snake River Watershed - Trout Streams, Public Waters, and Rarity of Native Plant Communities Connected with Groundwater.....	67
Figure 36: Groundwater-Dominated Lakes in the Snake River Watershed.	69
Figure 37: Visual representation of the relationship between goals, supporting strategies, and recommended groundwater action.....	73
Figure 38: Snake River Watershed – BWSR RIM easements.....	98
Figure 39: Minnesota State Agency Roles in Groundwater	105
Figure 40: Roles agencies play within the Minnesota Water Management Framework.....	107
Figure 41: Sensitivity Assessment and Calculation for Pollution Sensitivity of Wells (Figure 9).....	114
Figure 42: Sensitivity Assessment and Calculation for Pollution Sensitivity of Wells (Figure 9) continued	115

Tables

Table 1: Sensitivity rating and the associated recharge travel times for surficial and buried aquifer.....	21
Table 2: Summary of nitrate results in drinking water wells of the Snake River Watershed.....	30
Table 3: Nitrate protection framework and associated land use management goals. Implementation activities should build as you move from one classification to the next.....	35
Table 4: Summary of arsenic (As) concentrations in wells of the Snake River Watershed.....	37
Table 5: Number of registered feedlots and the delegated counties	41
Table 6: Reported number of failing SSTs in each county within the Snake River Watershed.....	43
Table 7 : Reported 2017 water use from DNR groundwater permit holders in million gallons per year.	51
Table 8: HUC 10 subwatersheds within the Snake River Watershed.....	75
Table 9: Actions and Strategies to Restore and Protect Groundwater	77
Table 10: Rare Species Connected with Groundwater in the Snake River Watershed	116
Table 11: Snake River Watershed documented wetland native plant communities dependent on groundwater associated with consistently high water tables.....	120
Table 12: Snake River Watershed documented wetland native plant communities dependent on groundwater associated with water tables that are high for some portion of the growing season	121

Introduction

What Is the GRAPS Report?

The State of Minnesota adopted a watershed approach to address the state’s 80 major watersheds⁴. Major watersheds are denoted by an 8-digit hydrologic unit code (HUC). This watershed approach incorporates water quality assessment, watershed analysis, civic engagement, planning, implementation, and measurement of results into a 10-year cycle that addresses both watershed restoration and protection ([Figure 1](#)).



Figure 1: Watershed Approach Framework

Groundwater Restoration and Protection Strategies (GRAPS) reports are designed to help prioritize and target local efforts to restore and protect groundwater resources in the One Watershed One Plan (1W1P) planning process. While groundwater is not broken into watersheds like surface water, several state agencies have worked together to compile information and strategies for groundwater below surface water watersheds. A GRAPS report uses existing state data and information about groundwater and land-use practices that affect groundwater in the watershed to identify key groundwater quality and quantity concerns. The report also suggests targeted strategies and actions to restore and protect groundwater. GRAPS reports are meant to be used in conjunction with Watershed Restoration and Protection Strategies (WRAPS) reports in the development of 1W1P plans. WRAPS inform how to restore and protect surface water, and GRAPS inform how to restore and protect groundwater in the same geographic area.

WRAPS is initiated through an intensive monitoring effort to determine if a surface water body is meeting its designated use. WRAPS identify actions and the rate of adoption needed to restore water quality, as well as

⁴ You can learn more about the Watershed Approach at [Watershed approach to restoring and protecting water quality](http://www.pca.state.mn.us/water/watershed-approach-restoring-and-protecting-water-quality) (www.pca.state.mn.us/water/watershed-approach-restoring-and-protecting-water-quality).

recognizing protection based activities to maintain the health of high quality surface waters. GRAPS is largely protection-based—identifying actions to maintain groundwater quality and quantity. However, if contaminants exist or overuse is suspected, the strategies and actions identified to address the issue can result in restoration as well as protection. In most cases it is very difficult determine the rate of BMP adoption needed to restore groundwater, therefore quantification is not part of GRAPS.

How to Use this Report

This report is a resource and tool for developing local water management plans. The report is divided into six parts to accommodate the different needs and information partners and agencies may seek. This report is not necessarily designed to be read cover to cover. Rather, you can flip to the parts that are most relevant to the issues facing your community. If you are accessing this document electronically, you can click on hyperlinks throughout the report to jump to related information and/or access webpages (all hyperlinks are in blue type).

The report is divided into the following parts:

1. [Watershed Overview](#): This section provides a brief overview of the watershed.
2. [Watershed Groundwater Issues and Concerns](#): This section highlights the main groundwater quality and quantity concerns, where each concern is most prevalent within the watershed, and general ways to address the concern.
3. [Watershed Strategies and Actions to Protect and Restore Groundwater](#): This section provides tips for prioritizing and targeting restoration and protection strategies, makes suggestions about what strategies and actions would be most appropriate in which counties and subwatersheds, describes the suggested strategies, and provides information about existing programs and resources for each strategy.
4. [Making Sense of the Regulatory Environment](#): This section provides an overview of the roles state agencies play in managing groundwater and drinking water.
5. [Appendices](#)

Snake River Watershed Overview

This report provides a brief overview of land use, geology, hydrogeology, pollution sensitivity, wellhead protection planning and drinking water, and water use and groundwater withdrawals affecting the Snake River Watershed (SRW) 1W1P planning boundary groundwater quality and quantity. You can find more detailed information about the SRW and groundwater through the following resources:

Restoration and Protection Plans

- MPCA [watershed reports](https://www.pca.state.mn.us/water/watersheds/snake-river-st-croix-basin) (<https://www.pca.state.mn.us/water/watersheds/snake-river-st-croix-basin>)

The Snake River Watershed 1W1P planning boundary covers 643,544 acres of the St. Croix River Basin. Located in east-central Minnesota, the Snake River Watershed encompasses most of Kanabec County and parts of Aitkin, Mille Lacs, Pine, and Isanti Counties ([Figure 2](#)). The watershed has experienced 11 percent growth since the 2010 census as it trends toward more permanent residents. Mora and Pine City are two of the largest communities in the SRW.

Of the roughly 32,390 people living in the watershed, approximately 9,960 (31 percent) utilize community public water and the remaining 69 percent obtain their drinking water from private wells.

Snake River - Subwatersheds and Townships




Figure 2: Snake River Watershed - is comprised of eight Subwatersheds (HUC-10)

Land Use

The northern portion of the SRW located in the Northern Lakes and Forest ecoregion dominated by forests and wetlands. The southern portion is located in the North Central Hardwood Forest ecoregion and is a mixture of forest, grassland, pasture/hay and cropland. Forests comprise the major land use in the SRW at 35 percent, followed by cropland at 28 percent ([Figure 3](#)).




Figure 3: Snake River Watershed - Land Cover. Forests account for 35 percent of land cover in the watershed.

Geology and Hydrogeology

Groundwater sources within the SRW vary according to the underlying geology. The geology in the SRW is the result of igneous, metamorphic, sedimentary, and glacial processes that took place in the region over millions of years.

Bedrock in the western part of the watershed is crystalline (including gneiss, granite, granodiorite, and amphibolite) and over a billion years old. The eastern part of the watershed, on the other hand, has younger sandstone bedrock. The Hinckley Sandstone bedrock can be prone to karst conditions in areas where it is less than 50 feet below the land surface.

Overlying the bedrock is sediment that reflects the advance and retreat of glaciers during the last ice age. Most of the land surface is covered in glacial till (unsorted sediment deposited directly by glacial ice). The high proportions of clay and silt in till deposits tend to impede the infiltration of water. Throughout the watershed there are also areas of sand and gravel sediments, typically in former meltwater channels, which allow water to pass through more quickly.

There are several main types of aquifers in the watershed:

- Buried sand and gravel aquifers of glacial origin. These are the primary water source within the SRW -- approximately 60% of all drinking water wells draw from these aquifers.
- Bedrock sandstone aquifers in the Mt. Simon/Hinckley Sandstone/Fond du Lac Formation. These aquifers supply water for about 30% of the wells in the SRW.
- Crystalline bedrock, where groundwater is found locally in faults and fractures. Only about 5% of wells draw from these aquifers, mainly in the northern and far southeastern portions of the watershed.
- Surficial sand and gravel water table aquifers of glacial origin. Only about 5% of drinking water wells use these aquifers.

Mille Lacs County does not have a completed County Geologic Atlas (CGA), and the CGA for Aitkin County is in progress. As a result, these counties have fewer wells with aquifer interpretations in the County Well Index (CWI) database.

[Figure 4](#) depicts a generalized map of aquifers in the watershed.

Snake River - Primary Aquifers by Section




Figure 4: Snake River Watershed – Primary Aquifers by Section. Buried aquifers are the primary drinking water source for the watershed. The data gap for Aitkin and Mille Lacs counties are due to the lack and progress of county geologic atlas and verified well logs to inform aquifer type.

Pollution Sensitivity

Understanding pollution sensitivity is important for prioritizing and targeting implementation efforts. Pollution sensitivity (also known as aquifer vulnerability or geologic sensitivity) refers to the time it takes recharge and contaminants at the ground surface to reach the underlying aquifer.

It is important to understand the target aquifer when assessing pollution sensitivity. Certain aquifers may be deeper and more geologically protected than water table aquifers, or surficial sand aquifers, in a given area. [Figure 5](#) depicts the pollution sensitivity of near-surface materials dataset developed by the DNR. This dataset only takes into account the top ten feet of soil and geologic material when assigning a sensitivity rating. This figure shows that the near-surface pollution sensitivity rating is mainly low to moderate, reflecting the dense tills covering most of the land surface with some areas of high or very low sensitivity. There are some areas of higher pollution sensitivity (mainly in close proximity to rivers, where surficial deposits are composed of sand and gravel) and very low sensitivity in the southern part of the watershed (reflecting till and fine-grained glacial lake deposits). More information on this dataset can be found on the DNR website Minnesota Hydrogeology Atlas (MHA). In addition, the Hinckley Sandstone is considered karst-prone bedrock. Portions of northeast Kanabec County and north-central Pine County, where less than 50 feet of sediment overlies the Hinckley Sandstone, are prone to karst conditions. Some wells in this area do have a history of contamination issues.

More information on this dataset is available on the DNR website [Minnesota Hydrogeology Atlas \(MHA\)](http://www.dnr.state.mn.us/waters/programs/gw_section/mapping/platesum/mha_ps-ns.html) (http://www.dnr.state.mn.us/waters/programs/gw_section/mapping/platesum/mha_ps-ns.html).

The pollution sensitivity of deeper aquifer materials depicted in [Figure 7](#) was created by calculating the sensitivity at individual wells in the watershed and then interpolating between them to create a smooth layer. The wells used to make this figure vary in depth but overall provide a picture of the geologic sensitivity of aquifers below the water table. This method was employed due to the absence of an available statewide dataset depicting pollution sensitivity, or vulnerability, of aquifers. [Figure 7](#) shows that the groundwater pollution sensitivity rating is mostly "low" to "moderate" throughout, with small areas of "high" sensitivity reflecting the influence of individual wells and localized stratigraphic complexity. More information on the geologic sensitivity calculations used to make this figure is included in the references section of this report as [Figure 41](#) and [Figure 42](#).

It is also important to understand how recharge travel time ratings ([Figure 6](#) and [Figure 8](#)) for surficial water table aquifers differ from those used for deeper aquifers ([Table 1](#)). For example, a pollution sensitivity rating of 'moderate' for surficial materials reflects vertical travel times on the order of weeks ([Figure 5](#)); whereas, for deeper aquifers more commonly used for drinking water, a rating of 'moderate' reflects travel times of years to decades ([Figure 8](#)). This difference stems from the fact that infiltrating water and contaminants reach surficial materials more quickly than deeper aquifers. Deeper aquifers often have protective clay layers that make travel time significantly longer. As noted above, this distinction is important when determining the potential impact of various contaminants on surficial materials and drinking water aquifers.

Snake River - Pollution Sensitivity of Near-Surface Materials




Figure 5: Snake River Watershed - Pollution Sensitivity of Near Surface Materials




Figure 6: Recharge Travel Time for Near-Surface Materials

Snake River - Pollution Sensitivity of Wells




Figure 7: Snake River Watershed - Pollution Sensitivity of Wells.




Figure 8: Recharge Travel Time for Buried Aquifers

Table 1: Sensitivity rating and the associated recharge travel times for surficial and buried aquifer

Pollution Sensitivity Rating	Aquifer Recharge Time Period ⁵ for Surficial Aquifers	Aquifer Recharge Time Period for Buried Aquifers
High	Hours to a week	Days to months
Moderate	A week to weeks	Years up to one or two decades
Low	Weeks to a year	Several decades to a century

⁵ Aquifer recharge time periods refer to the time it takes aquifers to receive recharge from the land surface. Aquifer recharge rate informed by the Geologic Sensitivity Project Workgroup, 1991.

Wellhead Protection Planning and Drinking Water Supply Management Areas

Wellhead protection (WHP), planning is the process whereby public water systems examine land uses in the recharge area for their wells and develop strategies for land use management. The strategies are based on vulnerability and are appropriate for safeguarding drinking water supplies. Community public water supplies⁶, including municipal and nonmunicipal systems, are required to prepare Wellhead Protection Plans. As part of this effort, the recharge area that contributes water to the public water supply well(s) is delineated based on physical and chemical characteristics of the aquifer being used. These areas, known as wellhead protection areas (WHPAs), provide an assessment of the aquifer vulnerability (sensitivity) of the public water supply wells. Once the WHPA is established, a Drinking Water Supply Management Area (DWSMA) is created to provide planning boundaries on the land surface in order to manage the groundwater below. Learn more about MDH [Source Water Protection](http://www.health.state.mn.us/communities/environment/water/swp/index.htm) (www.health.state.mn.us/communities/environment/water/swp/index.htm).

The word ‘sensitivity’ is used to describe groundwater generally throughout the state; ‘vulnerability’ is the term used for wellhead protection planning to protect public sources of drinking water. While there are minor differences between how these words are used as described above, the words are essentially the same for the purposes of planning and management.

Aquifers and wells used for public water supplies vary widely. Some are very shallow and unprotected and easily contaminated by activities at the ground surface. Others are deeper or more protected by geologic materials; these tend to exhibit a low vulnerability to overlying land uses. The types of management activities required within WHPAs will vary based largely on the vulnerability assessments. Highly vulnerable WHPAs require a greater level of management to prevent potential contaminants at the ground surface from entering the aquifer. Whereas for WHPAs with low vulnerability the primary focus is on sealing unused/unsealed wells, since this is the primary pathway for contaminants to reach the aquifer.

Ten of the 12 community public water systems, within the SRW are engaged in the wellhead protection planning process or are implementing their plans. Of the 10 systems with approved plans, the vulnerability varies across the watershed from low to high. One of the approved wellhead protection plan exhibits high vulnerability in all or part of their DWSMA and is considered vulnerable to contamination from the land surface, with all others exhibiting moderate or low vulnerability. [Figure 9](#) shows the status of wellhead protection planning for the public water supply systems in the watershed. [Figure 10](#) shows the DWSMAs delineated at the time the report was compiled in the SRW, covering over 6,000 acres. It is important to note that WHP areas do not follow watershed boundaries and can be located in different watersheds.

⁶ Community public water supplies serve at least 25 persons or 15 service connections year-round. Community public water supplies include municipalities (cities), manufactured mobile home parks, etc. Currently there are almost 1,000 community water supplies in Minnesota.

Snake River - Wellhead Protection Plan Status for Community Systems




Figure 9: Snake River Watershed - Wellhead Protection Plan Development Status for Community Public Water Systems. Ten of the 12 community public water supply systems are engaged in the wellhead protection planning process or are implementing their plans.

Snake River - DWSMA Vulnerability




Figure 10: Snake River Watershed - Drinking Water Supply Management Areas. There are 10 approved Drinking Water Supply Areas (DWSMA) for community public water supply systems in the watershed.

Private Wells

The SRW has approximately 4,104 private wells with known locations ranging from 17 feet to 550 feet deep with an average depth of 102 feet that provide drinking water to residents. Approximately eight percent (344 wells) of private wells are in a highly vulnerable setting. Private well users are not afforded the same water quality safeguards as people who get their water from public water systems. While public water systems make sure water is safe for the end-user, private well users are responsible for making sure their water is safe for everyone in the household to drink.

The Minnesota Well Code ensures that private wells are properly located and constructed. However, once the well is put into service, private well users are responsible for properly maintaining their well, testing it regularly, and treating the water when necessary.

Snake River - Drinking Water Wells per Section




Figure 11: Snake River Watershed - Density of drinking water wells per section. There are 4,104 private wells identified.

[Figure 11](#) illustrates well density and water use data in the SRW. This figure contains a grid that depicts the number of wells in each six by six-mile section of the watershed. Deeper colors correspond to a higher concentration of wells. Well density is variable across the watershed. Only wells used for drinking water were included in this analysis.

Extreme Weather

Climate records show that across Minnesota there has been an increase in average rainfall, as well as heavy precipitation events. As storms become more frequent and intense, flooding will be an ongoing challenge for public water systems and private wells. Flood events can threaten the safety and availability of drinking water by washing pathogens (bacteria, viruses, and parasites) and chemical contamination into source aquifers or by overwhelming the capacity of treatment systems to clean the water. The full extent of floodwater contamination depends on land use and associated infrastructure in the affected area. [Figure 12](#) displays drinking water wells and flood zone risk to contamination in the SRW.

Extreme weather may also affect drought conditions by changing how and where precipitation falls. Increased rainfall over frozen ground and reduced snowpack from spring melt can decrease infiltration into groundwater when converted to runoff. The [Groundwater Quantity Issues and Concerns](#) section of the report assesses aquifer sustainability by evaluating long term monitoring well trends.

For more information on [Climate and Health](#) (www.health.state.mn.us/communities/environment/climate/) or visit the DNR's webpage [Climate Change and Minnesota](#) (www.dnr.state.mn.us/climate/climate_change_info/index.html).

Snake River - Drinking Water Wells and Flood Risk




Figure 12: Snake River Watershed – Drinking water wells and flood zone risk to contamination.

Snake River Watershed Groundwater Issues and Concerns

This section of the report describes the key groundwater quality and quantity issues for the SRW. The descriptions each include an overview of the issue, where the issue is most prevalent, and a few key approaches to address the issue. The SRW [Strategies and Actions to Protect and Restore Groundwater](#) provides a more detailed list of actions to address groundwater issues and concerns.

Groundwater Quality Issues and Concerns

Both naturally occurring and human-made contaminants affect the SRW groundwater quality. Multiple state agencies monitor different types of groundwater wells and public water systems for contaminants. Nitrate, pesticides, and arsenic have been detected in wells sampled in the SRW. This section provides context and data about these contaminants and their occurrence in the watershed. It also provides information about the following land uses: feedlots, row crop production, subsurface sewage treatment systems, contaminated sites (leaky tank sites and closed landfills), and household hazardous waste in the watershed that may affect groundwater quality.

All public water systems in the watersheds strive to meet Safe Drinking Water Act (SDWA)⁷ requirements for the quality of water served to their customers. However, some public water systems may have water quality issues in their untreated source water that requires either blending or treatment to meet SDWA standards.

Nitrate

Nitrate-nitrogen (referred to as nitrate) is a compound that occurs naturally and has many human-made sources. When nitrate levels are above 3 milligrams per liter (mg/L)⁸ in groundwater, human activity is the likely cause (State of Minnesota Workgroup). Human-induced sources of nitrate include animal manure, fertilizers used on agricultural crops, failing SSTS, fertilizers used at residences and commercially, and nitrous oxides from the combustion of coal and gas.

Nitrate is one of the most common contaminants of groundwater in Minnesota and is a public health concern where found in groundwater used for drinking water. The SDWA standard for nitrate in drinking water is 10 mg/L. Most of the samples taken from wells within the watersheds did not exceed the SDWA standard for nitrate. This dataset includes newly constructed wells, private wells, and other drinking water supply wells. Sampling of newly constructed wells for nitrate began in 1974. Many older

⁷ The Safe Drinking Water Act (SDWA) is the federal law that protects public drinking water supplies throughout the nation. Under the SDWA, EPA sets standards for drinking water quality; MDH is delegated to implement the program in MN to ensure drinking water safety.

⁸ One milligram per liter is the same as 1 part per million (ppm).

wells, pre-well code, are not included in this dataset. [Table 2](#) shows nitrate test results for samples taken from these wells.

Table 2: Summary of nitrate results in drinking water wells of the Snake River Watershed.

Depth Completed Range (feet)	Total samples (nitrate)	Minimum concentration (mg/L)	Maximum concentration (mg/L)	Median concentration (mg/L)	Samples at or above 3 mg/L (%)	Samples at or above 10 mg/L (%)
< 50	158	0	25.8	0.5	2.5	0.6
50 - 99	1553	0	14.6	0.5	4.2	0.2
100 - 149	854	0	20.53	0.5	1.8	0.1
150 - 199	181	0	5.6	0.5	2.2	0
>= 200	139	0	8.1	0.5	2.9	0
Total	2885	0	25.8	0.5	3.2	0.2

Where Is Nitrate in Snake River Watershed?

High levels of nitrate are present in areas where there are both human-caused sources of nitrate and high pollution sensitivity, which is consistent with MDA findings in the Township Testing Program (TTP). The following images help identify where nitrate is detected and at what levels in the watershed:

- [Figure 13](#) compares nitrate levels in wells in the SRW. The absence of elevated nitrate concentrations throughout most of the watershed may be a function of low-impact land use near the wells or the presence of favorable geochemical conditions in the aquifers. Nitrate requires relatively oxidizing conditions to persist in groundwater, and the presence of locally reducing conditions can remove nitrate. The dataset used to create this figure is the same as that used in [Table 2](#). These nitrate samples were taken from newly constructed wells, private wells, and other drinking water supply wells sampled by the Minnesota Department of Health (MDH).

[Figure 14](#) shows the Township Testing Program (TTP) results. The MDA has identified townships throughout the state that are vulnerable to groundwater contamination and have significant row crop production. One township in Kanabec County participated in the TTP. Each selected township offered testing in two steps, the ‘initial’ sampling and the ‘follow-up’ sampling. In the initial sampling, all township homeowners using private wells received a nitrate test kit. If the initial sample detected nitrate, the homeowner was offered follow-up tests for nitrate and pesticides and a well site visit. Trained MDA staff visited willing homeowners to resample the well and then conducted a site assessment. The site assessment identified possible non-fertilizer sources of nitrate and assessed the condition of the well. A well with construction problems may be more susceptible to contamination.


Two datasets, ‘Initial’ and ‘Final’, are used to evaluate nitrate in the private wells in this program. The initial dataset represents private wells drinking water regardless of the potential source of nitrate. The final dataset was informed through an assessment process to evaluate each well. In the assessment, wells that had nitrate results over 5 mg/L were removed from the final dataset if a potential non-fertilizer source or well problem was identified, there was insufficient information on the construction or condition of the well, or for other reasons which

are outlined in the full report (see Appendix E for details). The final dataset represents wells with nitrate attributed to the use of fertilizer.

Southfork Township in Kanabec County has been through the initial testing [Figure 14](#). Detailed sampling results are available at [Township \(Nitrate\) Testing Program](#) (<http://www.mda.state.mn.us/townshiptesting>).

- [Figure 15](#) shows the maximum nitrate concentration recorded at the MDA ambient monitoring well location in the SRW in 2013-2018. The sampling data collected from central Kanabec County recorded the highest nitrate result at 28.6 mg/L.

Snake River - Nitrate Results



Data: County Well Index (CWI), MN Drinking Water Information System (MNDWIS), MDH Water Chemistry (WCHEM), MDH Well Management (WELLS)
Basemap: ESRI World Street Map

Figure 13: Snake River Watershed - Nitrate Results and Pollution Sensitivity of Near Surface Materials

Snake River - MDA Township Testing Program (Initial Results)




Figure 14: Snake River Watershed - MDA Township Testing Program.

Snake River - Nitrate and Pesticides in MDA Monitoring Well




Figure 15: Snake River Watershed – MDA Monitoring Wells and Nitrate Results.

How to Address Nitrate in Groundwater

The Minnesota Groundwater Protection Act established a prevention goal that groundwater be maintained in its natural condition, free from any degradation caused by human activity. When degradation exists, it is important to understand the reflected level of management required based on the nitrate concentration. [Table 3](#) provides a protection framework that identifies management priorities reflective of nitrate concentrations.

Table 3: Nitrate protection framework and associated land use management goals. Implementation activities should build as you move from one classification to the next.

Nitrate Protection Framework	Nitrate Concentration	Implementation Emphasis
Protection – Maintain	0 – 4.9 mg/L	Proactive and preventive; <ul style="list-style-type: none"> ▪ Maintain existing land cover by discouraging or preventing land conversion ▪ Contaminant source management on existing land uses (Agricultural BMPs, SSTS management, easements, forest management plans)
Protection – Threatened	5.0 – 9.9 mg/L	Contaminant source reduction or elimination; <ul style="list-style-type: none"> ▪ Shifting land uses away from those that may leach excess nitrogen (Alternative Management Tools⁹, upgrade failing SSTS, easements)
Restoration – Treatment	10.0 mg/L and above	Active intervention required by public water supplies to avoid drinking water consumption (new sources; treatment) while still aiming for long term

⁹ MN Dept. of Agriculture developed Alternative Management Tools to protect groundwater quality from nitrate contamination. For more information, visit MDA [Alternative Management Tools](http://www.mda.state.mn.us/chemicals/fertilizers/nutrient-mgmt/nitrogenplan/nitrogenmgmt/amts) (www.mda.state.mn.us/chemicals/fertilizers/nutrient-mgmt/nitrogenplan/nitrogenmgmt/amts)

Nitrate Protection Framework	Nitrate Concentration	Implementation Emphasis
		contaminant source mitigation through reduction and elimination

[Table 9](#) provides a more comprehensive list of specific actions counties and subwatersheds in the SRW can take to restore and protect groundwater quality related to nitrate.

Pesticides

A pesticide is any substance or mixture of substances intended for preventing, destroying, repelling or lessening the damage of any pest and may be a chemical substance or a biological agent. Consuming water with different types of pesticides in it can cause a variety of health problems. MDA monitors for ‘common detection pesticides’ as a part of the [MDA Pesticide Management Plan](http://www.mda.state.mn.us/protecting/waterprotection/pmp.aspx) (www.mda.state.mn.us/protecting/waterprotection/pmp.aspx). Common detection pesticides are pesticides frequently used in row crop production and include acetochlor, alachlor, atrazine, metolachlor and metribuzin.

Where Are Pesticides in Snake River Watershed?

MDA uses one monitoring well in the SRW to monitor for common detection pesticides. The monitoring wells are in these regions due to the sensitive geology and row crop agriculture, which increases the potential for pesticides or pesticide degradants to get into groundwater. [Figure 15](#) shows the number of common detection pesticides recorded at the monitoring location in the SRW in 2018. Four common detection pesticides were detected in the samples from the monitoring well. No detections exceeded any human health-based drinking water standards or reference values. MDA’s monitoring wells only provide information about pesticides at their specific locations. Pesticide sampling of private wells is included as part of the TTP, which is currently underway and will provide more information on the presence of pesticides in other locations in the watersheds.

How to Address Pesticides in Groundwater

General approaches to reduce the amount of pesticides that may enter groundwater include:

- Providing educational opportunities about pesticide and insecticide BMPs for both agricultural lands and residential/commercial lawns (turf)
- Increasing the adoption of water quality BMPs for pesticides and insecticides

[Table 9](#) provides a more comprehensive list of specific actions the counties and subwatersheds in the SRW can take to restore and protect groundwater quality related to pesticides.

Arsenic

Over two percent of the 491 arsenic samples taken from located wells in the SRW have levels of arsenic higher than the SDWA standard of 10 micrograms per liter ($\mu\text{g/L}$).¹⁰ Arsenic occurs naturally in rocks and soil across Minnesota and can dissolve into groundwater. Consuming water with low levels of arsenic over a long time (chronic exposure) is associated with diabetes and increased risk of cancers of the bladder, lungs, liver and other organs. The SDWA standard for arsenic in drinking water is 10 $\mu\text{g/L}$; however, drinking water with arsenic at levels lower than the SDWA standard over many years can still increase the risk of cancer. The EPA has set a goal of 0 $\mu\text{g/L}$ for arsenic in drinking water because there is no safe level of arsenic in drinking water.

Since 2008, the State of Minnesota has required that water from new water supply wells be tested for arsenic. [Table 4](#) outlines the number of well water samples tested for arsenic in the SRW, using the dataset from the Minnesota Well Index (MWI) and well for newly constructed private wells. The table shows the percentage of samples with arsenic levels over the SDWA standard. It is important to remember that arsenic concentrations can be drastically different from nearly identical wells installed on adjoining properties.

Table 4: Summary of arsenic (As) concentrations in wells of the Snake River Watershed.

Depth Completed Range (feet)	Total samples (n)	Minimum concentration ($\mu\text{g/L}$)	Maximum concentration ($\mu\text{g/L}$)	Median concentration ($\mu\text{g/L}$)	Samples at or above 5 $\mu\text{g/L}$ (%)	Samples at or above 10 $\mu\text{g/L}$ (%)
< 50	39	0.00146	6.19	1	2.6	0
50 - 99	265	0.5	126	1	13.6	3.0
100 - 149	130	0.0005	14.2	1	6.9	1.5
150 - 199	32	0.00359	14.9	2.36	18.8	6.3
>= 200	25	0.0005	4.77	1	0	0
Total	491	0.0005	126	1	10.6	2.4

Where Is Arsenic in the Snake River Watershed?

[Figure 16](#) shows that arsenic is found in elevated concentrations throughout the watershed. The dataset used to create [Figure 16](#) is the same information displayed in [Table 4](#). These samples were taken from newly constructed domestic wells.

There are elevated levels of arsenic above the drinking water standard in wells completed in glacial Quaternary Buried Artesian aquifer and one well in the Hinckley sandstone aquifer. Typically, elevated arsenic in Minnesota groundwater is associated with glacial lobes originating from northwest Canada. Elevated arsenic is correlated with clay layers and reducing geochemical conditions that release arsenic into the groundwater (Erickson and Barnes, 2004 and 2005). Well depths with elevated arsenic range from 71 to 182 feet in the SRW. For wells with arsenic detected but below the drinking water standard, the wells were completed in the Quaternary Buried Artesian aquifer and some wells in the McGrath Gneiss, Warman granite, Fond Du Lac formation, and Hinckley sandstone aquifers.

¹⁰ One microgram per liter is the same as 1 part per billion (ppb).

Snake River - Arsenic Results




Figure 16: Snake River Watershed - Arsenic Results

How to Address Arsenic in Groundwater

Unlike nitrate and pesticides, human activity rarely causes arsenic in Minnesota groundwater, except for local releases of insecticides or wood preservatives into the environment. Therefore, few actions can reduce the amount of arsenic in groundwater. Implementation efforts should focus on making private well users aware of the health risks associated with arsenic, encouraging them to test their water for arsenic, and providing them with treatment options to keep their drinking water safe when arsenic is present.

Radionuclides

Radioactive materials, also called radionuclides (Radium), are both naturally occurring and human-made. Drinking water that has radium exposes individuals to very low doses of radiation every day, increasing your risk of cancer if you drink water with radium in it every day for many years.

Concentrations of naturally occurring radioactive radium is detected in groundwater samples in public water wells in the SRW, with the combined radium 226/228 above the drinking water standard of 5 pCi/L. The wells with exceeding combined radium had well depth 303 and 473 feet, completed in the Fond Du Lac formation and Hinckley sandstone aquifers. The exact source of these compounds is not well understood. They may originate in the clay-rich glacial sediments or may be part of the original mineral composition of the Mt. Simon or fractured Sioux Quartzite geologic units. What is known is that their presence in the groundwater is related to reducing geochemical conditions and the very slow rate of groundwater flow in these bedrock layers (Szabo, Z., Fischer, J. M., Hancock, T. C., 2012).

Where are Radionuclides in the Snake River Watershed?

Not enough is known about radium (or other radionuclide) distribution in the aquifers beneath the SRW. The sparse results do not indicate a problem at this time.

How to Address Radionuclides in Groundwater

Human activity is unlikely to be the cause of radionuclides in the SRW groundwater. Therefore, actions cannot reduce the amount of radionuclides present in groundwater. Implementation efforts should focus on awareness that radionuclides may be found in groundwater. The factors that contribute to the presence of radionuclides in the SRW groundwater are not well understood at this point. If private well users are concerned about radionuclides in their well, they can pay to have their water tested through an accredited laboratory. Water softeners and reverse osmosis are effective at removing radium from groundwater. Learn more at [Radionuclides \(Radium\) in Drinking Water](https://www.health.state.mn.us/communities/environment/water/contaminants/radionuclides.html) (<https://www.health.state.mn.us/communities/environment/water/contaminants/radionuclides.html>).

Ambient Groundwater Monitoring

The MPCA's Ambient Groundwater Monitoring Program monitors trends in statewide groundwater quality by sampling for a comprehensive suite of over 100 chemicals including nutrients, metals, anions and cations, and volatile organic compounds. The Ambient Groundwater Network currently consists of approximately 270 sites that represent a mix of deep domestic wells and shallow monitoring wells in non-agricultural regions across the state. The primary focus is on shallow aquifers that underlie urban areas, due to the higher tendency of sensitivity to pollution, and are predominately located in sand and gravel and Prairie du Chien-Jordan aquifers.

There are no MPCA ambient groundwater monitoring wells in the SRW.

MDH hosts information on a [List of Contaminants in Water](http://www.health.state.mn.us/communities/environment/water/contaminants/index.html) (www.health.state.mn.us/communities/environment/water/contaminants/index.html), as well as [CECs](http://www.health.state.mn.us/communities/environment/risk/guidance/dwec/index.html) (www.health.state.mn.us/communities/environment/risk/guidance/dwec/index.html).

Potential Contaminant Sources

Some land use practices make it easier for contaminants to get into groundwater. Key land uses that are potential contaminant sources in the SRW are described below.

Animal Feedlots

MPCA regulates the land application and storage of manure generated from animal feedlots in accordance with Minnesota Rule Chapter 7020. The MPCA [Feedlots Program](https://www.pca.state.mn.us/quick-links/feedlots) (https://www.pca.state.mn.us/quick-links/feedlots) requires that the land application and storage of manure be conducted in a manner that prevents nitrate contamination to both groundwater and surface water. Animal manure contains significant quantities of nitrogen and pathogens. Improper management of manure, especially in places with high pollution sensitivity, can contaminate groundwater.

MDA hosts an interactive map that provides information on local ordinances regulating animal agriculture in Minnesota's counties. The information includes the most common areas of regulations, such as setbacks and separation distances, conditional use permits, feedlot size limitations, and minimum acreage requirements. For more information, visit the [Local Ordinances Regulating Livestock - Web Mapping](http://www.mda.state.mn.us/local-ordinances-regulating-livestock-minnesota) (www.mda.state.mn.us/local-ordinances-regulating-livestock-minnesota).

MDA developed a new tool in collaboration with the National Weather Service called the [Minnesota Runoff Risk Advisory Forecast \(RRAF\) system](http://www.mda.state.mn.us/protecting/cleanwaterfund/toolstechnology/runoffrisk) (www.mda.state.mn.us/protecting/cleanwaterfund/toolstechnology/runoffrisk). RRAF is designed to help farmers and commercial applicators determine the best time to apply manure to reduce the probability of off target movement of valuable nutrients and protect water resources.

Where Are Animal Feedlots in the Snake River Watershed?

The SRW has 173 active feedlots. Minnesota Rule 7020 allows the MPCA to transfer or 'delegate' regulatory authority and administration of certain parts of the feedlot program to a county. A delegated county regulates feedlots with less than 1,000 animal units; MPCA regulates anything above that threshold. County feedlot programs have responsibility for implementing state feedlot regulations including: registration, permitting, inspections, education/assistance and complaint follow-up. There are no delegated counties administering the feedlot program locally, therefore they rely on the MPCA to execute within their jurisdiction.

[Table 5](#) outlines the number of registered feedlots in the SRW for each county. [Figure 17](#) contains a grid that depicts the number of active feedlots in each six by six-mile section of the watershed. Darker colors correspond to a higher concentration of active feedlots.

Table 5: Number of registered feedlots and the delegated counties

Counties	Number of Registered Feedlots per County	Delegated County
Aitkin	6	No
Chisago	0	No
Isanti	2	No
Kanabec	108	No
Mille Lacs	7	No
Pine	50	No

Snake River - Active Feedlots




Figure 17: Snake River Watershed – Active Feedlots. There are 173 active feedlots within the watershed

How to Protect Groundwater from Contamination

Manure management plans, feedlot inspections, permitting, technical assistance and record keeping are all used to manage nitrogen impacts to water quality. It is important to prioritize activities in the areas most sensitive to groundwater first. [Table 9](#) provides a more comprehensive list of specific actions partners in can take to protect groundwater from nitrate and pathogen contamination.

Row Crop Agriculture

Row crop agriculture or cultivated crops ([Figure 3](#)) are the second largest land cover within the SRW covering 28 percent of the watershed. Impacts from row crop production to water resources include nitrogen loss in the form of nitrate to groundwater, which can move downward to aquifers or be laterally dispersed to lakes and rivers. Tile drainage is another pathway for nitrogen to reach surface water systems, however this is not a focus of the GRAPS report being the TMDL and WRAPS reports assess impacts. Agricultural chemicals, including pesticides, are another risk for groundwater contamination from row crop agriculture. Both nitrate and pesticides are addressed in the [Groundwater Quality Issues and Concerns](#) section of this report.

Subsurface Sewage Treatment Systems (SSTS)

Of the approximately 450,000 SSTS (commonly called septic systems) across the state, slightly over 100,000 of them are estimated to be failing. As more time passes, additional systems are likely to fail. Failing SSTS can pollute both surface and groundwater. A failing system is one that does not provide adequate separation between the bottom of the drain field and seasonally saturated soil. The wastewater in SSTS contains bacteria, viruses, parasites, nutrients, and some chemicals. SSTS infiltrate treated sewage into the ground, which ultimately travels to groundwater.

Where Are SSTS in the Snake River Watershed?

SSTS are found in all six counties in the SRW. Information reported by counties indicate a relatively small to high number of failing SSTS in the watershed ([Table 6](#)). State regulations require each county to adopt a local SSTS ordinance and that eminent health threats or failing systems be replaced and brought up to current standards. Even with a required ordinance, some counties still have identified gaps in their SSTS program, ranging from lack of records on treatment system age, type or function, known unsewered communities, and lack of a point of sale requirement triggering an inspection through a property sale.

Table 6: Reported number of failing SSTS in each county within the Snake River Watershed

County	Estimated number of failing SSTS per 1,000 acres
Aitkin	0 - 1
Chisago	4 – 7.7
Isanti	4 – 7.7
Kanabec	1 – 2
Mille Lacs	3 - 4

County	Estimated number of failing SSTS per 1,000 acres
Pine	0 - 1

How to Protect Groundwater from SSTS Contamination

SSTS must be properly sited, designed, constructed and maintained to minimize the potential for disease transmission and groundwater contamination. Each county carries out permitting, inspections and operation of the SSTS program locally. [Table 9](#) provides a more comprehensive list of specific actions the SRW can take to assure SSTS do not contaminate groundwater. You can find more information about building and maintaining SSTS at [Subsurface Sewage Treatment Systems](https://www.pca.state.mn.us/water/subsurface-sewage-treatment-systems) (<https://www.pca.state.mn.us/water/subsurface-sewage-treatment-systems>).

Contaminated Sites

The MPCA identified 103 active tank, 10 leak sites and one closed landfill in the SRW. These types of contaminated sites (also referred to as point sources) have the potential to contaminate groundwater with a variety of chemicals.

Where Are Contaminated Sites in the Snake River Watershed?

[Figure 18](#), maps active tank and leak sites compared to pollution sensitivity of near-surface materials in the SRW. [Figure 19](#) provides a map of the closed landfill in the SRW. The following sites also provide maps to help identify contaminated sites.

- [What's in My Neighborhood](https://www.pca.state.mn.us/data/whats-my-neighborhood) (<https://www.pca.state.mn.us/data/whats-my-neighborhood>): This app identifies potential contamination sites for water quality, feedlots, hazardous waste, investigation and clean up, air quality and solid waste.
- [Landfill Cleanup Act Participants](http://mpca.maps.arcgis.com/apps/Solutions/s2.html?appid=6470bb44bd83497993da5836333d1cb3) (<http://mpca.maps.arcgis.com/apps/Solutions/s2.html?appid=6470bb44bd83497993da5836333d1cb3>): This site has an interactive map that shows closed landfills and the corresponding groundwater plumes and groundwater areas of concern.

Snake River - Active Tanks and Leaks




Figure 18: Snake River Watershed - MPCA Active Tank and Leak Sites and Pollution Sensitivity of Near-Surface Materials

Snake River - Closed Landfills




Figure 19: Snake River Watershed - MPCA Closed Landfill

How to Protect Groundwater from Contaminated Sites

Contaminated sites should be identified before making or changing any land use plans, zoning maps, and/or ordinances. [Table 9](#) provides a more comprehensive list of specific actions the SRW can do to assure contamination sites do not further contaminate groundwater.

Stormwater

The MPCA [Stormwater Program](https://www.pca.state.mn.us/water/stormwater) (<https://www.pca.state.mn.us/water/stormwater>) regulates the discharge of stormwater and snowmelt runoff from municipal separate storm sewer systems (MS4s), construction activities and industrial facilities, mainly through the administration of the National Pollutant Discharge Elimination System (NPDES)/State Disposal System (SDS) Program. MS4s in Minnesota must satisfy the requirements of the MS4 general permit if they are located in an urbanized area and used by a population of 1,000 or more or owned by a municipality with a population of 10,000 or more, or a population of at least 5,000 and the system discharges to specially classified bodies of water. Entities with an MS4 permit require the treatment and management of stormwater runoff.

The management of stormwater runoff is increasingly reliant on the infiltration of stormwater into the soil to control the volume of runoff. A number of stormwater practices concentrate runoff and force infiltration into the soil where it can recharge groundwater aquifers. The impacts of these practices on groundwater quality have not been thoroughly evaluated.

How to Manage Potential Stormwater Infiltration Risk

Caution should be observed when infiltrating stormwater, especially in areas with vulnerable drinking water sources. Use the MDH [Stormwater Guidance for Sites in Drinking Water Supply Management Areas](https://stormwater.pca.state.mn.us/images/d/d3/Flow_Chart_-_MDH_Stormwater_Guidance_for_Sites_in_Drinking_Water_Supply_Management_Areas.pdf) (https://stormwater.pca.state.mn.us/images/d/d3/Flow_Chart_-_MDH_Stormwater_Guidance_for_Sites_in_Drinking_Water_Supply_Management_Areas.pdf) to better understand when infiltration is appropriate in wellhead protection areas. [Table 9](#) provides a more comprehensive list of additional actions the SRW can take to prevent stormwater infiltration from contaminating groundwater.

Household Hazardous Waste

Many household products you use to clean your home, maintain your yard, and control animals and insects contain hazardous materials. When these products are disposed of improperly, it may lead to groundwater contamination.

Minnesota's household hazardous waste (HHW) program is a partnership with the MPCA and the counties. Together, they provide education about HHW storage and disposal as well as maintain a network of regional, local and mobile facilities to collect HHW statewide. In addition, many counties offer temporary collection sites, including one-day events. The MPCA has a searchable database to find HHW collection sites for your county, [Household Hazardous Waste Collection Sites](https://www.pca.state.mn.us/living-green/find-your-household-hazardous-waste-collection-site) (<https://www.pca.state.mn.us/living-green/find-your-household-hazardous-waste-collection-site>).

Similar to the partnership for HHW, MDA partners with counties to provide a means to safely dispose of unwanted and unusable pesticides through the Waste Pesticide Collection Program. Through this program, pesticide users in every county around the state have opportunities to dispose of unwanted agricultural pesticides through county HHW facilities, mobile collection events or by attending MDA schedule events. Participants can drop off up to 300 pounds free of charge. MDA manages a waste

pesticide collection schedule to learn about partnerships and scheduled events, MDA [Waste Pesticide Collection Schedule](http://www.mda.state.mn.us/chemicals/spills/wastepesticides/schedule.aspx) (www.mda.state.mn.us/chemicals/spills/wastepesticides/schedule.aspx).

How to Protect Groundwater from Household Hazardous Waste Contamination

Promote HHW and the pesticide collection program availability to residents, and evaluate opportunities to expand services to increase participation. [Table 9](#) provides a more comprehensive list of specific actions the SRW can take to assure consumer products do not contaminate groundwater.

Pharmaceuticals

The presence of pharmaceuticals in water is of increasing concern because they may cause harm to humans and aquatic life. Pharmaceuticals enter rivers, lakes and groundwater when human waste, animal waste or discarded medications move from stormwater systems, sewer systems or septic tanks into water. Wastewater and drinking water treatment may not completely remove pharmaceuticals. As a result, these chemicals can be found in drinking water sources.

How to Protect Groundwater from Pharmaceutical Contamination

Do not flush old or unwanted prescription or over the counter medications down the toilet or drain, and do not put them in the trash. There are more than 240 medication collection boxes located at law enforcement facilities and pharmacies in Minnesota. These collection sites do not charge for disposal. You can use the Earth 911 website to identify collection sites by zip code, [Locations that take medications](https://search.earth911.com/?what=Medications&where=MN) (https://search.earth911.com/?what=Medications&where=MN). If a disposal site is not available, follow the MPCA guidance to minimize risk to the environment, [Medication Disposal Guidance](https://www.pca.state.mn.us/living-green/managing-unwanted-medications) (https://www.pca.state.mn.us/living-green/managing-unwanted-medications).

Groundwater Quantity Issues and Concerns

Permitted groundwater use increased from about 300 million gallons per year in 1988 to about 450 million gallons per year in 1998. Groundwater use then slowly declined to about 300 million gallons per year in 2017. Most groundwater use is for water supply. Five of six DNR groundwater-level monitoring wells with data from 1988 to 2018 had an upward statistical trend in water level and one well had no trend.

Groundwater Use

A water-use appropriation permit is required from the DNR for groundwater users withdrawing more than 10,000 gallons of water per day or 1 million gallons per year. This provides the DNR with the ability to assess which aquifers are being used and for what purpose. Permits require annual water-use reporting. This information is recorded using Minnesota Permitting and Reporting System (MPARS), which helps the DNR track the volume, source aquifer, and type of water use. The DNR has records of reported water use from 1988 to the present.

[Figure 20](#) - [Figure 22](#) show graphs of reported water use by calendar year from 1988 to 2018. A summary of reported 2018 water use by use category versus source aquifer is shown in [Table 7](#). [Figure 23](#) and [Figure 24](#) show the distribution of permitted wells with reported 2018 water use, categorized by use category and aquifer type, respectively.

Annual groundwater use in the SRW had a minimum of approximately 270 million gallons in 1990. Groundwater use increased to about 450 million gallons per year in 1998 and has gently declined to about 300 million gallons per year in 2017 (Figure 20).




Figure 20: Reported water use from the DNR permit holders by resource category. Groundwater use increased from 1988 to 2000 and has decreased since then. Surface water use was relatively unchanged from 1988 to 2016, and has risen since that time.

Most permitted groundwater withdrawals are pumped from buried sand and bedrock aquifers (Figure 21). Most permitted groundwater use is for water supply (Figure 23).




Figure 21: Reported groundwater use from DNR permit holders by aquifer category. Most permitted groundwater use is drawn from buried sand aquifers. Pumping for bedrock aquifers rose from 250 million gallons per year in 1995 to 400 million gallons per year in 1998, then slowly declined.

In 2018, approximately 85 percent of permitted groundwater use was for water supply, approximately five percent was used for industrial processing, 4 percent for non-crop irrigation, and the remainder spread among other use categories (Table 7). Approximately 47 percent of permitted groundwater was sourced from the buried sand aquifer and 41 percent from bedrock aquifers.

Figure 22 shows the distribution of groundwater appropriation permits for 2018 by volume reported and use category. Figure 23 shows the same information by volume reported and aquifer category. The largest water users are the City of Mora in the south central part of the watershed and the City of Pine City in the southeast part of the watershed.




Figure 22: Reported groundwater use from DNR permit holders by use category. Most permitted groundwater withdrawals are used for water supply. Pumping for water supply rose from 250 million gallons per year in 1995 to 400 million gallons per year in 1998, then slowly declined.

Table 7¹¹: Reported 2017 water use from DNR groundwater permit holders in million gallons per year.

Use Category	Surficial Sand Aquifer (Water Table)	Buried Sand and Gravel Aquifer (Confined)	Bedrock Aquifer	Unknown	Total (mgy)	Total (percent)
Agricultural Irrigation	—	—	—	—	—	—
Heating/Cooling	—	—	—	—	—	—
Industrial Processing	—	14.4	—	—	14.4	4.6

¹¹ Data from MPARS; mgy, million gallons per year; dash marks (-) indicate no use in those categories; * percentages may not equal 100 due to rounding.

Use Category	Surficial Sand Aquifer (Water Table)	Buried Sand and Gravel Aquifer (Confined)	Bedrock Aquifer	Unknown	Total (mgy)	Total (percent)
Non-Crop Irrigation	6.3	—	6.9	—	13.1	4.2
Other Categories	—	2.7	—	8.3	11.0	3.5
Power Generation	—	—	—	—	—	—
Water Level Maintenance	—	—	—	7.8	7.8	2.5
Water Supply	—	130.9	135.0	1.6	267.5	85.3
Total (mgy)	6.3	147.9	141.9	17.7	313.8	—
Total (percent)	2.0	47.2	45.2	5.6	—	100 *

Snake River - DNR Groundwater Appropriation Permits by Use Category




Figure 23: Snake River Watershed - Distribution of groundwater appropriation permits for 2018 by volume reported and use category. The largest water users in the watershed are the cities of Mora and Pine City in the south-central and southeast portions of the watershed, respectively.

Groundwater Level Monitoring

The DNR maintains a statewide groundwater-level monitoring program for assessing groundwater resources, determining long-term trends, interpreting impacts of pumping and climate, planning for water conservation, evaluating water conflicts, and managing water resources.

There are 10 active groundwater-level monitoring wells in the planning area ([Figure 25](#)). Of these 10 wells, six wells have been monitored since the 1990s, one well has been monitored since the 2000s, and three wells since the 2010s.

There are six groundwater-level monitoring wells that have enough water-level data to calculate a statistical trend. Trends are calculated by the Mann-Kendall non-parametric statistical method ([Figure 26](#)). Five wells had an upward trend in water levels over the period 1989-2018 and one well had no trend in water levels. Hydrographs from six of the wells are shown in [Figures 28](#) through [Figure 33](#).

Snake River - DNR Groundwater Appropriation Permits by Aquifer Category




Figure 24: Snake River Watershed – Distribution of groundwater appropriation permits for 2018 by volume reported and aquifer category.

Snake River - Active DNR Monitoring Wells by Decade




Figure 25: Snake River Watershed – Active Groundwater-Level Monitoring Wells in the Snake Watershed by decade monitoring started. Six of the groundwater-level monitoring wells in the watershed have been monitored since the 1990s. One monitoring well was added in the 2000s and three wells were added in the 2010s.

Snake River - Locations of DNR Monitoring Wells with Hydrographs




Figure 26: Location of active groundwater-level monitoring wells with enough data to calculate a statistical trend. Trends are calculated by the Mann-Kendall non-parametric statistical method. Location of wells with hydrographs are also shown. Five of six long-term monitoring wells had an upward trend in water level over the period 1996 to 2019. One well had no trend over the same period. Location of hydrographs are also shown.




Figure 27: Hydrograph of well 01006 compared to precipitation. The water level has an upward trend over the period 1996-2019, which is consistent with increasing precipitation.




Figure 28 (a): Hydrograph of well 48007 compared to precipitation. The water level has a long-term upward trend over the period 1996-2019.




Figure 29 (b): Hydrograph of well 48007 compared to pumping. Annual water level fluctuations correspond to seasonal pumping.




Figure 29: Hydrograph of well 48008 compared to precipitation. The water level has an upward trend over the period 1996-2019.




Figure 30: Hydrograph of well 48009 compared to precipitation. The water level has an upward trend over the period 1996-2019.




Figure 31: Hydrograph of well 48010 compared to precipitation. The water level has no trend over the period 1996-2019.




Figure 32: Hydrograph of well 33012 compared to precipitation. The water level has an upward trend over the period 1996-2019.

Groundwater Connected Natural Features at Risk

The SRW boundary includes significant natural features, including surface waters that depend on groundwater to sustain them (Figure 33). Groundwater appropriations and land-use changes can impact the health of these natural resources. If groundwater quantity or quality is degraded, these resources are at risk. The following features occur within the SRW:

- One designated trout stream
- Wetland complexes across the entire area
- Lakes that may be susceptible to changing aquifer levels
- Thirty-five distinct native plant communities connected to groundwater (and a wetland community complex)
- Twenty-eight rare plant and animal species connected with groundwater that are listed as endangered, threatened or special concern, watch list, or 'Species in Greatest Conservation Need'.

Rare Natural Features Connected with Groundwater in the Snake River Watershed

Rare natural features (Figure 33 through Figure 34) contribute to the health of the habitat and environment. Some even contribute directly to local economies in the form of recreation—including hunting/fishing, wildlife viewing, and camping. Rare natural features can include species of rare plants and animals as well as native plant communities (habitats). These resources are at risk if groundwater quantity or quality is disrupted.

There is one designated trout stream in the SRW: Mission Creek (M-050-044-006). This stream is dependent on a constant supply of cold, oxygen-rich groundwater from springs or seeps. This stream is not only unique, but offer excellent recreation opportunities for fishing. Because surrounding land use changes and water appropriations can easily affect them, trout streams are waters designated by the DNR and protected from harm by law (Minnesota Rule 6264.0050).




Figure 33: Snake River Watershed – Trout Streams, Public Waters, and Native Plant Communities Connected with Groundwater

There are 35 distinct native plant communities associated with or dependent on groundwater in the SRW [Figure 33](#). They range from forested communities such as floodplain forests, to open communities such as marshes and rich fens. Four of these native plant communities are considered critically imperiled or imperiled status, twelve are considered vulnerable to extirpation status, and nineteen are considered apparently secure or secure. To learn more about [Conservation Status Ranks for Native Plant Community Types and Subtypes](#) (http://files.dnr.state.mn.us/natural_resources/npc/s_ranks_npc_types_&_subtypes). It is important to note that Pine County has not yet been mapped for native plant communities, as noted in [Figure 33](#) and [Figure 34](#).




Figure 34: Snake River Watershed - Rare Plants, Animals, and Native Plant Communities Connected with Groundwater

There are 28 species of birds, fish, reptiles, amphibians, mussels and plants that are either endangered, threatened, special concern, a state listed “Species In Greatest Conservation Need,” or fall on a State Watchlist, that are dependent on habitats with groundwater or groundwater seepage areas in the SRW ([Figure 34](#)). A detailed list of native plant communities and rare features is available in the [Additional Resources](#) section at the end of the report in [Table 11](#) through [Table 12](#).




Figure 35: Snake River Watershed - Trout Streams, Public Waters, and Rarity of Native Plant Communities Connected with Groundwater. Native Plant Community S-ranks correspond to that community's rarity. S1=Critically Imperiled, S2= Imperiled, S3=Vulnerable to Extirpation, S4=apparently secure; uncommon but not rare, S5=Secure, common, widespread, and abundant.

Groundwater connections to wildlife species are many and often complex. Wildlife groups as diverse as birds, bats, spiders, snakes, turtles, frogs, toads, fishes, and snails all contain species that require some form of surface water body to complete their life cycles and persist on the landscape. If groundwater fluctuations or depletions affect a significant number of surface water features in this area, important wildlife habitats may be impacted or lost.

Groundwater Flow Dominated Lakes

All lakes are connected to groundwater, but the specific interaction between lake water and groundwater depends on the geology, topography, and volume of surface-water inflow and outflow associated with the lake. There are three basic lake types (Petersen and Solstad, 2007):

10. Lakes dominated by surface water inflow and outflow resulting from a large ratio of contributing surface watershed area to lake area.
11. Lakes dominated by groundwater inflow and outflow resulting from a smaller ratio of contributing surface watershed area to lake area (10 or less). This lake type is often landlocked with no surface outlet. Although for the purposes of this GRAPS report, the lake level outlet elevation has not been studied. Lakes have been put into this classification solely by watershed to lake area ratio.
12. Lakes intermediate between the first and second types. This applies to lakes that typically have a large watershed to lake area ratio, but during times of drought, the lake level will drop below the outlet level. Groundwater often becomes a significant part of the inflow to these lakes during extended dry periods.

Only the groundwater-dominant lakes as defined in type 2 above are shown in this report ([Figure 36](#)). There are 19 groundwater-flow dominated lakes in the SRW. Large-scale groundwater pumping near a lake will likely have more impact to groundwater-flow dominated lakes than to surface water-flow dominated lakes.

Snake River - Groundwater Flow Dominated Lakes




Figure 36: Groundwater-Dominated Lakes in the Snake River Watershed. There are 19 groundwater-flow dominated lakes in the planning area.

How to Address Groundwater Quantity Issues

Most groundwater quantity (sustainability) issues are the result of overuse of groundwater and/or reduction in recharge to the underlying aquifer. Therefore, the strategies to address water quantity issues are similar, regardless of the groundwater quantity issue. The two primary goals to assure water sustainability are:

- **Water conservation:** Reduce or limit the amount of groundwater used
- **Promote or protect recharge:** Find ways for water to infiltrate back into the ground

There are a variety of strategies to help meet water conservation and recharge goals. The type of strategy used depends on the primary factor affecting quantity in the area in question. Strategies include: conservation easements, cropland management, education and outreach, irrigation water management and land use planning and management. ([Table 9](#)) provides a more comprehensive list of specific actions the SRW can take to conserve water and promote recharge.

Snake River Watershed Strategies and Actions to Restore and Protect Groundwater

This section provides tips for prioritizing and targeting restoration and protection strategies and makes suggestions about what strategies and actions would be most appropriate within different areas of the watershed. Information on the geological, ecological and sociological conditions for each county and subwatershed (HUC-10) informs which strategies and actions would be effective for each HUC-10 and county.

Tips for Prioritizing and Targeting Strategies and Actions

Determine Your Goal

You may decide to address an issue because of known instances or threats in an area, or maybe you are working in a geographic area because of jurisdiction or some other factors. The Actions and Strategies Table ([Table 9](#)) will help you focus on the goal, for instance, reducing nitrate in groundwater. Then you will need to decide, using the table, if you would like to focus on conservation easements, outreach and education, nutrient management, or some other strategy.

Match the Right Action with the Right Location

The Actions and Strategies Table ([Table 9](#)) will help you determine where the actions would be most effective. For instance, an activity that reduces nitrate in groundwater may be more valuable in sensitive areas or vulnerable wellhead protection areas. Or, if you are focused on a limited geography, the table will help you determine what actions are applicable to that area. Considering the sensitivity combined with the presence of drinking water wells and vulnerable wellhead protection areas can help further focus efforts. In another example, factors such as the presence of groundwater dependent features and a concentration of large appropriation wells can help determine where efforts to promote conservation and recharge would be most effective.

Know the Pollution Sensitivity

Groundwater quality is impacted by both point and non-point source pollution. These potential contaminant sources need to be managed according to the pollution sensitivity of the aquifer ([Figure 5](#)). Examining the sensitivity of the aquifer as it relates to contamination risk helps determine the level of management necessary to protect groundwater quality. For example, a failing septic system has a greater potential to contaminate the aquifer in a highly sensitive setting with coarse textured material than an area with low sensitivity that has a protective clay layer that retards the movement of water into the aquifer.

Consider Multiple Benefits

Oftentimes, the restoration and protection strategies identified for both groundwater and drinking water positively influence other ecosystem services, such as surface waters, habitat, and pollinators,

among others. Managing water as ‘one water’, rather than parceling it out to reflect the different aspects of water as it moves through the hydrologic cycle, allows for better planning and allocation of resources. The far right columns of the Actions and Strategies Table ([Table 9](#)) identifies the multiple benefits that could result from implementing the action.

Leverage Other Programs and Practices

Utilize existing Federal and State programs that are already working in the SRW to conserve land, prevent erosion and protect or improve surface water quality. Many of the practices that are being implemented have a benefit for groundwater. You can further target some of these efforts based on the information provided in this report to maximize the benefits by protecting groundwater. ([Table 9](#)) includes a column that identifies which agencies can assist with a specific action; the listed agencies typically have some type of program in place that you can leverage. The [Descriptions of Supporting Strategies](#) section of this report lists existing programs and resources for each of the suggested strategies.

Emphasize Protection

There is often a bias in groundwater management towards strategies that emphasize protection because of the cost and difficulty of remediating already-contaminated resources. In contrast to surface water bodies, groundwater:

- is difficult to access;
- cannot be observed, sampled or measured easily;
- travels slowly, often along complex pathways and through aquifer media that can absorb and store contaminants over long time periods; and
- is very difficult and expensive to treat if contaminated.

Timeframes associated with groundwater cleanup activities are often measured in decades and cost millions of dollars. Groundwater management strategies that emphasize prevention and protection are critical.

Although the tide is changing within water resources management in Minnesota, many funding streams and priorities are focused on restoration activities that can show measurable outcomes. Even though it is difficult to demonstrate ‘improvements’ from protection strategies, it is important to stress the need to take a balanced approach and protect groundwater resources.

Strategies and Actions for Snake River Watershed

This section provides a table of strategies and actions local partners in the SRW can take to restore and protect groundwater resources. Many of the proposed actions require the participation of a willing landowner to execute. Other actions reflect opportunities to manage land use through local controls. Many of the proposed strategies and actions align with strategies to protect surface waters.

Each action aligns with one or more supporting strategies and goals.

- **Goals** identify how an action helps restore and/or protect groundwater.
- **Supporting Strategies** are key approaches to achieving the goal.

- **Recommended Groundwater Actions** are specific actions prescribed to a specific county or HUC-10 within the watershed that will help achieve the goal and pertains to the supporting strategy.

[Figure 37](#) provides a visual representation of the relationship between goals, supporting strategies, and recommended groundwater actions. Note that each goal is supported by many supporting strategies, and each supporting strategy may have a variety of recommended groundwater actions.




Figure 37: Visual representation of the relationship between goals, supporting strategies, and recommended groundwater action.

How to Use the Table of Actions and Strategies

The Table of Actions and Strategies ([Table 9](#)) is designed so that you can find actions and strategies related to whatever your priorities may be when it comes to restoring and protecting groundwater. There are a variety of columns to facilitate the following:

- finding actions for specific geographic areas (counties or HUC-10s);
- finding actions or strategies that would help achieve a specific goal;
- learning the additional benefits of implementing a specific action; and
- tips for determining where to target a specific action if you cannot implement the action in the entire recommended area.

The following list defines what each of the columns in [Table 9](#) represent:

- **Goal:** How the action in this row helps restore and/or protect groundwater. The goals have been sorted alphabetically as much as possible. Each goal identifies the main objective—such as whether it protects groundwater quality or sustains the amount of water available—and includes a keyword to explain how the goal is achieved. For example, a goal that is listed as ‘Protect Groundwater and Drinking Water Quality: Closed Landfills’ can be interpreted as: Protect groundwater and drinking water quality from landfill contamination.
- **Supporting Strategies:** Identifies and links you to general strategies that help accomplish the goal for the action in this row. Each strategy is hyperlinked to a section of the report that provides more information about the strategy and connects you with existing tools and programs that may assist you in implementing this strategy or implementing actions related to this strategy.
- **Recommended Groundwater Action:** A specific action you can take to help achieve the goal to the left in the row and is informed by the strategy to the left in the same row.
- **Target _____ Co.:** The ‘X’s’ denote which counties should consider using the action described in the corresponding row. An ‘X’ denotes the action would be most beneficial for that county. The addition of the counties helps to further prioritize and target where recommended groundwater actions should be implemented, narrowing the focus from a larger subwatershed to a specific geographic area. For example, many of the subwatersheds identify the need to work with irrigators; by adding the additional filter of counties, you are able to eliminate specific counties that do not have irrigators, targeting where implementation should occur. It also works as a quick reference to identify groundwater actions specific to the county in which you work.
- **HUC-10s Involved:** This column denotes which HUC-10 subwatershed(s) within the SRW to consider using the action described in the corresponding row. There are 19 HUC-10s within the watershed. [Table 8](#) provides the name and the HUC-10 number assigned to each major watershed. [Figure 2](#) is a map of the HUC-10s.
- **Agencies that can assist**¹²: This column lists agencies that may be able to assist with implementing the strategy through existing programs or providing more information or technical assistance.
- **Tips for Targeting & Helpful Maps:** This column helps identify the areas that should be targeted for the specific action if it is not feasible to implement the action in all the recommended counties or HUC-8s. The column also includes links to maps within the GRAPS report that may be helpful in identifying which specific areas within a county or HUC-8 to target. The maps are listed in *italicized font*. You can click on the *blue text* that says the figure number for the map to hyperlink directly to the map being referenced.

¹² BWSR=Board of Soil and Water Resources; FSA=Farm Service Agency; MDA=Minnesota Department of Agriculture; MDH=Minnesota Department of Health; MPCA=Minnesota Pollution Control Agency; NRCS=Natural Resources Conservation Service; UMN=University of Minnesota Extension (*not a comprehensive list of agencies/partners*)

- **Benefit:** _____¹³: This series of 'X' marks whether the corresponding action may have additional benefits. An 'X' denotes the action could create the described additional benefit.

Table 8: HUC 10 subwatersheds within the Snake River Watershed

HUC-10 Name	Reference Name in Implementation Table	HUC-10 Number
Ann River	Ann	0703000403
Groundhouse River	Groundhouse	0703000404
Knife River	Knife	0703000402
Lower Snake River	Lower Snake	0703000408
Middle Snake River	Middle Snake	0703000405
Mud Creek	Mud	0703000406
Pokegama Lake	Pokegama	0703000407
Upper Snake River	Upper Snake	0703000401

Summary of Key Findings and Issues

Below is a summary of key groundwater quality and quantity findings found in the SRW. This summary can be used to help target groundwater actions during the 1W1P exercise.

Key Groundwater Quality Findings and Issues

- **Nitrate** – less than one percent of tested drinking water wells reported to MDH had levels at or above the SDWA standard of 10 mg/L.
- There is one MDA ambient monitoring well in the center of the watershed in Kanabec County. The sampling data recorded the highest nitrate result of 28.6 mg/L during the period of 2013-2018.
- MDA TTP sampled drinking water wells for nitrate in Southfork Township in Kanabec County. Sampling occurs in townships where row crop production combined with vulnerable geology increase the risk of nitrate samples exceeding the SDWA standard.
- There are no MPCA ambient groundwater monitoring wells in the SRW.
- **Arsenic** – over two percent of the 491 tested wells had levels exceeding the SDWA standard of 10 µg/L. The EPA has set a goal of 0 µg/L for arsenic in drinking water because there is no safe level of arsenic in drinking water.
- **Pesticides** – there is one MDA ambient monitoring well within the watershed. The monitoring well in Kanabec County recorded four common detection pesticides in 2018.
- **DWSMAs** cover over 6,000 acres in the watershed. Ten of the 12 community public water suppliers are engaged in the wellhead protection planning process or are implementing their plans. Of the 10 systems with approved plans, the vulnerability varies across the watershed from low to high. One of the approved wellhead protection plans exhibit a high vulnerability in

¹³ **Habitat**=Improve/Protect Habitat, including pollinators; **GWCF**=Improve/Protect Groundwater Connected Features; **Soil Health**=Improve/Protect Soil Health; **Erosion**=Control Erosion; **Carbon**=Carbon Sequestration; **Nutrient Runoff**=Control Nutrient Runoff, including pesticides (*The multiple benefits achieved are dependent on the placement and type of BMPs implemented; seed mixes planted; and other site conditions*).

all or part of their DWSMA and is considered vulnerable to contamination from the land surface, with all others exhibiting moderate or low vulnerability.

- Approximately 31 percent of the people living in the watershed get their drinking water from a community public water supply system.
- **Private wells** – there are 4,104 private drinking water wells with known locations ranging from 17 ft. to 550 ft. deep. Approximately eight percent (344 wells) of private wells are in a highly vulnerable setting.
- **Flood events** can threaten the safety and availability of drinking water by washing pathogens and chemical contamination into source aquifers. Pine County has the greatest number of wells at risk within the 100 year flood zone.
- **Animal feedlots** – there are 173 active feedlots in the watershed with the greatest concentration in Kanabec County. There are no delegated counties in the SRW, all relying on the MPCA to administer the feedlot rule.
- **Row crop agriculture** accounts for approximately 28 percent of land cover in the watershed. In areas with high pollution sensitivity, agricultural inputs can contaminate the underlying aquifer.
- **SSTS** are found throughout the watershed. Information reported by counties indicate Chisago and Isanti County has the highest number of failing SSTS at four to seven per 1,000 acres. Aitkin and Pine County reported the fewest number of failing SSTS.
- **Contaminated sites** – there are 103 active tank sites that could leak chemicals into the environment and 10 leak sites that may cause localized groundwater pollution if not properly managed. The risk to groundwater is greatest in areas of high pollution sensitivity.
- One closed landfill in Pine County with a known groundwater contamination plume is found within the watershed.

Key Groundwater Quantity Findings and Issues

- In 2018, approximately 85 percent of permitted water use was for water supply, approximately five percent was used for industrial processing, 4 percent for non-crop irrigation, and the remainder spread among other use categories. Approximately 47 percent of permitted groundwater was sourced from the buried sand aquifer and 41 percent from bedrock aquifers.
- Six DNR observation wells with enough water-level measurements to calculate a statistical trend. Five wells had an upward trend in water levels over the period 1989-2018 and one well had no trend in water levels.
- SRW has one designated trout stream.
- There are 19 lakes in the SRW with a watershed to lake ratio of 10 or less and are considered groundwater-flow dominated lakes, susceptible to changing aquifer levels.
- Wetland complexes across the entire watershed are susceptible to changing aquifer levels.
- Thirty-five distinct native plant communities connected to groundwater and a wetland community complex. In addition, 28 state-listed endangered, threatened, or special concern plant and animal species connected to groundwater that are at risk to changing aquifer levels and degraded groundwater quality.

Table of Actions and Strategies to Restore and Protect Groundwater

Table 9: Actions and Strategies to Restore and Protect Groundwater

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Aitkin Co.	Target Chisago Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Pine Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Private Well Users: Arsenic	<u>Education and Outreach</u>	<ul style="list-style-type: none"> Educate well users about the health risks of elevated arsenic levels in drinking water. Promote testing of private wells through education or cost share. Provide information from MDH about arsenic in Minnesota’s well water to private well users to help answer health related questions and information on arsenic removal. 	X	X	X	X	X	X	All	MDH Well MGMT	<p>Prioritize areas with a high density of private wells and areas with evidence of high levels of arsenic in private wells.</p> <p><i>Arsenic Map (Figure 16)</i></p> <p><i>Drinking Water Wells Map (Figure 11)</i></p>						
Protect Private Well Users: Well Testing	<u>Education and Outreach</u>	<p>Make information available to private well users about local drinking water quality and well testing. Host a well testing clinic or provide resources to well users to have their water tested for:</p> <ul style="list-style-type: none"> Coliform Bacteria (every year) Nitrate (every other year) Arsenic (at least once) Lead (at least once) Manganese (at least once) 	X	X	X	X	X	X	All	MDH Well MGMT	<p>Prioritize areas with a high density of private wells, high pollution sensitivity and/or where there are known groundwater contaminants.</p> <p><i>Pollution Sensitivity Map (Figure 5)</i></p> <p><i>Pollution Sensitivity Wells (Figure 7)</i></p> <p><i>Arsenic Map (Figure 16)</i></p> <p><i>Drinking Water Wells Map (Figure 11)</i></p> <p><i>Nitrate Map (Figure 13)</i></p>						

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Aitkin Co.	Target Chisago Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Pine Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Private Well Users: Manage Wells Protect Groundwater and Drinking Water Quality: Manage Wells	<u>Education and Outreach</u>	Promote proper management of wells through MDH tools, such as the 'Well Owners Handbook' in landowner outreach efforts.	X	X	X	X	X	X	All	MDH Well MGMT	Prioritize areas with a high density of private wells <i>Drinking Water Wells Map (Figure 16)</i>						
Protect Groundwater and Drinking Water Quality: Well Sealing	<u>Education and Outreach</u>	<ul style="list-style-type: none"> Provide cost share to well owners for sealing of unsealed, unused wells. Provide educational materials on well sealing. 	X	X	X	X	X	X	All	MDH Well MGMT	Prioritize areas with a high density of private wells and DWSMAs. <i>Drinking Water Wells Map (Figure 11)</i> <i>DWSMA Map (Figure 10)</i>						
Protect Groundwater and Drinking Water Quality: Well Inventory	<u>Land Use Planning and Management</u>	To understand water quality trends, establish a well inventory to record baseline data or changes in groundwater quality. An example of a successful model is the Southeast MN Domestic Well Network.	X	X	X	X	X	X	All	MDH Well MGMT	N/A						
Protect Groundwater and Drinking Water Quality: Closed Landfills	<u>Contaminant Planning and Management</u>	<ul style="list-style-type: none"> Identify MPCA closed landfill locations and groundwater areas of concern in comprehensive land use plans, zoning maps and ordinances. Identifying the location will help assure drinking water and public 						X	Lower Snake	MPCA CLP Land Manager	<i>Closed Landfill Map (Figure 19)</i>						

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Aitkin Co.	Target Chisago Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Pine Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff	
	<u>Land Use Planning and Management</u>	<ul style="list-style-type: none"> health implications are considered when evaluating future growth or development near these sites. Consult and review the MPCA Closed Landfill Program to make sure any proposed changes in zoning districts or new land use planning proposals are not in conflict with the State Closed Landfill Plan. Contact the MPCA Closed Landfill Program for current information and any concerns or changes to the groundwater area of concern when considering land use changes or developments near the area. Request to be notified regarding any changes in the migration or movement of contaminants. Educate residents about the proper disposal of HHW, pharmaceuticals and personal care products that can contaminant landfills. 																
Protect Groundwater and Drinking Water Quality: Leaky Tanks	<u>Contaminant Planning and Management</u>	<ul style="list-style-type: none"> Identify leaky and active tank sites in your area in comprehensive land use plans, zoning maps and ordinances. Identifying these locations will help assure drinking water and public health implications are considered 	X			X	X	X	Groundhouse Middle Snake Knife Lower Snake	MPCA Tanks Program	Focus in areas with high pollution sensitivity and highly vulnerable DWSMAs. <i>Pollution Sensitivity Map (Figure 5)</i>							

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Aitkin Co.	Target Chisago Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Pine Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
	<u>Land Use Planning and Management</u>	<ul style="list-style-type: none"> when evaluating future growth or development near these sites. Contact the MPCA Tank Compliance and Assistance Program for current information and any concerns or changes to the groundwater area of concern when considering land use changes or developments near these areas. Request to be notified regarding any changes in the migration or movement of contaminants. 							Upper Snake		<i>Pollution Sensitivity Wells (Figure 7)</i> <i>DWSMA Map (Figure 10)</i> <i>Tank & Leak Site Map (Figure 18)</i>						
Protect Groundwater and Drinking Water Quality: Feedlots	<u>Contaminant Planning and Management</u>	Prioritize feedlot inspections, regardless of size, in areas of greatest risk to pollution, to minimize the loss of nitrate and harmful bacteria.	X			X	X	X	All	MPCA Feedlot Program	<i>Focus in areas with high pollution sensitivity and highly vulnerable DWSMAs.</i> <i>Pollution Sensitivity Map (Figure 5)</i> <i>Pollution Sensitivity Wells (Figure 7)</i> <i>DWSMA Map (Figure 10)</i> <i>Active Feedlot Map (Figure 17)</i>						X
Protect Groundwater and Drinking Water Quality:	<u>Education and Outreach</u> <u>Nutrient Management</u>	<ul style="list-style-type: none"> In delegated counties, all feedlots that apply manure in areas of high risk will conduct a Level 2 records review completed regardless of the size of facility. 	X			X	X	X	All	MPCA Feedlot Program	<i>Focus in areas with high pollutions sensitivity and highly vulnerable DWSMAs.</i> <i>Pollution Sensitivity Map (Figure 5)</i>			X	X		X

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Aitkin Co.	Target Chisago Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Pine Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Manure Management		<ul style="list-style-type: none"> In delegated counties, conduct annual Level 3 review of manure acres in areas of high risk. Assist feedlot owners, especially sites with 300 or fewer animal units, in the development of a manure management plan. Host field days that promote; emergency response training, manure crediting, calibration of equipment, and the manure testing process. Evaluate local ordinances and revise to include manure timing guidelines to protect from nitrate loss. Follow the UMN Extension guidelines, including no summer application and fall application only after soil temperature is below 50 degrees. 									<p>Pollution Sensitivity Wells (Figure 7)</p> <p>DWSMA Map (Figure 10)</p> <p>Active Feedlot Map (Figure 17)</p>						
Protect Groundwater and Drinking Water Quality: Manure Management	<p>Education and Outreach</p> <p>Nutrient Management</p>	<p>Promote actions to prepare for field application of manure:</p> <ul style="list-style-type: none"> Inspect equipment to ensure everything is functioning properly to avoid leaks or spills Get manure sampled and analyzed for nutrient availability Plan applications for each field 	X			X	X	X	All	MPCA Feedlot Program	<p>Focus in areas with high pollution sensitivity and highly vulnerable DWSMAs.</p> <p>Pollution Sensitivity Map (Figure 5)</p> <p>Pollution Sensitivity Wells (Figure 7)</p> <p>DWSMA Map (Figure 10)</p>			X	X		X

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Aitkin Co.	Target Chisago Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Pine Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
	<u>Contaminant Planning and Management</u>	<ul style="list-style-type: none"> Determine any setbacks needed in fields and mark locations of sensitive features to avoid Use the Minnesota Runoff Risk Advisory Forecast system tool to determine the best time to apply manure. Put together an emergency action plan that identifies leak and spill containment 									<i>Active Feedlot Map (Figure 17)</i>						
Protect Groundwater and Drinking Water Quality: Nitrate	<u>Nutrient Management</u> <u>Education and Outreach</u>	<p>Promote implementation of nutrient management practices to improve farm profitability and reduce nitrogen loss. Practices include:</p> <ul style="list-style-type: none"> Improve nitrogen efficiency by practicing the 4 R's of nitrogen stewardship (right source, right rate, right timing, and right place) Adopt and use of the UMN 'Best Management Practices for Nitrogen use in Minnesota Properly credit nitrogen sources (soil/manure tests, past crops, & mineralization) Implement comprehensive nutrient management plans to improve 		X	X	X	X	X	Ann Groundhouse Knife Lower Snake Middle Snake Mud Pokegama	MDA Pesticide & Fertilizer Division	<p>Focus on areas with high pollution sensitivity, highly vulnerable DWMSAs, and vulnerable townships identified by MDA through their township testing program.</p> <p><i>Pollution Sensitivity Map (Figure 5)</i></p> <p><i>Pollution Sensitivity Wells (Figure 7)</i></p> <p><i>DWSMA Map (Figure 10)</i></p> <p><i>Township Testing Map (Figure 14)</i></p>						X

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Aitkin Co.	Target Chisago Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Pine Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
		<ul style="list-style-type: none"> nitrogen crediting, equipment calibration, and record keeping Spoon feed nitrogen to sync with plant growth through side dressing and split fertilizer application 															
Protect Groundwater and Drinking Water Quality: Nitrate	<u>Nutrient Management</u> <u>Education and Outreach</u>	Increase the number of farmers enrolled in the Nutrient Management Initiative Program to evaluate alternative nutrient management practices.		X	X	X	X	X	Ann Groundhouse Knife Lower Snake Middle Snake Mud Pokegama	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, highly vulnerable DWMSAs, and vulnerable townships identified by MDA through their township testing program. <i>Pollution Sensitivity Map (Figure 5)</i> <i>Pollution Sensitivity Wells (Figure 7)</i> <i>DWSMA Map (Figure 10)</i> <i>Township Testing Map (Figure 14)</i>						X
Protect Groundwater and Drinking Water Quality: Nitrate	<u>Nutrient Management</u> <u>Education and Outreach</u> <u>Cropland Management</u>	Identify programs and opportunities for growers to test and implement new nitrogen practices, innovative technology or cropping systems that protect groundwater quality that prevent or reduce nitrogen loss. (E.g. Cover Crops, Alternative Crops, Precision Ag / New Technologies, Nutrient Management Initiative, etc.)		X	X	X	X	X	Ann Groundhouse Knife Lower Snake Middle Snake Mud	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, highly vulnerable DWMSAs, and vulnerable townships identified by MDA through their township testing program. <i>Pollution Sensitivity Map (Figure 5)</i> <i>Pollution Sensitivity Wells (Figure 7)</i>	X		X		X	X

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Aitkin Co.	Target Chisago Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Pine Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
									Pokegama		DWSMA Map (Figure 10) Township Testing Map (Figure 14)						
Protect Groundwater and Drinking Water Quality: Nitrate	Nutrient Management Education and Outreach	Promote the adoption of cover crops for scavenging nutrients under row crops.		X	X	X	X	X	Ann Groundhouse Knife Lower Snake Middle Snake Mud Pokegama	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, irrigated row crops, highly vulnerable DWSMAs, and vulnerable townships identified by MDA through their township testing program. Pollution Sensitivity Map (Figure 5) Pollution Sensitivity Wells (Figure 7) DWSMA Map (Figure 10) Township Testing Map (Figure 14) Drinking Water Wells Map (Figure 11)	X		X	X	X	X
Protect Groundwater and Drinking Water Quality: Nitrate Groundwater Sustainability:	Education and Outreach Nutrient Management	Promote the benefits of farming using soil health principles that increase soil moisture holding capacity, organic matter, and nutrient cycling.		X	X	X	X	X	Ann Groundhouse Knife Lower Snake Middle Snake	NRCS Field Office	Focus on areas with high pollution sensitivity, highly vulnerable DWMSAs, and vulnerable townships identified by MDA through their township testing program. Pollution Sensitivity Map (Figure 5) Pollution Sensitivity Wells (Figure 7)			X	X	X	X

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Aitkin Co.	Target Chisago Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Pine Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Water Conservation	<u>Cropland Management</u>								Mud Pokegama		<i>DWSMA Map (Figure 10)</i> <i>Township Testing Map (Figure 14)</i> <i>Nitrate in Wells Maps (Figure 13)</i>						
Protect Groundwater and Drinking Water Quality: Nitrate Groundwater Sustainability: Water Conservation	<u>Education and Outreach</u> <u>Nutrient Management</u> <u>Cropland Management</u>	Contact state and federal agency resource partners and coordinate opportunities for local field days, training and outreach for farmers, co-ops, and crop consultants. Focus on alternative nitrogen management practices, soil health, and second crops.		X	X	X	X	X	Ann Groundhouse Knife Lower Snake Middle Snake Mud Pokegama	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, highly vulnerable DWMSAs, and vulnerable townships identified by MDA through their Township Testing program. <i>Pollution Sensitivity Map (Figure 5)</i> <i>Pollution Sensitivity Wells (Figure 7)</i> <i>DWSMA Map (Figure 10)</i> <i>Township Testing Map (Figure 14)</i> <i>Nitrate in Wells Maps (Figure 13)</i>						
Protect Groundwater and Drinking Water Quality: Nitrate	<u>Education and Outreach</u> <u>Cropland Management</u>	Promote the benefits of crop diversity and rotation, which include high yields for each crop in the rotation, pest and weed control, and enhanced soil fertility.		X	X	X	X	X	Ann Groundhouse Knife Lower Snake	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, highly vulnerable DWMSAs, and vulnerable townships identified by MDA through their township testing program. <i>Pollution Sensitivity Map (Figure 5)</i>		X	X	X	X	X

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Aitkin Co.	Target Chisago Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Pine Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: Pesticides	<u>Integrated Pest Management</u>								Middle Snake Mud Pokegama		<i>Pollution Sensitivity Wells (Figure 7)</i> <i>DWSMA Map (Figure 10)</i> <i>Township Testing Map (Figure 14)</i> <i>Nitrate in Wells Maps (Figure 13)</i>						
Protect Groundwater and Drinking Water Quality: Nitrate Protect Groundwater and Drinking Water Quality: Pesticides Groundwater Sustainability: Water Conservation	<u>Education and Outreach</u> <u>Irrigation Water Management</u>	Provide information on best practices for turf management to the public. Include information on fertilizer application, crediting for grass clippings, lawn watering and herbicide and pesticide application.			X	X	X		Groundhouse Knife Lower Snake Middle Snake Pokegama	UMN Lawns & Turfgrass MGMT Team	Focus in MS4 communities and residential developments with high pollution sensitivity, along with highly vulnerable DWSMAs. <i>Pollution Sensitivity Map (Figure 5)</i> <i>Pollution Sensitivity Wells (Figure 7)</i> <i>DWSMA Map (Figure 10)</i>			X	X	X	X
Protect Groundwater and Drinking	<u>Education and Outreach</u>	Promote the adoption and use of MDA's water quality BMPs for agricultural pesticides and insecticides.		X	X	X	X	X	Ann Groundhouse Knife	MDA Pesticide & Fertilizer Division	Focus in areas of pesticide detection in MDA's monitoring wells, along with areas of high pollution sensitivity, highly vulnerable DWMSAs, and vulnerable townships identified by						X

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Aitkin Co.	Target Chisago Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Pine Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Water Quality: Pesticides	<u>Integrated Pest Management</u>								Lower Snake Middle Snake Mud Pokegama		MDA through their Township Testing program. <i>Pollution Sensitivity Map (Figure 5)</i> <i>Pollution Sensitivity Wells (Figure 7)</i> <i>DWSMA Map (Figure 10)</i> <i>Township Testing Map (Figure 14)</i>						
Protect Groundwater and Drinking Water Quality: Pesticides	<u>Education and Outreach</u>	Promote to farmers and area businesses the Agricultural and Non-Agricultural Waste Pesticide Collection Program to dispose of unwanted and unusable pesticides.		X	X	X	X	X	Ann Groundhouse Knife Lower Snake Middle Snake Mud Pokegama	MDA Pesticide & Fertilizer Division	Focus in areas of pesticide detection in MDA’s monitoring wells, along with areas of high pollution sensitivity, highly vulnerable DWMSAs, and vulnerable townships identified by MDA through their Township Testing program. <i>Pollution Sensitivity Map (Figure 5)</i> <i>Pollution Sensitivity Wells (Figure 7)</i> <i>DWSMA Map (Figure 10)</i> <i>Township Testing Map (Figure 14)</i>						

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Aitkin Co.	Target Chisago Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Pine Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: SSTS	<u>SSTS Management</u>	<ul style="list-style-type: none"> Enforce state and locally adopted SSTS ordinances for the protection of groundwater and drinking water sources. Evaluate existing SSTS ordinances and identify opportunities to enhance groundwater protection. Activities may include adding a Point of Sale requirement to trigger a SSTS inspection during real estate transactions. Improve SSTS records by obtaining information on treatment system; age, type and function to understand potential risks to groundwater. 	X	X	X	X	X	X	All	MPCA SSTS Field Staff	<p>Focus in areas with high pollution sensitivity, highly vulnerable DWSMAs, and areas with a density of SSTS. You can use the Well Density Map as an imperfect surrogate for SSTS density.</p> <p><i>Drinking Water Wells Map (Figure 16)</i></p> <p><i>Pollution Sensitivity Map (Figure 5)</i></p> <p><i>Pollution Sensitivity Wells (Figure 7)</i></p> <p><i>DWSMA Map (Figure 10)</i></p>						
Protect Groundwater and Drinking Water Quality: SSTS	<u>Education and Outreach</u> <u>SSTS Management</u>	<p>Educate citizens about SSTS including:</p> <ul style="list-style-type: none"> The basic principles of how a septic system works How to operate the system efficiently and effectively Risks to human health and the environment Financial options to repair or replace failing or non-compliant system 	X	X	X	X	X	X	All	MPCA SSTS Field Staff	<p>Focus in areas with high pollution sensitivity, highly vulnerable DWSMAs, and areas with a density of SSTS. You can use the Well Density Map as an imperfect surrogate for SSTS density.</p> <p><i>Drinking Water Wells Map (Figure 16)</i></p> <p><i>Pollution Sensitivity Map (Figure 5)</i></p> <p><i>Pollution Sensitivity Wells (Figure 7)</i></p> <p><i>DWSMA Map (Figure 10)</i></p>						

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Aitkin Co.	Target Chisago Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Pine Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: SSTS	<u>Education and Outreach</u> <u>SSTS Management</u>	Host local SSTS training and workshops for area contractors and citizens regarding SSTS technology, compliance, and maintenance.	X	X	X	X	X	X	All	MPCA SSTS Field Staff	Focus in areas with high pollution sensitivity, highly vulnerable DWSMAs, and areas with a density of SSTS. You can use the Well Density Map as an imperfect surrogate for SSTS density. <i>Drinking Water Wells Map (Figure 16)</i> <i>Pollution Sensitivity Map (Figure 5)</i> <i>Pollution Sensitivity Wells (Figure 7)</i> <i>DWSMA Map (Figure 10)</i>						
Protect Groundwater and Drinking Water Quality: Wellhead Protection (WHP)	<u>Education and Outreach</u> <u>Cropland Management</u> <u>Land Use Planning and Management</u>	Serve on WHP planning teams to assist public water suppliers with planning and implementation activities to address land use planning concerns.				X	X	X	Groundhouse Knife Lower Snake Middle Snake Pokegama	MDH SWP Unit	<i>Wellhead Protection Plan Development Status (Figure 9)</i> <i>DWSMA Map (Figure 10)</i>						
Protect Groundwater and Drinking Water Quality:	<u>Land Use Planning and Management</u>	Integrate WHP plan strategies into local plans, such as the 1W1P and land use plans.				X	X	X	Groundhouse Knife Lower Snake Middle Snake	MDH SWP Unit	<i>DWSMA Map (Figure 10)</i>						

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Aitkin Co.	Target Chisago Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Pine Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Wellhead Protection									Pokegama								
Protect Groundwater and Drinking Water: Household Hazardous Waste (HHW)	<u>Education and Outreach</u> <u>Land Use Planning and Management</u>	<ul style="list-style-type: none"> Educate the public about the risks of improperly disposing of HHW and promote community-supported collection sites. Make disposal of HHW easy for the public by expanding collection sites through mobile units by stopping in different communities throughout the summer for free drop off. Promote other recycling options of various products at area businesses throughout the year. 	X	X	X	X	X	X	All	MPCA Hazardous Waste Program	Focus on areas with high pollution sensitivity and highly vulnerable DWMSAs <i>Pollution Sensitivity Map (Figure 5)</i> <i>Pollution Sensitivity Wells (Figure 7)</i> <i>DWSMA Map (Figure 10)</i>						
Protect Groundwater and Drinking Water: Pharmaceuticals	<u>Education and Outreach</u>	Keep unused/unwanted medications out of drinking water supplies by educating the public about available safe and secure drop box locations at law enforcement facilities and pharmacies.	X	X	X	X	X	X	All	MPCA Hazardous Waste Program	Focus on areas with high pollution sensitivity and highly vulnerable DWMSAs <i>Pollution Sensitivity Map (Figure 5)</i> <i>Pollution Sensitivity Wells (Figure 7)</i> <i>DWSMA Map (Figure 10)</i>						

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Aitkin Co.	Target Chisago Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Pine Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water: Contaminants of Emerging Concern (CEC)	<u>Education and Outreach</u>	Enhance Minnesotans’ understanding of CEC’s by communicating the health impacts and exposure potential of emerging contaminants in drinking water. Outreach and Education Grants are available through the MDH CEC Initiative. See <u>Outreach and Education Grants</u> (www.health.state.mn.us/divs/eh/risk/guidance/dwec/outreachproj.html) for opportunities.	X	X	X	X	X	X	All	MDH CEC Program	Focus on areas with high pollution sensitivity and highly vulnerable DWMSAs <i>Pollution Sensitivity Map (Figure 5)</i> <i>Pollution Sensitivity Wells (Figure 7)</i> <i>DWSMA Map (Figure 10)</i>						
Protect Groundwater and Drinking Water	<u>Education and Outreach</u>	Educate the public and decision makers about the hydrologic connectivity of groundwater and surface water and how this influences the vulnerability of drinking water resources.	X	X	X	X	X	X	All	DNR Ecological & Water Resources	Focus in areas with high pollution sensitivity. <i>Pollution Sensitivity Map (Figure 5)</i> <i>Pollution Sensitivity Wells (Figure 7)</i>						
Protect Groundwater and Drinking Water Quality Water Sustainability	<u>Education and Outreach</u>	Develop a ‘drinking water protection’ page on the SWCD or county website or other communication tools that can be used to share information with citizens on what they can do to protect both public and private sources of drinking water. Include information about the connection between surface and groundwater, well sealing and water conservation. Dakota County’s webpage <u>Water Quality</u> (https://www.co.dakota.mn.us/Environment/	X	X	X	X	X	X	All	MDH Well MGMT & SWP Unit	N/A						

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Aitkin Co.	Target Chisago Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Pine Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
		WaterQuality/WellsDrinkingWater/Pages/default.aspx) is a good example.															
Protect Groundwater and Drinking Water Quality Water Sustainability	<u>Land Use Planning and Management</u>	Develop ordinances, overlay districts, performance standards, etc. to further protect drinking water and groundwater connected features from future land use impacts for their long-term sustainability and use.	X	X	X	X	X	X	All	MN Assoc. of Counties	Focus in areas with high pollution sensitivity, highly vulnerable DWSMAs and groundwater connected natural features <i>Pollution Sensitivity Map (Figure 5)</i> <i>Pollution Sensitivity Wells (Figure 7)</i> <i>DWSMA Map (Figure 10)</i> <i>GWC Plants, Animals, Native Plant Communities Map (Figure 34)</i> <i>Mapped Native Plant Communities (Figure 33)</i>		X				
Protect Groundwater and Drinking Water Quality Water Sustainability	<u>Land Use Planning and Management</u>	Incorporate basic groundwater and drinking water information into local comprehensive plans and ordinances including: <ul style="list-style-type: none"> Local geology and aquifer information The sources of drinking water and the pollution sensitivity of public and private wells Maps of state approved WHP areas Groundwater dependent natural features 				X	X	X	Ann Groundhouse Knife Lower Snake Middle Snake Mud Pokegama	MDH SWP Unit	<i>Pollution Sensitivity Map (Figure 5)</i> <i>Pollution Sensitivity Wells (Figure 7)</i> <i>DWSMA Map (Figure 10)</i> <i>GWC Plants, Animals, Native Plant Communities Map (Figure 34)</i> <i>Mapped Native Plant Communities (Figure 33)</i> <i>Tank & Leak Site Map (Figure 24)</i>						

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Atkin Co.	Target Chisago Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Pine Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
		<ul style="list-style-type: none"> Contaminant areas of concern Other local information needed to consider and protect groundwater and drinking water resources in local land use planning decisions 															
Protect Groundwater and Drinking Water Quality	<u>Land Use Planning and Management</u>	Conduct a survey of property owners within the flood plain to identify unused/unsealed wells. Seal those wells identified to prevent contamination of the aquifer.	X	X	X		X	X	Ann Groundhouse Knife Lower Snake Mud Pokegama	MDH Well MGMT	Prioritize areas of greatest risk to flooding: <i>Drinking Water Wells and Flood Risk (Figure 12)</i>						
Protect Groundwater and Drinking Water Quality	<u>Land Use Planning and Management</u>	Request flooded well test kits from MDH Well Management to distribute to private well owners after a flood event.	X	X	X		X	X	Ann Groundhouse Knife Lower Snake Mud Pokegama	MDH Well MGMT	Prioritize areas impacted by recent flooding that may be at risk to contamination: <i>Drinking Water Wells and Flood Risk (Figure 12)</i>						
Protect Groundwater	<u>Conservation Easements</u>	Enroll private lands in land acquisition programs or conservation easements.	X	X	X	X	X	X	All	BWSR	Prioritize areas of high pollution sensitivity and highly vulnerable DWSMAs. Target areas of high water use, known groundwater connected	X	X	X	X	X	X

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Aitkin Co.	Target Chisago Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Pine Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
and Drinking Water Quality Water Sustainability: Recharge		Programs may include: Continuous CRP, RIM Reserve for wellhead protection, and CREP.									natural features. Examine areas where you can expand on existing easements and protected lands to increase protections. <i>Pollution Sensitivity Map (Figure 5)</i> <i>Pollution Sensitivity Wells (Figure 7)</i> <i>DWSMA Map (Figure 10)</i> <i>Monitoring Wells/Pumping (Figure 25)</i> <i>GWC Plants, Animals, Native Plant Communities Map (Figure 34)</i> <i>Mapped Native Plant Communities (Figure 33)</i> <i>RIM Easements Map (Figure 38)</i>						
Protect Groundwater and Drinking Water Quality Water Sustainability: Recharge	<u>Conservation Easements</u>	Maintain and expand set-aside acres in sensitive areas, including areas in publicly supported conservation programs like CRP, from being converted to high intensity uses, such as corn and soybeans.	X	X	X	X	X	X	All	FSA	Prioritize private lands with existing CRP contracts, along with state and federal easement, such as RIM and DNR and USFW habitat easements. Target areas of known groundwater dependent features, areas of high pollution sensitivity, and highly vulnerable DWSMAs. <i>RIM Easements Map (Figure 38)</i>	X	X	X	X	X	X

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Aitkin Co.	Target Chisago Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Pine Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
											<p>GWC Plants, Animals, Native Plant Communities Map (Figure 34)</p> <p>Mapped Native Plant Communities (Figure 33)</p> <p>Pollution Sensitivity Map (Figure 5)</p> <p>DWSMA Map (Figure 10)</p>						
<p>Protect Groundwater and Drinking Water Quality: Stormwater Management</p> <p>Water Sustainability: Recharge</p>	<p><u>Land Use Planning and Management</u></p> <p><u>Education and Outreach</u></p>	Manage stormwater runoff to minimize adverse impacts to groundwater. Refer to the Minnesota Stormwater Manual for infiltration guidance on project sites located in wellhead protection areas.				X	X	X	<p>Ann</p> <p>Groundhouse</p> <p>Knife</p> <p>Lower Snake</p> <p>Middle Snake</p> <p>Mud</p> <p>Pokegama</p>	MPCA MS4 Program	<p>Prioritize MS4 communities, target highly sensitive areas and highly vulnerable DWSMAs.</p> <p><i>Pollution Sensitivity Map (Figure 5)</i></p> <p><i>DWSMA Map (Figure 10)</i></p>	X	X		X		X
<p>Groundwater Sustainability: Water Conservation</p>	<u>Education and Outreach</u>	Provide education on water conservation practices that can be adopted in people's homes and businesses. Use the Met Council's Water Conservation Toolbox.	X	X	X	X	X	X	All	DNR Ecological & Water Resources	N/A		X				
<p>Groundwater Sustainability: Water Conservation</p>	<u>Land Use Planning and Management</u>	Assist communities serving over 1,000 people with water conservation measures outlined in their DNR municipal water supply plans.				X		X	<p>Lower Snake</p> <p>Middle Snake</p>	DNR Ecological & Water Resources	N/A		X				

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Aitkin Co.	Target Chisago Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Pine Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Water Sustainability: Recharge Water Sustainability: Rare or Declining Habitats	<u>Land Use Planning and Management</u>	Promote and increase the adoption of recharge BMPs including wetland construction/restoration, perennial establishment, riparian buffers, and conservation easements.	X	X	X	X	X	X	All	DNR Ecological & Water Resources	Target areas near sensitive features and groundwater fed lakes. <i>GWC Plants, Animals, Native Plant Communities Map (Figure 34)</i> <i>Mapped Native Plant Communities (Figure 33)</i> Groundwater Dominated Lakes Map (Figure 36)	X	X	X	X	X	X

Descriptions of Supporting Strategies

Conservation Easements

Conservation easements are a legal agreement between a landowner and a land trust or government agency that permanently limits uses of the land in order to protect its conservation values. Easements allow landowners to continue to own and use their land. They can also sell it or pass it on to heirs. Maintaining and expanding set-aside acres, including areas in publicly supported conservation programs (like CRP) from being converted to high intensity land uses, such as row crop agriculture, will help protect groundwater quantity and quality.

Existing Programs and Resources

- BWSR [Conservation Reserve Program](https://bwsr.state.mn.us/conservation-reserve-program) (https://bwsr.state.mn.us/conservation-reserve-program): A voluntary program designed to help farmers restore and protect environmentally sensitive land.
- BWSR [Conservation Reserve Enhancement Program - CREP](https://bwsr.state.mn.us/mn-crep-landowners) (https://bwsr.state.mn.us/mn-crep-landowners): This project is a federal, state and local partnership and will voluntarily retire environmentally sensitive land using the nationally-recognized Reinvest in Minnesota (RIM) Reserve. [Figure 38](#) shows where RIM easements are in the watershed.

Snake River - BWSR Reinvest in Minnesota (RIM) Easements




Figure 38: Snake River Watershed – BWSR RIM easements

Contaminant Planning and Management

Protect groundwater and drinking water supplies from contaminant releases in the environment through land use planning, ordinances, and collaboration with state regulatory agencies.

Existing Programs and Resources

- MDA [What's in My Neighborhood? Agricultural Interactive Mapping](http://www.mda.state.mn.us/chemicals/spills/incidentresponse/neighborhood.aspx) (www.mda.state.mn.us/chemicals/spills/incidentresponse/neighborhood.aspx): A tool that tracks and maps spills of agricultural chemicals and sites contaminated with agricultural chemicals.
- MPCA [Manure Management](https://www.pca.state.mn.us/quick-links/feedlot-nutrient-and-manure-management) (https://www.pca.state.mn.us/quick-links/feedlot-nutrient-and-manure-management): Resources such as fact sheets, guidelines, computer tools and forms for feedlot nutrient and manure management.
- MPCA [Tank Compliance and Assistance Program--Storage Tanks](https://www.pca.state.mn.us/waste/storage-tanks) (https://www.pca.state.mn.us/waste/storage-tanks): A program that provides information and assistance to tank owners and others regarding technical standards required of all regulated underground storage tanks and aboveground storage tank systems.
- MPCA [Closed Landfill Program](https://www.pca.state.mn.us/waste/closed-landfill-program) (https://www.pca.state.mn.us/waste/closed-landfill-program): A voluntary program to properly close, monitor, and maintain Minnesota's closed municipal sanitary landfills.
- MPCA [Feedlots](https://www.pca.state.mn.us/quick-links/feedlot-program) (https://www.pca.state.mn.us/quick-links/feedlot-program): Information about feedlot rules, permits, and management.
- MPCA [What's in My Neighborhood](https://www.pca.state.mn.us/data/whats-my-neighborhood) (https://www.pca.state.mn.us/data/whats-my-neighborhood): An online tool for searching information about contaminated sites and facilities all around Minnesota.
- UMN Extension [Manure Management in Minnesota](https://extension.umn.edu/animals-and-livestock#manure-management) (https://extension.umn.edu/animals-and-livestock#manure-management): Information about manure characteristics, application, and economics.
- MDH [Contaminants of Emerging Concern](http://www.health.state.mn.us/cec) (www.health.state.mn.us/cec): A program that investigates and communicates the health and exposure potential of contaminants of emerging concern (CECs) in drinking water.

Cropland Management

Voluntary practices to manage resource concerns while minimizing environmental loss. Practices may include conservation tillage, cover crops, soil health and other agricultural BMPs.

Existing Programs and Resources

- MDA [The Agricultural BMP Handbook for Minnesota](https://www.mda.state.mn.us/protecting/cleanwaterfund/research/handbookupdate) (https://www.mda.state.mn.us/protecting/cleanwaterfund/research/handbookupdate): A literature review of empirical research on the effectiveness of 30 conservation practices.
- NRCS [Conservation Stewardship Program](http://www.nrcs.usda.gov/wps/portal/nrcs/main/mn/programs/financial/csp/) (www.nrcs.usda.gov/wps/portal/nrcs/main/mn/programs/financial/csp/): A voluntary conservation program that encourages producers to address resource concerns in a comprehensive manner.
- NRCS [Environmental Quality Incentives Program](https://www.nrcs.usda.gov/wps/portal/nrcs/main/mn/programs/financial/eqip/) (https://www.nrcs.usda.gov/wps/portal/nrcs/main/mn/programs/financial/eqip/): A program that provides financial and technical assistance to agricultural producers so they can implement

structural and management conservation practices that optimize environmental benefits on working agricultural land.

- NRCS [Cover Crops](http://www.nrcs.usda.gov/wps/portal/nrcs/detail/mn/technical/?cid=nrcs142p2_023671) (www.nrcs.usda.gov/wps/portal/nrcs/detail/mn/technical/?cid=nrcs142p2_023671): Provides information, fact sheets, and tools about cover crops.
- NRCS [Soil Health](https://www.nrcs.usda.gov/wps/portal/nrcs/main/mn/soils/health/) (https://www.nrcs.usda.gov/wps/portal/nrcs/main/mn/soils/health/): Provides information about the basics and benefits of soil health.
- [Midwest Cover Crop Council](http://mccc.msu.edu/statesprovince/minnesota/) (mccc.msu.edu/statesprovince/minnesota/): Provides resources to help with technical support and answer questions from a local perspective at no cost.
- MDA [Minnesota Agricultural Water Quality Certification Program](https://www.mda.state.mn.us/environment-sustainability/minnesota-agricultural-water-quality-certification-program) (https://www.mda.state.mn.us/environment-sustainability/minnesota-agricultural-water-quality-certification-program): A voluntary program for farmers to implement conservation practices to protect water quality.

Education and Outreach

Educate landowners, private well users, and other stakeholders about how their actions impact groundwater quality and quantity. Provide information about potential health risks related to groundwater quality. Identify actions individuals, households, and partner agencies can take to sustain groundwater and protect or improve drinking water quality. Some ideas include managing household hazardous waste, maintaining household septic systems, and household water conservation measures.

For educational materials and programs related to a specific topic, go to the strategy about that topic. For example, go to ‘nutrient management’ to learn more about potential education opportunities regarding reducing nitrogen use. The list below provides some additional tools that may be helpful.

Existing Programs and Resources

- Metropolitan Council [Water Conservation Toolbox](https://metro council.org/Wastewater-Water/Planning/Water-Supply-Planning/Guidance-Planning-Tools/Water-Conservation/Toolbox.aspx) (https://metro council.org/Wastewater-Water/Planning/Water-Supply-Planning/Guidance-Planning-Tools/Water-Conservation/Toolbox.aspx): Information about how residents and businesses, suppliers, learners, and communities can conserve water.
- Minnesota Rural Water Association [Source Water Protection Resources](http://www.mrwa.com/sourcewater.html) (www.mrwa.com/sourcewater.html): Resources to help public water suppliers develop plans to use local community resources to protect drinking water quality.
- MPCA [Waste](https://www.pca.state.mn.us/waste) (https://www.pca.state.mn.us/waste): Information about managing waste, recycling, composting, and preventing waste and pollution.
- MPCA [Manual for Turfgrass Maintenance with Reduced Environmental Impacts](https://www.pca.state.mn.us/sites/default/files/p-tr1-04.pdf) (https://www.pca.state.mn.us/sites/default/files/p-tr1-04.pdf): Practical advice for those who manage turfgrass (golf courses and athletic fields excluded).
- MDH [Wells Laws and Rules](http://www.health.state.mn.us/divs/eh/wells/rules/index.html) (www.health.state.mn.us/divs/eh/wells/rules/index.html): Minnesota State Well Code (MR 4725.0050 – 4725.7605).
- MDH [Wells and Borings—Well Management Program](http://www.health.state.mn.us/divs/eh/wells/index.html) (www.health.state.mn.us/divs/eh/wells/index.html): Information about proper well construction, maintenance, testing, and sealing.
- MDH [Wellowner’s Handbook](http://www.health.state.mn.us/divs/eh/wells/construction/handbook.pdf) (www.health.state.mn.us/divs/eh/wells/construction/handbook.pdf): A consumer’s guide to water wells in Minnesota.
- MDH [Arsenic in Minnesota’s Well Water](http://www.health.state.mn.us/divs/eh/wells/waterquality/arsenic.html) (www.health.state.mn.us/divs/eh/wells/waterquality/arsenic.html): Information about arsenic in Minnesota.

- MDH [Water Treatment Units for Arsenic Reduction](http://www.health.state.mn.us/divs/eh/wells/waterquality/arsenictreat.pdf) (http://www.health.state.mn.us/divs/eh/wells/waterquality/arsenictreat.pdf)
- MDA [Waste Pesticide Collection Program](https://www.mda.state.mn.us/chemicals/spills/wastepesticides.aspx) (https://www.mda.state.mn.us/chemicals/spills/wastepesticides.aspx): Information about the safe disposal of unwanted and unusable pesticides from farms and area businesses.
- MPCA [Managing Unwanted Medications](https://www.pca.state.mn.us/living-green/managing-unwanted-medications) (https://www.pca.state.mn.us/living-green/managing-unwanted-medications): Information about the safe disposal of unwanted or unused medications from households.

Integrated Pest Management

Integrated Pest Management (IPM) is a balanced approach to pest management which incorporates the many aspects of plant health care/crop protection in ways that mitigate harmful environmental impacts and protect human health. Some of the IPM program activities include generating and distributing IPM information for growers, producers, land managers, schools, and the general public. Information should help them make alternative choices in their pest management decisions.

Existing Programs and Resources

- MDA [Integrated Pest Management Program](http://www.mda.state.mn.us/pesticide-fertilizer/pesticide-best-management-practices) (www.mda.state.mn.us/pesticide-fertilizer/pesticide-best-management-practices): A program that develops and implements statewide strategies for the increased use of IPM on private and state managed lands.
- MDA [Groundwater and Surface Water Protection from Agricultural Chemicals](http://www.mda.state.mn.us/protecting/bmps/herbicidebmps.aspx) (www.mda.state.mn.us/protecting/bmps/herbicidebmps.aspx): Information to address pesticide use and water resource protection.

Irrigation Water Management

The process of determining and controlling the volume, frequency, and application rate of irrigation water in a planned, efficient manner (NRCS Codes 442 & 449).

Existing Programs and Resources

- MDA [Irrigation Management](https://www.mda.state.mn.us/irrigation-outreach-farm-nitrogen-management-central-minnesota) (https://www.mda.state.mn.us/irrigation-outreach-farm-nitrogen-management-central-minnesota): Provides information about irrigation management, similar practices, guidance from NRCS, and links to additional resources.
- DNR [Minnesota Water Use Data](http://www.dnr.state.mn.us/waters/watermgmt_section/appropriations/wateruse.html) (www.dnr.state.mn.us/waters/watermgmt_section/appropriations/wateruse.html): Data gathered from permit holders who report the volume of water used each year.

Land Use Planning and Management

This broad strategy encompasses many different concepts including regulations, ordinances, BMP implementation, conservation measures, and education to protect groundwater levels, quality, and contributions to groundwater-dependent features.

Land use planning focuses on the application of city or county government planning and regulations to restore and protect groundwater and groundwater levels. Local planning and regulations can help restrict land uses in groundwater sensitive areas, areas of high aquifer sensitivity, or regions of limited water supply to prevent conflict.

Land management implements voluntary practices that manage resource concerns while minimizing environmental loss. This may include the efficient use of groundwater through conservation measures and use of emerging technology to increase water conservation at the field or local level.

Existing Programs and Resources

- [Association of Minnesota Counties](http://www.mncounties.org/) (www.mncounties.org/): A voluntary, non-partisan statewide organization that helps provide effective county governance to Minnesotans. The Association works closely with the legislative and administrative branches of government in seeing that legislation and policies favorable to counties are enacted.
- DNR [Water Supply Plans](http://www.dnr.state.mn.us/waters/watermgmt_section/appropriations/eandc_plan.html) (www.dnr.state.mn.us/waters/watermgmt_section/appropriations/eandc_plan.html): Provides information about Minnesota public water supply plans.
- DNR [MPARS \(MNDNR Permitting and Reporting System\)](http://www.dnr.state.mn.us/mpars/index.html) (www.dnr.state.mn.us/mpars/index.html): DNR is the permitting authority for high capacity water use.
- DNR [Water Conservation](http://www.dnr.state.mn.us/waters/watermgmt_section/appropriations/conservation.html) (www.dnr.state.mn.us/waters/watermgmt_section/appropriations/conservation.html): Provides tips and tools for promoting water conservation at home, public water supply systems, and other environments.
- [League of Minnesota Cities](https://www.lmc.org/) (https://www.lmc.org): Promotes excellence in local government through effective advocacy, expert analysis, and trusted guidance for all Minnesota cities.
- MPCA [Condition Groundwater Monitoring](https://www.pca.state.mn.us/water/condition-groundwater-monitoring) (https://www.pca.state.mn.us/water/condition-groundwater-monitoring).
- MPCA [Stormwater and Wellhead Protection](http://stormwater.pca.state.mn.us/index.php/Stormwater_and_wellhead_protection) (stormwater.pca.state.mn.us/index.php/Stormwater_and_wellhead_protection): Guidance and recommendations for determining the appropriateness of infiltrating stormwater in a Drinking Water Supply Management Area.
- MPCA [Minnesota Stormwater Manual](http://stormwater.pca.state.mn.us/index.php/Main_Page) (stormwater.pca.state.mn.us/index.php/Main_Page): A manual to help the everyday user better manage stormwater.
- MPCA [Enhancing Stormwater Management in Minnesota](https://www.pca.state.mn.us/water/enhancing-stormwater-management-minnesota) (https://www.pca.state.mn.us/water/enhancing-stormwater-management-minnesota): Information about standards and tools for minimal impact designs for stormwater management.
- MPCA [Stormwater](https://www.pca.state.mn.us/water/stormwater) (https://www.pca.state.mn.us/water/stormwater): MPCA regulates the discharge of stormwater and snowmelt runoff from municipal separate storm sewer systems, construction activities, and industrial facilities.
- MDH [Source Water Protection](http://www.health.state.mn.us/divs/eh/water/swp/) (www.health.state.mn.us/divs/eh/water/swp/): MDH works with communities to protect the source(s) of their drinking water.
- DNR and Minnesota Geological Survey [County Geologic Atlas Program](http://www.dnr.state.mn.us/waters/groundwater_section/mapping/index.html) (www.dnr.state.mn.us/waters/groundwater_section/mapping/index.html): Provides additional information on the groundwater resources and hydrogeology of the watershed through maps and reports of geology, groundwater, pollution sensitivity, and special studies.
- MPCA [Household Hazardous Waste](http://www.pca.state.mn.us/waste/household-hazardous-waste-managers-and-operators) (www.pca.state.mn.us/waste/household-hazardous-waste-managers-and-operators): Resources for HHW managers and operators, education resources, searchable by county HHW facilities.

Nutrient Management

This strategy addresses both nutrient and manure management.

Nutrient management concepts are centered on applying crop fertilizer or manure using the right source, right rate, right time, and right place (NRCS Codes 327, 340, 345, 393, 590, 656).

Manure management targets the collection, transportation, storage, processing, and disposal of animal manure.

Existing Programs and Resources

- MDA [Fertilizer](https://www.mda.state.mn.us/pesticide-fertilizer/fertilizers) (https://www.mda.state.mn.us/pesticide-fertilizer/fertilizers). MDA is the lead state agency for all aspects of pesticide and fertilizer environmental and regulatory functions. This page provides information on nutrient management programs, reports, publications, factsheets, and related external sources.
- MDA [Nutrient Management Initiative Program in Minnesota](http://www.mda.state.mn.us/protecting/cleanwaterfund/onfarmprojects/nmi) (www.mda.state.mn.us/protecting/cleanwaterfund/onfarmprojects/nmi): The program assists farmers and crop advisers in evaluating alternative nutrient management practices for their fields.
- MDA [Township Testing Program](http://www.mda.state.mn.us/township-testing-program) (www.mda.state.mn.us/township-testing-program): The program tests private wells for nitrate and pesticides in areas of the state with the greatest potential for nitrate and pesticide contamination.
- MDA [Nitrogen Fertilizer Best Management Practices](http://www.mda.state.mn.us/pesticide-fertilizer/nitrogen-fertilizer-best-management-practices-agricultural-lands) (www.mda.state.mn.us/pesticide-fertilizer/nitrogen-fertilizer-best-management-practices-agricultural-lands): Provides nitrogen BMPs for various areas within Minnesota.
- MDA [Minnesota Nitrogen Fertilizer Management Plan](http://www.mda.state.mn.us/pesticide-fertilizer/minnesota-nitrogen-fertilizer-management-plan) (www.mda.state.mn.us/pesticide-fertilizer/minnesota-nitrogen-fertilizer-management-plan): The state's blueprint for preventing or minimizing impacts of nitrogen fertilizer on groundwater.
- MDA Monitoring & Assessment for Agricultural Chemicals in the Environment (www.mda.state.mn.us/node/2696): Information about agricultural chemical monitoring and assessment programs and additional resources.
- UMN Extension [Nutrient Management](https://extension.umn.edu/crop-production#nutrient-management) (https://extension.umn.edu/crop-production#nutrient-management): The page focuses on helping farmers and agriculture professionals optimize crop production using appropriate nutrient inputs while minimizing effects on the environment.
- UMN Extension [Nitrogen Application with Irrigation Water: Chemigation](https://extension.umn.edu/irrigation/applying-nitrogen-irrigation-water-chemigation) (https://extension.umn.edu/irrigation/applying-nitrogen-irrigation-water-chemigation): Information about risks, benefits, and methods.
- MDA [The Agricultural BMP Handbook for Minnesota](https://www.mda.state.mn.us/protecting/cleanwaterfund/research/handbookupdate) (https://www.mda.state.mn.us/protecting/cleanwaterfund/research/handbookupdate): A literature review of empirical research on the effectiveness of 30 conservation practices.
- Nutrient Stewardship [What are the 4Rs](http://www.nutrientstewardship.com/4rs) (www.nutrientstewardship.com/4rs): Information about the 4Rs of Nutrient Stewardship.
- MPCA [Manure Management](https://www.pca.state.mn.us/quick-links/feedlot-nutrient-and-manure-management) (https://www.pca.state.mn.us/quick-links/feedlot-nutrient-and-manure-management): Resources such as fact sheets, guidelines, computer tools, and forms for feedlot nutrient and manure management.
- UMN Extension [Manure Management in Minnesota](https://extension.umn.edu/animals-and-livestock#manure-management) (https://extension.umn.edu/animals-and-livestock#manure-management): Information about manure characteristics, application, and economics.

SSTS Management

Monitoring, maintenance, and/or upgrading of individual septic treatment systems to maintain proper operation and treatment of septage by the system. In some areas, the intensity of use may require upgrading to a sanitary sewer to eliminate risks to the environment.

Existing Programs and Resources

- MPCA [Subsurface Sewage Treatment Systems](https://www.pca.state.mn.us/water/subsurface-sewage-treatment-systems) (https://www.pca.state.mn.us/water/subsurface-sewage-treatment-systems). This program protects public health and the environment through adequate dispersal and treatment of domestic sewage from dwellings or other establishments generating volumes less than 10,000 gallons per day.
- UMN Extension [Septic System Owner's Guide](https://septic.umn.edu/septic-system-owners) (https://septic.umn.edu/septic-system-owners): Provides information about the basic principles of how a septic systems works and how to operate and maintain the system.

Making Sense of the Regulatory Environment

State agencies and programs play a variety of roles in restoring and protecting groundwater. Understanding the groundwater-related authorities and resources available at the state level and leveraging strengths of local water resource professionals are key to implementing effective groundwater protection strategies. [Figure 39](#) provides a very basic introduction into the roles Minnesota state agencies have for groundwater.

- MDA works with groundwater that is or could be affected by pesticides and/or fertilizers.
- MDH focuses on proper well construction, assessing health risks related to groundwater, and protecting drinking water supplies.
- MPCA works with groundwater that is or could be affected by chemical releases and/or industrial pollutants.
- DNR focuses on assuring the availability of groundwater and protecting groundwater dependent features.




Figure 39: Minnesota State Agency Roles in Groundwater

Each of the state agencies listed above has a variety of programs to help meet their role in groundwater restoration and protection. Programs each of the agencies manage are referenced in the [Descriptions of Supporting Strategies](#) Section. Programs are listed under the restoration or protection strategy they mostly closely correspond to.

[Figure 40](#) provides a more detailed overview of the different roles agencies play within Minnesota's Water Management Framework. Principal water resource management agencies are DNR, MPCA, MDA, BWSR, and MDH. These agencies are responsible for state or federal programs, including:

- the Clean Water Act for MPCA,
- the Safe Drinking Water Act for MDH, and
- Appropriation Permitting for the DNR.

The strength of these programs is that they provide technical assistance and regulatory oversight (including enforcement) to safeguard public health, natural resources, ecological needs, and the environment. These programs are generally effective at managing most types of point sources of contamination in the state and at managing quantity issues at the local and regional level. In addition, these programs often set standards for performance that can be used to drive action.

Two weaknesses of state or federal programs are that they (with few exceptions) are ineffective against non-point sources of contamination and lack authority relative to managing general land use practices. Non-point source management is a difficult issue for water resource managers at all levels. With few regulatory options available, the most common approaches involve the use of financial incentives, technical assistance, and education and communication about sound land and water stewardship. Seldom are representatives from state agencies able to spend the necessary time in the local community to build trust among landowners. As a result, these approaches benefit greatly from the perspectives and relationships that local water resource professionals can forge by working locally.



Figure 40: Roles agencies play within the Minnesota Water Management Framework

Appendices

List of Acronyms

BMP	Best Management Practices
BWSR	Board of Soil and Water Resources
CAFO	Concentrated Animal Feeding Operation
CRP	Conservation Reserve Program
DWSMA	Drinking Water Supply Management Area
EPA	United States Environmental Protection Agency
GRAPS	Groundwater Restoration and Protection Strategies
HUC	Hydrologic Unit Code
IPM	Integrated Pest Management
MCL	Maximum Contaminant Level
MDA	Minnesota Department of Agriculture
MDH	Minnesota Department of Health
DNR	Minnesota Department of Natural Resources
MPCA	Minnesota Pollution Control Agency
MS4	Municipal Separate Storm Sewer Systems
MWI	Minnesota Well Index
NRCS	United States Department of Agriculture Natural Resources Conservation Service
NLCD	National Land Cover Database
NPDES	National Pollutant Discharge Elimination System
PFA	Public Facilities Authority
QBAA	Quaternary Buried Artesian Aquifer
QWTA	Quaternary Water Table Aquifer
RIM	Reinvest in Minnesota Program
SSTS	Subsurface Sewage Treatment System
SDWA	Safe Drinking Water Act
SWCD	Soil and Water Conservation District
TTP	MDA Township Testing Program
UMN	University of Minnesota Extension
USDA	United States Department of Agriculture
USGS	United States Geological Survey

WIMN	What's in My Neighborhood
WHP	Wellhead Protection
WHPAS	Wellhead Protection Areas
WRAPS	Watershed Restoration and Protection Strategy

Glossary of Key Terms

Aquifer

An aquifer is an underground layer of water-bearing permeable rock, rock fractures or unconsolidated materials (gravel, sand, or silt) from which groundwater can be extracted using a water well.

Aquifer Vulnerability

Defined as the ease with which recharge and contaminants from the ground surface can be transmitted into the subsurface aquifer. MDH uses the terminology 'vulnerability'; whereas the MNDNR references 'sensitivity'. Both terms cite the risk to groundwater degradation.

Community Public Water Supply System

A public water supply system that serves at least 25 persons or 15 service connections year-round, which includes municipalities (cities), manufactured mobile home parks, nursing homes, etc.

Drinking Water Supply Management Area (DWSMA)

The surface and subsurface area surrounding a public water supply well, including the wellhead protection area that must be managed by the entity identified in a wellhead protection plan. The boundaries of the DWSMA are roads, public land survey and fractions thereof, property lines, political boundaries, etc. (See MN WHP Rules 4720.5100, Subp. 13.)

Groundwater recharge

The process through which water moves downward from surface water to groundwater. Groundwater recharge is the main way water enters an aquifer.

Hydrologic Unit Code (HUC)

HUCs are assigned by the USGS for each watershed. HUCs are organized in a nested hierarchy by size. For example, the St. Croix River Basin is assigned a HUC-4 of 0703 and the Sunrise River Watershed is assigned a HUC-8 of 07030005.

Maximum Contaminant Level (MCL)

The highest level of a contaminant that EPA allows in drinking water. MCLs ensure that drinking water does not pose either a short-term or long-term health risk. EPA sets MCLs at levels that are economically and technologically feasible.

Protection

This term is used to characterize actions taken in watersheds to maintain conditions and beneficial uses of waters not known to be impaired.

Pollution Sensitivity

The ease with which recharge and contaminants from the ground surface can be transmitted into the subsurface.

Public Water System

A water system with 15 or more service connections or regularly serves at least 25 people for 60 or more days a year. A system that serves water 60 or more days a year is considered to 'regularly serve' water. Public water systems can be publicly or privately owned. Public water systems are subdivided into two categories: community and noncommunity water systems. This division is based on the type of consumer served and the frequency the consumer uses the water.

Restoration

This term is used to characterize actions taken in watersheds to improve conditions to eventually meet water quality standards and achieve beneficial uses of impaired waters.

Source (or Pollutant Source)

Actions, places, or entities that deliver/discharge pollutants (e.g., sediment, phosphorus, nitrogen, pathogens).

Source Water Protection

Protecting sources of water used for drinking, such as streams, rivers, lakes, or underground aquifers.

Transient Noncommunity System

A public water system that serves at least 25 people at least 60 days of the year but does not serve the same 25 people over 6 months of the year (places such as restaurants, campgrounds, hotels, and churches).

Water Budget

An accounting of all the water that flows into and out of a particular area. This area can be a watershed, wetland, lake, or any other point of interest.

Water Table

The boundary between the water filled rock and sediment of an aquifer and the dry rock and sediment above it. The depth to the water table is highly variable. It can range from zero when it is at land surface, such as at a lake or wetland, to hundreds or even thousands of feet deep. In Minnesota, the water table is generally close to the land surface, typically within a few tens of feet in much of the state.

Wellhead Protection (WHP)

A method of preventing well contamination by effectively managing potential contaminant sources in all or a portion of a well's recharge area. This recharge area is known as the wellhead protection area.

Wellhead Protection Area (WHPA)

The surface and subsurface area surrounding a well or well field that supplies a public water system, through which contaminants are likely to move toward and reach the well or well field. This definition is the same for

the federal Safe Drinking Water Act (40 Code of Federal Regulations, Section 1428) and the Minnesota Groundwater Protection Act (Minnesota Statute 103I).

Dataset Sources

- Adams, R., (2016), *Pollution sensitivity of near-surface materials* [electronic file], Minnesota Department of Natural Resources, St. Paul, Minn., Minnesota Hydrogeology Atlas Series HG-02, 15 p., 1 plate, scale 1:1,000,000. Available via Minnesota Department of Natural Resources: [Minnesota Hydrogeology Atlas \(MHA\)](http://www.dnr.state.mn.us/waters/programs/gw_section/mapping/platesum/mha_ps-ns.html) (www.dnr.state.mn.us/waters/programs/gw_section/mapping/platesum/mha_ps-ns.html). [August 8, 2016].
- Jirsa, M.A., Boerboom, T.J., Chandler, V.W., Mossler, J.H., Runkel, A.C., and Setterholm, D.R. (2011), *Geologic Map of Minnesota-Bedrock Geology* [electronic file], Minnesota Geological Survey, St. Paul, Minn., State Map Series S-21, 1 plate, scale 1:500,000. Available via University of Minnesota Digital Conservancy: [S-21 Geologic Map of Minnesota-Bedrock Geology](http://hdl.handle.net/11299/101466) (<http://hdl.handle.net/11299/101466>). [August 9, 2011].
- Minnesota Board of Water and Soil Resources (2018), *State Funded Conservation Easement (RIM Reserve)* [electronic file], St. Paul, Minn.
- Minnesota Department of Health (2017), *Minnesota Drinking Water Information System* [electronic file], St. Paul, Minn.
- Minnesota Department of Health (2017), *Water Chemistry Database* [electronic file], St. Paul, Minn.
- Minnesota Department of Health (2017), *Well Management Section Data System* [electronic file], St. Paul, Minn.
- Minnesota Department of Natural Resources (2017), *MNDNR Permitting and Reporting System 1988-2016* [electronic file], St. Paul, Minn. Available via Minnesota Department of Natural Resources: [Minnesota Water Use Data](http://dnr.state.mn.us/waters/watermgmt_section/appropriations/wateruse.html) (dnr.state.mn.us/waters/watermgmt_section/appropriations/wateruse.html). [August 7, 2017].
- Minnesota Geological Survey and Minnesota Department of Health (2017), *Minnesota County Well Index* [electronic file], Minnesota Department of Health, St. Paul, Minn. Available via Minnesota Geological Survey: [Index of /pub2/cwi4/](ftp://mgssun6.mngs.umn.edu/pub2/cwi4/) (<ftp://mgssun6.mngs.umn.edu/pub2/cwi4/>). [2016-2017].
- Minnesota Pollution Control Agency (2017), *Closed Landfill Program Facilities* [electronic file], St. Paul, Minn. Available via Minnesota Geospatial Commons: [MPCA Closed Landfill Facilities](https://gisdata.mn.gov/dataset/env-closed-landfill) (<https://gisdata.mn.gov/dataset/env-closed-landfill>). [June 15, 2017].
- Minnesota Pollution Control Agency (2016), *What's In My Neighborhood* [electronic file], St. Paul, Minn. Available via Minnesota Pollution Control Agency: [What's in My Neighborhood](https://www.pca.state.mn.us/data/whats-my-neighborhood) (<https://www.pca.state.mn.us/data/whats-my-neighborhood>). [December 19, 2016].
- Multi-Resolution Land Characteristics Consortium (2011), *National Land Cover Database 2011* [electronic file], U.S. Geological Survey, Reston, Va. Available via USDA-NRCS Geospatial Data Gateway: [1-Where](http://datagateway.nrcs.usda.gov/GDGOrder.aspx/) (<http://datagateway.nrcs.usda.gov/GDGOrder.aspx/>). [August 25, 2014].

Additional Resources

The following resources may be helpful for gathering data and learning more about groundwater in the watershed. The resources are listed alphabetically by the topic they address.

Type of Information	Where you can get more information
Aquifer Vulnerability	<p>For information on aquifer vulnerability ratings DWSMA, please contact MDH or the public water supplier in question.</p> <ul style="list-style-type: none"> ▪ Protecting Drinking Water Sources (www.health.state.mn.us/communities/environment/water/swp/about.htm) ▪ 651-201-4700
Groundwater Quality Data	<p>Find water-related monitoring data on Minnesota streams, lakes, wells, Superfund Program, closed landfills, other remediation sites, open landfills, data from MDA, MPCA, and USGS.</p> <ul style="list-style-type: none"> ▪ Environmental Quality Information System (EQuIS) (https://www.pca.state.mn.us/quick-links/environmental-quality-information-system-equis) ▪ Environmental data (https://www.pca.state.mn.us/environmental-data) ▪ Groundwater (www.pca.state.mn.us/water/state-groundwater)
Drinking Water Annual Reports	<p>MDH has issued a report regarding the state of drinking water in Minnesota each year since 1995. These reports provide test results, an overview on the role of the Department’s drinking water program in monitoring and protecting drinking water, and an examination emerging issues.</p> <ul style="list-style-type: none"> ▪ Drinking Water Protection Annual Reports (www.health.state.mn.us/communities/environment/water/dwar.html)
DWSMA maps and Shapefiles	<p>PDF maps and shape files of the DWSMAs can be downloaded from the MDH website.</p> <ul style="list-style-type: none"> ▪ Source Water Assessments (www.health.state.mn.us/communities/environment/water/swp/swa.html) ▪ Maps and Geospatial Data (www.health.state.mn.us/communities/environment/water/swp/maps/index.htm)
Point Source Pollution	<p>Visit the following sites for more information on point source pollution:</p> <ul style="list-style-type: none"> ▪ Nonpoint Source Pollution (oceanservice.noaa.gov/education/kits/pollution/03pointsource.html) ▪ Point Source Pollution (www.mncenter.org/point-source-pollution.html) ▪ Water Permits and Forms (https://www.pca.state.mn.us/water/water-permits-and-forms)
Well Construction and Use Data	<p>Most of the construction and use data pertaining to wells in the state is housed in the Minnesota Well Index (MWI), an online database. All of the key data in the MWI is also available in spatial datasets, designed for use in geographic information systems (GIS). The Minnesota Geological Survey and MDH work together to maintain and update the</p>

Type of Information	Where you can get more information
	<p>data in the Index. MWI provides basic information, such as location, depth, geology, construction and static water level, for many wells and borings drilled in Minnesota. It by no means contains information for all the wells and borings and the absence of information about a well on a property does not mean there is no well on that property.</p> <ul style="list-style-type: none"> ▪ Minnesota Well Index (MWI) (www.health.state.mn.us/communities/environment/water/mwi/index.html)
Wellhead Protection Plans	<p>These plans can be obtained directly from the communities or from MDH with permission from the communities. Water chemistry data collected from these systems can be provided by request to MDH.</p> <ul style="list-style-type: none"> ▪ Protecting Drinking Water Sources (www.health.state.mn.us/communities/environment/water/swp/about.htm) ▪ 651-201-4700




Figure 41: Sensitivity Assessment and Calculation for Pollution Sensitivity of Wells (Figure 9)





Figure 42: Sensitivity Assessment and Calculation for Pollution Sensitivity of Wells (Figure 9) continued

Table 10: Rare Species Connected with Groundwater in the Snake River Watershed¹⁴

Scientific Name	Common Name	Species Class	Listing Status ¹⁵	AQUATIC (Y OR N)	WETLAND (Y OR N)	GROUND-WATER DEPENDENT (Y OR N)	General Habitat Type
Rare Plant: <i>Floerkea proserpinacoides</i>	False mermaid	Terrestrial Plant	THR	N	Y	Y	Cold, spring-fed seeps dependent on groundwater input; along wooded hillsides and in narrow valleys; some populations extend from the seep into adjacent seepage swamps
Rare Plant: <i>Hydrocotyle americana</i>	American water-pennywort	Terrestrial Plant	SPC	N	Y	Y	Small, sensitive wetlands typically imbedded in upland forests along streams or rivers, and often dependent on local discharge of groundwater; wet margins of small, cold, groundwater streams that emerge from small ravines, and these streams may broaden into open meadows or sedgy seeps with shallow pools
Rare Plant: <i>Lycopus virginicus</i>	Virginia water horehound	Terrestrial Plant	Watch List	N	Y	Maybe	A forest floodplain species; floodplains, moist woods, along shores, wet meadows
Rare Plant: <i>Poa paludigena</i>	Bog bluegrass	Terrestrial Plant	THR	N	Y	Y	Wetland habitats that are maintained by groundwater seeps; often at the base of a slope or sandstone escarpment where the groundwater seeps out, sometimes on moss or sphagnum hummocks
Rare Plant: <i>Rubus semisetosus</i>	Swamp Blackberry ("Half Bristly Bramble")	Terrestrial Plant	THR	N	Y	Y	Fens, meadows, swamps and prairie/savanna-like habitats. When occurring prairie/savanna-like habitat, often found near ecotone edge of wetland areas
Rare Plant: <i>Rubus stipulatus</i>	Big horseshoe lake	Terrestrial Plant	END	N	Y	Y	Wet meadow/carr

¹⁴ Last Updated 04/02/2020

¹⁵ END =State Endangered; THR = State Threatened; SPC = State Special Concern; Watch list = Species the DNR is tracking because they are in suspected decline SGCN= Species of Greatest Conservation Need

	dewberry (A Bristle-berry)						
Rare Plant: <i>Rubus vermontanus</i>	Vermont bristle-berry	Terrestrial Plant	SPC	N	Y	Y	Mesic hardwood forests, partially wooded and woodland edges; shallow wetlands in oak and pine woodlands
Rare Plant: <i>Trichocolea tomentella</i>	A Species of Liverwort	Terrestrial Plant	THR	N	Y	Y	Found in rich conifer swamps such as with cedar, black spruce or in mixed lowland hardwood swamp where cedar can be dominant
Rare Animal: <i>Hemidactylium scutatum</i>	Four-toed salamander	Amphibian	SPC; SGCN	Y	Y	Possibly	Nest sites include shrub swamps and conifer swamps near hardwood forests; sites often include 0.5meter water depth and sphagnum moss
Rare Animal: <i>Necturus maculosus</i>	Mudpuppy	Amphibian	SPC; SGCN	Y	N	Unlikely	Freshwater lakes, rivers, streams, and ponds; if lakes and river levels are impacted by the loss of groundwater, this species would be impacted
Rare Animal: <i>Botaurus lentiginosus</i>	American bittern	Bird	Watch List; SGCN	N	Y	Sometimes	Marshes/ wetlands; emergent marsh
Rare Animal: <i>Coturnicops noveboracensis</i>	Yellow rail	Bird	SPC; SGCN	N	Y	Y?	Dependent on open rich fens, wet meadow, and wet prairie; requires very narrow range of water depth (~2-10 cm)
Rare Animal: <i>Grus canadensis</i>	Sandhill Crane	Bird	Watch List	N	Y	Sometimes	Open prairies, grasslands, and wetlands
Rare Animal: <i>Ichthyomyzon gagei</i>	Southern Brook Lamprey	Fish	SPC; SGCN	Y	N	N?	Very clear, streams with moderate to strong flows overs sand and gravel bottoms
Rare Animal: <i>Agapetus tomus</i>	A Caddisfly	Insect	SPC; SGCN	Y	?	?	Larval stages aquatic; small, medium, large streams, northern MN
Rare Animal: <i>Hydroptila novicola</i>	A Caddisfly	Insect	Watch List	Y	?	?	Larval stages aquatic; small, medium, large streams, northern MN

Rare Animal: <i>Lycaena epixanthe michiganensis</i>	Bog copper	Insect	Watch List	N	Y	Probably	Occurs in acid bogs with cranberry (host plant); peatland; lowland coniferous forest
Rare Animal: <i>Paradamoetas fontanus</i>	A Jumping Spider	Insect	SPC; SGCN	N	Y	Probably	Occurs in bogs, marsh edges, mesic prairie, and upland prairie
Rare Animal: <i>Somatochlora forcipata</i>	Forcinate Emerald	Insect	SPC; SGCN	Y (nymph)	Y	Y	Spring fen channels; alkaline water conditions
Rare Animal: <i>Ophiogomphus howei</i>	Pygmy Snaketail	Insect	SPC; SGCN	Y	Y	Y	Medium to large rivers that are clean and highly oxygenated, sandy/gravel substrate where the benthic nymphs live
Rare Animal: <i>Ophiogomphus susbehcha</i>	St. Croix Snaketail	Insect	THR; SGCN	Y	Y	Y	Medium to large rivers that are clean and highly oxygenated; sandy/gravel substrate where the benthic nymphs live
Rare Animal: <i>Paradamoetas fontanus</i>	A Jumping Spider	Insect	SPC; SGCN	N	Y	Probably	Occurs in bogs, marsh edges, mesic prairie, and upland prairie
Rare Animal: <i>Somatochlora forcipata</i>	Forcinate Emerald	Insect	SPC; SGCN	Y (nymph)	Y	Y	Spring fen channels; alkaline water conditions
Rare Animal: <i>Actinonaias ligamentina</i>	Mucket	Mussel	THR; SGCN	Y	N	Y	Medium to large rivers with sand and gravel substrates; some populations are found in headwaters; these populations are susceptible to lower water table or decline ground water input that affect stream permanence

Rare Animal: <i>Alasmidonta marginata</i>	Elktoe	Mussel	THR; SGCN	Y	N	Y	Medium to large rivers with sand and gravel substrates; some populations are found in headwaters; these populations are susceptible to lower water table or decline ground water input that affect stream permanence
Rare Animal: <i>Eurynia dilatata</i>	Spike	Mussel	THR; SGCN	Y	N	Y	Small to large rivers; reservoirs and lakes; some populations occur in headwaters; these populations are susceptible to lower water table or decline ground water input that affect stream permanence
Rare Animal: <i>Lasmigona compressa</i>	Creek heelsplitter	Mussel	SPC; SGCN	Y	N	Y	Creeks, small rivers, and the upstream portions of large rivers with sand, fine gravel, or mud substrates; found mostly in headwaters. Populations are susceptible to lower water table or decline ground water input that affect stream permanence
Rare Animal: <i>Pleurobema sintoxia</i>	Round Pigtoe	Mussel	SPC; SGCN	Y	N	Y	Some populations are found in headwaters; these populations are susceptible to lower water table or decline ground water input that affect stream permanence
Rare Animal: <i>Emydoidea blandingii</i>	Blanding's turtle	Reptile	THR; SGCN	Y	Y	Possibly	Wetland complexes, small streams, and adjacent uplands, typically, but not always mapped as sandy soils; if groundwater levels impact wetland and/or river levels, then this species is groundwater dependent

Tables 11-12¹⁶ show the documented wetland native plant communities connected to groundwater in the Snake River Watershed.

Table 11: Snake River Watershed documented wetland native plant communities dependent on groundwater associated with consistently high water tables

Native Plant Community Code	Native Plant Community Name	Conservation Status Rank
<i>Forested Wetlands</i>		
FPn72	Northern Rich Tamarack Swamp (Eastern Basin)	S3 - Vulnerable to Extirpation
FPn72a	Rich Tamarack Swamp (Eastcentral)	S3 - Vulnerable to Extirpation
FPn82	Northern Rich Tamarack Swamp (Western Basin)	Between S4 and S5 - Between Apparently Secure and Secure, Common, Widespread, and Abundant
FPn82b	Extremely Rich Tamarack Swamp	S4 - Apparently Secure; Uncommon but not Rare
FPs63	Southern Rich Conifer Swamp	S2S3 - Between Imperiled and Vulnerable to Extirpation
WFn53	Northern Wet Cedar Forest	S3 or S4 - Vulnerable to Extirpation or Apparently Secure
WFn55	Northern Wet Ash Swamp	S3 or S4 - Vulnerable to Extirpation or Apparently Secure
WFn55b	Black Ash - Yellow Birch - Red Maple - Basswood Swamp (Eastcentral)	S3 - Vulnerable to Extirpation
WFn55c	Black Ash - Conifer Swamp (Northeastern)	S4 - Apparently Secure; Uncommon but not Rare
WFn64	Northern Very Wet Ash Swamp	S4 - Apparently Secure; Uncommon but not Rare
WFn64a	Black Ash - Conifer Swamp (Northeastern)	S4 - Apparently Secure; Uncommon but not Rare
WFn64b	Black Ash - Yellow Birch - Red Maple - Alder Swamp (Eastcentral)	S4 - Apparently Secure; Uncommon but not Rare
WFn64c	Black Ash - Alder Swamp (Northern)	S4 - Apparently Secure; Uncommon but not Rare
WFn74	Northern Wet Alder Swamp	S3 - Vulnerable to Extirpation
WFs57a	Black Ash - (Red Maple) Seepage Swamp	S1S2 - Between Critically Imperiled and Imperiled
<i>Shrub Swamps</i>		
FPn73	Northern Rich Alder Swamp	S5 - Secure, Common, Widespread, and Abundant
FPn73a	Alder - (Maple - Loosestrife) Swamp	S5 - Secure, Common, Widespread, and Abundant
OPn81	Northern Shrub Shore Fen	S5 - Secure, Common, Widespread, and Abundant
OPn81a	Bog birch - Alder Shore Fen	S5 - Secure, Common, Widespread, and Abundant
<i>Wet Meadow/Shrub Carr Wetlands</i>		

¹⁶ Updated 04/02/2020

Native Plant Community Code	Native Plant Community Name	Conservation Status Rank
OPn92	Northern Rich Fen (Basin)	S4 - Apparently Secure; Uncommon but not Rare
OPn92a	Graminoid Rich Fen (Basin)	S4 - Apparently Secure; Uncommon but not Rare
<i>Peatland/Bog</i>		
APn91	Northern Poor Fen	Between S3 and S5 - Between Vulnerable to Extirpation and Secure, Common, Widespread, and Abundant
APn91a	Low Shrub Poor Fen	S5 - Secure, Common, Widespread, and Abundant
APn91b	Graminoid Poor Fen (Basin)	S3 - Vulnerable to Extirpation
APn91c	Graminoid Poor Fen (Water Track)	S3 or S4 – Vulnerable to Extirpation or Apparently Secure
<i>Marshes</i>		
MRn83	Northern Mixed Cattail Marsh	S2 - Imperiled
MRn83a	Cattail - Sedge Marsh (Northern)	S2 - Imperiled

Table 12: Snake River Watershed documented wetland native plant communities dependent on groundwater associated with water tables that are high for some portion of the growing season

Native Plant Community Code	Native Plant Community Name	Conservation Status Rank
<i>Forested Wetlands</i>		
FFn57	Northern Terrace Forest	S3 - Vulnerable to Extirpation
FFn57a	Black Ash - Silver Maple Terrace Forest	S3 - Vulnerable to Extirpation
FFn67a	Silver Maple - (Sensitive Fern) Floodplain Forest	S3 - Vulnerable to Extirpation
<i>Wet Meadow/Shrub Carr Wetlands</i>		
WMn82	Northern Wet Meadow/Carr	Between S4 and S5 - Between Apparently Secure and Secure, Common, Widespread, and Abundant
WMn82a	Willow - Dogwood Shrub Swamp	S5 - Secure, Common, Widespread, and Abundant
WMn82b	Sedge Meadow	S4 or S5 - Apparently Secure or Secure, Common, Widespread, and Abundant
WMn82b2	Sedge Meadow, Tussock Sedge Subtype	S4 - Apparently Secure; Uncommon but not Rare
WMn82b3	Sedge Meadow, Beaked Sedge Subtype	S4 - Apparently Secure; Uncommon but not Rare

References

- Adams, Roberta; Barry, John; and Green, Jeff (2016). Minnesota Regions Prone to Surface Karst Feature Development (PDF) (files.dnr.state.mn.us/waters/groundwater_section/mapping/gw/gw01_report.pdf). Series GW-01.
- Boerboom, Terrence J.. (2016). C-38, Geologic Atlas of Kanabec County, Minnesota. Minnesota Geological Survey. Retrieved from the University of Minnesota Digital Conservancy, <http://hdl.handle.net/11299/166577>.
- Boerboom, T.J.. (2001). C-13: Geologic atlas of Pine County, Minnesota [Part A]. Minnesota Geological Survey. Retrieved from the University of Minnesota Digital Conservancy, <http://hdl.handle.net/11299/58554>.
- Geologic Sensitivity Project Workgroup (1991), *Criteria and guidelines for assessing pollution sensitivity of ground water resources in Minnesota*, Minnesota Department of Natural Resources, Division of Waters, St. Paul, Minn., 122 p.
- Gergel, S.E., Turner, M.G, and Kratz, T.K., 1999, Dissolved Organic Carbon as an Indicator of the Scale of Watershed Influence on Lakes and Rivers: Ecological Applications, v. 9, No. 4, p.1377-1390.
- Kroening, S. and Ferrey, M. (2013), The Condition of Minnesota's Groundwater, 2007-2011. Document number: wq-am1-06
- Minnesota State Agency Workgroup under the direction of the U.S. EPA (1998), *Guidance or Mapping Nitrate in Minnesota Groundwater*, p 7.
- M.L. Erickson and R.J. Barnes, 'Arsenic in Groundwater: Recent Research and Implications for Minnesota,' CURA Reporter 34,2 (2004): 1–7; and M.L. Erickson and R.J. Barnes, 'Glacial Sediment Causing Regional-Scale Elevated Arsenic in Drinking Water,' Ground Water 43 (2005): 796–805.
- Minnesota Department of Agriculture (2014), 2014 Water Quality Monitoring Report.
- Minnesota Department of Agriculture (2015), 2015 Nitrogen Fertilizer Management Plan.
- Minnesota Department of Natural Resource, MGS, UMD (1997), *Geomorphology of Minnesota, Scale 1:100,000*.
- Morey, G.B.; Meints, J.P.. (2000). S-20 Geologic map of Minnesota, bedrock geology. Minnesota Geological Survey. Retrieved from the University of Minnesota Digital Conservancy, [S-20 Geologic map of Minnesota, bedrock geology](http://hdl.handle.net/11299/60086) (<http://hdl.handle.net/11299/60086>).
- Mueller, D.K., and Helsel, D.R., 1996, Nutrients in the Nation's water--Too much of a good thing?: U.S. Geological Survey Circular 1136, 24 p.
- Petersen, T.P. and Solstad, J.A., 2007, Interaction of Lakes and Ground Water in Geologic atlas of Crow Wing County, Minnesota: Minnesota Department of Natural Resources, County Atlas Series C-16, Part B, pl. 10.
- USGS. 2017. National Land Cover Database (NLCD) Land Cover Collection. Available at [NLCD Land Cover Collection](https://catalog.data.gov/dataset/national-land-cover-database-nlcd-land-cover-collection) (<https://catalog.data.gov/dataset/national-land-cover-database-nlcd-land-cover-collection>).
- Warner, K.L. and Arnold, T.L., 2010, [Relations that affect the probability and prediction of nitrate concentration in private wells in the glacial aquifer system in the United States](#)

(<https://pubs.usgs.gov/sir/2010/5100/>): U.S. Geological Survey Scientific Investigations Report 2010-5100, 73 p.