




Primary Refugee Arrival Health Screening Data

Refugee Health Program

2024




Primary* Refugee Arrivals to Minnesota by Region of World 1979-2024






Primary Refugee Arrivals by Month

Minnesota, 2020-2024






Primary Refugee Arrivals Minnesota, 2024









2024 Primary Refugee Arrivals to Minnesota (N=4,602)






Country of Origin by County of Resettlement, Minnesota, 2024






Primary Refugee Arrivals Screened in Minnesota 2010 –2024






Primary Refugees' Reasons for No Screening, Minnesota, 2024



*Ineligible for the refugee health assessment



Refugee Screening Rates by Exam Type Minnesota, 2024



*Screened for at least one type of STI



Refugee Health Assessment Results, 2024*

Health status upon arrival	Number (%) of refugees screened*	Number (%) of refugees with infection
TB (latent or active)**	3,942 (95%)	636 (16%)
Hepatitis B infection***	3,937 (94%)	100 (3%)
Parasitic infection****	2,890 (69%)	739 (26%)
Sexually transmitted infections (STIs)*****	3,915 (94%)	69 (2%)
Lead*****	1,529 (93%)	82 (5%)
Hemoglobin	3,950 (95%)	642(16%)

*Screening results are still preliminary. Total screened: N= 4,169 (97% of 4,314 eligible refugees)

** Persons with LTBI (≥ 10 mm induration or IGRA+, normal CXR) or suspect/active TB disease

*** Positive for hepatitis B surface antigen (HBsAg)

**** Positive for at least one intestinal parasite infection


***** Positive for at least one STI (tested for syphilis, HIV, chlamydia, and/or gonorrhea)

***** Children < 17 years old (N=1,649); lead level ≥ 5 $\mu\text{g}/\text{dL}$



Latent or Active Tuberculosis (TB)* Among Refugees By Region Of Origin Minnesota, 2024

N=3,942 screened




***Diagnosis of Latent TB infection (N= 633) or Suspect/Active TB disease (N=3)**



Intestinal Parasitic Infection* Among Refugees by Region of Origin Minnesota, 2024

N= 2,890 screened




*At least 1 parasitic infection found via stool or serology (excluding nonpathogenic)



Hepatitis B* infection Among Refugees by Region of Origin Minnesota, 2024

N=3,937 screened



*Positive for Hepatitis B Surface Antigen (HBsAg)



Immunization Status Among Refugees Minnesota, 2002 – 2024

