

2013 Minnesota Health Statistics

ANNUAL SUMMARY

2013 MN Health Statistics Annual Summary

Minnesota Department of Health
Minnesota Center for Health Statistics
PO Box 64882
St. Paul, MN 55164-64882
healthstats@state.mn.us
www.health.state.mn.us/divs/chs

To obtain this information in a different format, email healthstats@state.mn.us.

Overview of 2013 - Table 1

PERCENT CHANGES BETWEEN 2012 AND 2013, SELECTED MINNESOTA HEALTH STATISTICS

| Category | Percent Change | 2012 | 2013 |
|--|----------------|-----------|-----------|
| Population | 0.8 | 5,379,139 | 5,420,380 |
| Live Births | 0.6 | 68,783 | 69,183 |
| Birth Rate ¹ | 0.0 | 12.8 | 12.8 |
| Births to Unmarried Mothers (%) | -0.6 | 33.1% | 32.9% |
| Fertility | 0.3 | 65.7 | 65.9 |
| Population of Women 15-44 | 0.3 | 1,046,298 | 1,049,636 |
| White Births ² | 0.5 | 52,171 | 52,409 |
| African American Births ² | 7.2 | 7,049 | 7,556 |
| American Indian Births ² | -1.0 | 1,346 | 1,333 |
| Asian & Pacific Islander Births ² | -2.0 | 5,383 | 5,276 |
| Latino/Hispanic Births ² | -3.3 | 4,823 | 4,664 |
| Prenatal Care - Third Trimester or None | 3.3 | 3.0% | 3.1% |
| Infants of Less Than 2,500 Grams (LBW) | -3.0 | 6.6% | 6.4% |
| Infants of Less Than 37 Weeks Gestation (Premature) ³ | 0.0 | 8.6% | 8.6% |
| Deaths | 2.4 | 40,020 | 40,981 |
| Fetal Deaths | 6.0 | 365 | 387 |
| Infant Deaths | 0.6 | 347 | 349 |
| Neonatal Deaths | -0.4 | 249 | 248 |
| Death Rate ¹ | 2.7 | 7.4 | 7.6 |
| Infant Mortality Rate ⁴ | 0.0 | 5.0 | 5.0 |
| Neonatal Mortality Rate ⁴ | 0.0 | 3.6 | 3.6 |
| Cancer Deaths (Malignant Neoplasms) | 1.8 | 9,436 | 9,603 |
| Heart Disease Deaths | 2.6 | 7,473 | 7,671 |
| Stroke Deaths (Cerebrovascular Diseases) | -0.6 | 2,064 | 2,051 |
| Unintentional Injury Deaths | 5.5 | 2,358 | 2,487 |
| Suicide Deaths (Intentional Self-harm) | 3.5 | 660 | 683 |

¹Rates are per 1,000 population

⁴Rates are per 1,000 live births

²Race/Ethnicity of Mother – Race categories include persons of both Hispanic and non-Hispanic origin; Latino/Hispanic births include persons of any race.

³Based on Clinical Estimate of Gestation, all births

Overview of 2013 – Table 2
 Resident Live Births, Crude Birth Rates*, Fertility Rates**, Minnesota and United States
 1940, 1945, 1950, 1955, 1960, 1965, 1970, 1975, 1980, 1985, 1990, 1995, 2000 -2013

| Year | Live Births | | Crude Birth Rate* | | Fertility Rate** | |
|------|-------------|-----------|-------------------|------|------------------|-------|
| | Minnesota | U.S. | Minnesota | U.S. | Minnesota | U.S. |
| 1940 | 52,915 | 2,559,000 | 19.0 | 19.4 | 81.0 | 79.9 |
| 1945 | 54,656 | 2,858,000 | 20.9 | 20.4 | 85.1 | 85.9 |
| 1950 | 75,078 | 3,632,000 | 25.2 | 24.1 | 119.1 | 106.2 |
| 1955 | 81,532 | 4,097,000 | 25.7 | 25.0 | 130.1 | 118.3 |
| 1960 | 87,523 | 4,257,850 | 25.6 | 23.7 | 136.0 | 118.0 |
| 1965 | 70,810 | 3,760,358 | 19.7 | 19.4 | 105.9 | 96.3 |
| 1970 | 68,449 | 3,731,386 | 18.0 | 18.4 | 88.4 | 89.7 |
| 1975 | 56,463 | 3,144,198 | 14.4 | 14.6 | 65.4 | 66.0 |
| 1980 | 67,843 | 3,612,258 | 16.6 | 15.9 | 70.8 | 68.4 |
| 1985 | 67,412 | 3,760,561 | 16.1 | 15.8 | 68.0 | 66.2 |
| 1990 | 67,985 | 4,158,212 | 15.5 | 16.7 | 66.3 | 70.9 |
| 1995 | 63,259 | 3,899,589 | 13.7 | 14.7 | 60.1 | 65.6 |
| 2000 | 67,451 | 4,058,814 | 13.7 | 14.7 | 62.3 | 67.5 |
| 2001 | 66,617 | 4,025,933 | 13.4 | 14.5 | 60.9 | 66.9 |
| 2002 | 68,037 | 4,021,726 | 13.6 | 13.9 | 62.0 | 64.8 |
| 2003 | 70,053 | 4,089,950 | 13.9 | 14.1 | 64.1 | 66.1 |
| 2004 | 70,614 | 4,112,052 | 13.8 | 14.0 | 64.5 | 66.3 |
| 2005 | 70,920 | 4,140,419 | 13.8 | 14.0 | 64.9 | 66.7 |
| 2006 | 73,515 | 4,265,555 | 14.2 | 14.2 | 68.6 | 68.5 |
| 2007 | 73,675 | 4,316,233 | 14.2 | 14.3 | 69.6 | 69.5 |
| 2008 | 72,382 | 4,251,095 | 13.9 | 13.9 | 69.0 | 68.4 |
| 2009 | 70,617 | 4,130,665 | 13.4 | 13.5 | 67.5 | 66.7 |
| 2010 | 68,407 | 3,999,386 | 12.9 | 13.0 | 65.4 | 64.1 |
| 2011 | 68,416 | 3,953,593 | 12.8 | 12.7 | 65.5 | 63.2 |
| 2012 | 68,783 | 3,952,841 | 12.8 | 12.6 | 65.7 | 63.0 |
| 2013 | 69,183 | 3,957,577 | 12.8 | 12.5 | 65.9 | 62.9 |

* Live Births per 1,000 Population

**Live Births per 1,000 Female Population Age 15-44

Overview of 2013 - Table 3
 Numbers and Rates of Resident Live Births, Deaths, and Maternal Deaths
 1940, 1945, 1950, 1955, 1960, 1965, 1970, 1975, 1980, 1985, 1990, 1995, 2000 -2013

| Year | Deaths | | | | Infant Deaths | | | | Neonatal Deaths | | | |
|------|-----------|-------------------|---------------|-------------------|---------------|-------------------|---------------|-------------------|-----------------|-------------------|---------------|-------------------|
| | Minnesota | | United States | | Minnesota | | United States | | Minnesota | | United States | |
| | Number | Rate ¹ | Number | Rate ¹ | Number | Rate ² | Number | Rate ² | Number | Rate ³ | Number | Rate ³ |
| 1940 | 26,354 | 9.4 | 1,417,269 | 10.8 | 1,772 | 33.3 | 110,984 | 47.0 | 1,246 | 23.4 | 67,866 | 28.8 |
| 1945 | 26,763 | 10.2 | 1,401,719 | 10.6 | 1,698 | 31.1 | 104,684 | 38.3 | 1,226 | 22.6 | 66,593 | 24.3 |
| 1950 | 27,897 | 9.4 | 1,452,454 | 9.6 | 1,876 | 25.0 | 103,825 | 29.2 | 1,430 | 19.0 | 72,855 | 20.5 |
| 1955 | 28,574 | 9.0 | 1,528,717 | 9.3 | 1,779 | 21.8 | 106,903 | 26.4 | 1,386 | 17.0 | 77,351 | 19.1 |
| 1960 | 31,596 | 9.3 | 1,711,982 | 9.5 | 1,881 | 21.5 | 110,873 | 26.0 | 1,397 | 16.0 | 79,733 | 18.7 |
| 1965 | 32,477 | 9.0 | 1,828,136 | 9.4 | 1,432 | 20.2 | 92,866 | 24.7 | 1,075 | 15.2 | 66,419 | 17.7 |
| 1970 | 33,919 | 8.9 | 1,921,031 | 9.5 | 1,203 | 17.6 | 74,667 | 20.0 | 944 | 13.8 | 56,279 | 15.1 |
| 1975 | 32,686 | 8.3 | 1,892,879 | 8.8 | 771 | 13.7 | 50,525 | 16.1 | 582 | 10.3 | 36,416 | 11.6 |
| 1980 | 33,415 | 8.2 | 1,989,841 | 8.8 | 679 | 10.0 | 45,526 | 12.6 | 421 | 6.2 | 30,618 | 8.5 |
| 1985 | 34,793 | 8.3 | 2,086,440 | 8.7 | 591 | 8.8 | 40,030 | 10.6 | 364 | 5.4 | 26,179 | 7.0 |
| 1990 | 34,739 | 7.9 | 2,148,463 | 8.6 | 796 | 7.3 | 38,100 | 9.2 | 295 | 4.3 | 24,309 | 5.8 |
| 1995 | 37,427 | 8.1 | 2,312,132 | 8.8 | 427 | 6.8 | 29,583 | 7.6 | 255 | 4.0 | 19,155 | 4.9 |
| 2000 | 37,595 | 7.6 | 2,403,351 | 8.7 | 377 | 5.6 | 28,035 | 6.9 | 252 | 3.7 | 18,776 | 4.6 |
| 2001 | 37,505 | 7.5 | 2,416,425 | 8.5 | 358 | 5.4 | 27,568 | 6.8 | 233 | 3.5 | 18,265 | 4.5 |
| 2002 | 38,437 | 7.7 | 2,443,387 | 8.5 | 362 | 5.3 | 28,034 | 7.0 | 240 | 3.5 | 18,747 | 4.7 |
| 2003 | 37,603 | 7.4 | 2,448,288 | 8.4 | 327 | 4.7 | 28,025 | 6.9 | 218 | 3.1 | 18,893 | 4.6 |
| 2004 | 37,012 | 7.3 | 2,397,615 | 8.2 | 332 | 4.7 | 27,936 | 6.8 | 229 | 3.2 | 18,593 | 4.5 |
| 2005 | 37,498 | 7.3 | 2,447,903 | 8.0 | 363 | 5.1 | 28,534 | 6.9 | 232 | 3.3 | 18,834 | 4.6 |
| 2006 | 36,963 | 7.2 | 2,426,264 | 8.1 | 381 | 5.2 | 28,527 | 6.7 | 243 | 3.3 | 18,989 | 4.5 |
| 2007 | 37,086 | 7.1 | 2,423,712 | 8.0 | 407 | 5.5 | 29,138 | 6.8 | 278 | 3.8 | 19,058 | 4.4 |
| 2008 | 38,431 | 7.4 | 2,471,984 | 8.1 | 433 | 6.0 | 28,059 | 6.6 | 275 | 3.8 | 18,211 | 4.3 |
| 2009 | 37,801 | 7.2 | 2,437,163 | 7.9 | 324 | 4.5 | 26,412 | 6.4 | 188 | 2.7 | 17,255 | 4.2 |
| 2010 | 38,857 | 7.3 | 2,468,435 | 8.0 | 309 | 4.5 | 24,586 | 6.2 | 210 | 3.1 | 16,188 | 4.1 |
| 2011 | 39,799 | 7.4 | 2,515,458 | 8.1 | 339 | 5.0 | 23,985 | 6.1 | 224 | 3.3 | 15,954 | 4.0 |
| 2012 | 40,020 | 7.4 | 2,543,279 | n.a. | 347 | 5.0 | 23,629 | 6.0 | 249 | 3.6 | n.a. | n.a. |
| 2013 | 40,981 | 7.6 | n.a. | n.a. | 349 | 5.0 | n.a. | n.a. | 248 | 3.6 | n.a. | n.a. |

¹Deaths per 1,000 Population

²Infant Deaths per 1,000 Live Births

Overview of 2013 - Table 7
LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS
BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2013

| URBAN AREA | LIVE BIRTHS | DEATHS | FETAL DEATHS | INFANT DEATHS | NEONATAL DEATHS |
|------------------|-------------|--------|--------------|---------------|-----------------|
| AFTON | 18 | 10 | 0 | 0 | 0 |
| ALBERT LEA | 246 | 257 | 0 | 0 | 0 |
| ALEXANDRIA | 196 | 201 | 1 | 1 | 0 |
| ANDOVER | 289 | 122 | 1 | 0 | 0 |
| ANOKA | 242 | 175 | 3 | 3 | 3 |
| APPLE VALLEY | 632 | 301 | 3 | 1 | 1 |
| ARDEN HILLS | 60 | 130 | 0 | 0 | 0 |
| AUSTIN | 345 | 287 | 3 | 0 | 0 |
| BAXTER | 96 | 67 | 0 | 0 | 0 |
| BAYPORT | 28 | 28 | 0 | 0 | 0 |
| BELLE PLAINE | 130 | 65 | 0 | 0 | 0 |
| BEMIDJI | 240 | 203 | 1 | 3 | 1 |
| BENSON | 36 | 48 | 0 | 1 | 0 |
| BIG LAKE | 235 | 54 | 1 | 3 | 1 |
| BLAINE | 867 | 269 | 8 | 1 | 1 |
| BLOOMINGTON | 1,023 | 834 | 9 | 3 | 3 |
| BLUE EARTH | 39 | 64 | 0 | 0 | 0 |
| BRAINERD | 295 | 231 | 0 | 2 | 1 |
| BRECKENRIDGE | 45 | 66 | 0 | 0 | 0 |
| BROOKLYN CENTER | 565 | 245 | 2 | 8 | 3 |
| BROOKLYN PARK | 1,415 | 384 | 5 | 9 | 8 |
| BUFFALO | 246 | 149 | 2 | 1 | 1 |
| BURNSVILLE | 902 | 380 | 4 | 7 | 5 |
| BYRON | 87 | 13 | 1 | 0 | 0 |
| CALEDONIA | 48 | 33 | 0 | 0 | 0 |
| CAMBRIDGE | 164 | 129 | 0 | 2 | 2 |
| CANNON FALLS | 57 | 54 | 0 | 0 | 0 |
| CHAMPLIN | 310 | 82 | 1 | 3 | 2 |
| CHANHASSEN | 234 | 87 | 1 | 2 | 1 |
| CHASKA | 373 | 121 | 0 | 1 | 1 |
| CHISHOLM | 63 | 66 | 0 | 2 | 0 |
| CIRCLE PINES | 109 | 46 | 1 | 1 | 1 |
| CLOQUET | 201 | 158 | 0 | 1 | 1 |
| COLD SPRING | 54 | 61 | 0 | 0 | 0 |
| COLUMBIA HEIGHTS | 307 | 206 | 2 | 1 | 1 |
| COON RAPIDS | 819 | 419 | 8 | 2 | 2 |
| CORCORAN | 44 | 17 | 0 | 0 | 0 |
| COTTAGE GROVE | 449 | 202 | 1 | 1 | 1 |
| CROOKSTON | 96 | 95 | 0 | 0 | 0 |
| CRYSTAL | 334 | 166 | 0 | 2 | 0 |
| DAYTON | 26 | 26 | 0 | 0 | 0 |
| DEEPHAVEN | 14 | 12 | 0 | 1 | 1 |
| DELANO | 83 | 36 | 0 | 1 | 1 |
| DETROIT LAKES | 116 | 155 | 1 | 0 | 0 |
| DILWORTH | 62 | 34 | 0 | 0 | 0 |

Overview of 2013 - Table 7
LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS
BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2013

| URBAN AREA | LIVE BIRTHS | DEATHS | FETAL DEATHS | INFANT DEATHS | NEONATAL DEATHS |
|---------------------|-------------|--------|--------------|---------------|-----------------|
| DULUTH | 1,033 | 819 | 8 | 6 | 1 |
| EAGAN | 830 | 265 | 9 | 4 | 3 |
| EAST BETHEL | 101 | 40 | 0 | 1 | 1 |
| EAST GRAND FORKS | 150 | 75 | 0 | 1 | 1 |
| EDEN PRAIRIE | 722 | 258 | 4 | 0 | 0 |
| EDINA | 486 | 458 | 3 | 1 | 0 |
| ELK RIVER | 307 | 129 | 1 | 2 | 2 |
| ELY | 28 | 64 | 0 | 0 | 0 |
| EVELETH | 59 | 72 | 0 | 0 | 0 |
| FAIRMONT | 127 | 153 | 0 | 1 | 1 |
| FALCON HEIGHTS | 67 | 32 | 0 | 0 | 0 |
| FARIBAULT | 329 | 211 | 1 | 3 | 1 |
| FARMINGTON | 484 | 106 | 0 | 1 | 1 |
| FERGUS FALLS | 188 | 214 | 1 | 2 | 1 |
| FOREST LAKE | 226 | 144 | 2 | 3 | 0 |
| FRIDLEY | 416 | 177 | 2 | 6 | 5 |
| GLENCOE | 75 | 80 | 2 | 0 | 0 |
| GLENWOOD | 39 | 52 | 2 | 0 | 0 |
| GOLDEN VALLEY | 222 | 194 | 0 | 2 | 0 |
| GOODVIEW | 12 | 15 | 0 | 0 | 0 |
| GRAND RAPIDS | 144 | 198 | 0 | 0 | 0 |
| GRANITE FALLS | 27 | 41 | 0 | 0 | 0 |
| HAM LAKE | 144 | 74 | 0 | 1 | 0 |
| HASTINGS | 308 | 222 | 3 | 2 | 1 |
| HERMANTOWN | 88 | 92 | 0 | 0 | 0 |
| HIBBING | 215 | 224 | 0 | 2 | 2 |
| HOPKINS | 319 | 198 | 1 | 4 | 4 |
| HUGO | 229 | 50 | 1 | 2 | 1 |
| HUTCHINSON | 179 | 139 | 0 | 2 | 2 |
| INDEPENDENCE | 28 | 10 | 0 | 0 | 0 |
| INTERNATIONAL FALLS | 86 | 98 | 0 | 0 | 0 |
| INVER GROVE HEIGHTS | 386 | 247 | 6 | 1 | 1 |
| JACKSON | 46 | 43 | 0 | 2 | 2 |
| JORDAN | 86 | 26 | 1 | 0 | 0 |
| KASSON | 69 | 38 | 0 | 0 | 0 |
| LA CRESCENT | 57 | 46 | 0 | 0 | 0 |
| LAKE CITY | 62 | 75 | 0 | 0 | 0 |
| LAKE ELMO | 71 | 37 | 0 | 0 | 0 |
| LAKEVILLE | 510 | 137 | 3 | 1 | 0 |
| LAUDERDALE | 21 | 7 | 0 | 0 | 0 |
| LE SUEUR | 56 | 58 | 0 | 0 | 0 |
| LINDSTROM | 55 | 53 | 0 | 1 | 1 |
| LINO LAKES | 178 | 47 | 0 | 0 | 0 |
| LITCHFIELD | 90 | 82 | 0 | 0 | 0 |
| LITTLE CANADA | 141 | 71 | 0 | 1 | 1 |

Overview of 2013 - Table 7
 LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS
 BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2013

| URBAN AREA | LIVE BIRTHS | DEATHS | FETAL DEATHS | INFANT DEATHS | NEONATAL DEATHS |
|------------------|-------------|--------|--------------|---------------|-----------------|
| LITTLE FALLS | 139 | 156 | 1 | 0 | 0 |
| LONG PRAIRIE | 63 | 67 | 1 | 0 | 0 |
| LUVERNE | 60 | 91 | 0 | 1 | 1 |
| MAHTOMEDI | 63 | 80 | 0 | 1 | 1 |
| MANKATO | 510 | 300 | 5 | 2 | 2 |
| MAPLE GROVE | 863 | 274 | 1 | 4 | 4 |
| MAPLEWOOD | 499 | 386 | 3 | 2 | 1 |
| MARSHALL | 204 | 113 | 3 | 0 | 0 |
| MEDINA | 32 | 12 | 0 | 0 | 0 |
| MELROSE | 61 | 56 | 0 | 0 | 0 |
| MENDOTA HEIGHTS | 70 | 77 | 0 | 0 | 0 |
| MINNEAPOLIS | 6,116 | 2,442 | 48 | 45 | 35 |
| MINNETONKA | 485 | 391 | 4 | 3 | 3 |
| MINNETRISTA | 58 | 15 | 0 | 1 | 0 |
| MONTEVIDEO | 60 | 89 | 1 | 0 | 0 |
| MONTICELLO | 268 | 100 | 1 | 1 | 1 |
| MOORHEAD | 555 | 327 | 0 | 3 | 2 |
| MORA | 85 | 60 | 0 | 0 | 0 |
| MORRIS | 59 | 54 | 1 | 1 | 0 |
| MOUND | 114 | 74 | 0 | 0 | 0 |
| MOUNDS VIEW | 199 | 83 | 1 | 3 | 3 |
| MOUNTAIN IRON | 30 | 25 | 0 | 1 | 0 |
| NEW BRIGHTON | 283 | 184 | 2 | 0 | 0 |
| NEW HOPE | 299 | 326 | 2 | 0 | 0 |
| NEWPORT | 48 | 28 | 0 | 0 | 0 |
| NEW PRAGUE | 115 | 60 | 0 | 0 | 0 |
| NEW ULM | 147 | 144 | 0 | 1 | 1 |
| NORTHFIELD | 182 | 192 | 0 | 0 | 2 |
| NORTH BRANCH | 148 | 79 | 1 | 0 | 0 |
| NORTH MANKATO | 182 | 113 | 1 | 1 | 1 |
| NORTH OAKS | 20 | 79 | 0 | 0 | 0 |
| NORTH ST PAUL | 158 | 90 | 0 | 2 | 2 |
| OAKDALE | 347 | 182 | 1 | 1 | 1 |
| OAK GROVE | 61 | 21 | 0 | 0 | 0 |
| OAK PARK HEIGHTS | 25 | 106 | 0 | 0 | 0 |
| OLIVIA | 34 | 35 | 2 | 0 | 0 |
| ORONO | 36 | 29 | 0 | 0 | 0 |
| OSSEO | 38 | 56 | 1 | 0 | 0 |
| OTSEGO | 266 | 46 | 1 | 1 | 0 |
| OWATONNA | 378 | 216 | 3 | 2 | 0 |
| PARK RAPIDS | 66 | 90 | 0 | 0 | 0 |
| PINE CITY | 88 | 48 | 0 | 1 | 1 |
| PIPESTONE | 68 | 58 | 0 | 0 | 0 |
| PLAINVIEW | 62 | 41 | 1 | 0 | 0 |
| PLYMOUTH | 932 | 300 | 3 | 1 | 1 |

Overview of 2013 - Table 7
 LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS
 BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2013

| URBAN AREA | LIVE BIRTHS | DEATHS | FETAL DEATHS | INFANT DEATHS | NEONATAL DEATHS |
|-------------------|-------------|--------|--------------|---------------|-----------------|
| PRINCETON | 96 | 101 | 0 | 1 | 1 |
| PRIOR LAKE | 316 | 108 | 3 | 2 | 2 |
| PROCTOR | 43 | 40 | 0 | 0 | 0 |
| RAMSEY | 314 | 79 | 2 | 1 | 0 |
| RED WING | 195 | 230 | 1 | 2 | 2 |
| REDWOOD FALLS | 78 | 75 | 0 | 0 | 0 |
| RICHFIELD | 598 | 298 | 3 | 1 | 1 |
| ROBBINSDALE | 240 | 130 | 1 | 2 | 0 |
| ROCHESTER | 1,809 | 796 | 6 | 3 | 3 |
| ROCKFORD | 60 | 26 | 2 | 0 | 0 |
| ROSEAU | 49 | 41 | 0 | 0 | 0 |
| ROSEMOUNT | 351 | 105 | 3 | 1 | 0 |
| ROSEVILLE | 374 | 369 | 5 | 0 | 0 |
| SAINT ANTHONY | 92 | 98 | 0 | 0 | 0 |
| SAINT CHARLES | 55 | 34 | 0 | 2 | 1 |
| SAINT CLOUD | 1,004 | 443 | 11 | 6 | 5 |
| SAINT FRANCIS | 113 | 36 | 3 | 0 | 0 |
| SAINT JAMES | 61 | 65 | 0 | 0 | 0 |
| SAINT JOSEPH | 99 | 32 | 1 | 0 | 0 |
| SAINT LOUIS PARK | 683 | 426 | 6 | 2 | 1 |
| SAINT MICHAEL | 204 | 53 | 3 | 1 | 1 |
| SAINT PAUL | 5,210 | 1,990 | 41 | 29 | 22 |
| SAINT PAUL PARK | 84 | 32 | 0 | 0 | 0 |
| SAINT PETER | 117 | 106 | 0 | 2 | 2 |
| SARTELL | 250 | 139 | 2 | 2 | 1 |
| SAUK CENTRE | 69 | 64 | 0 | 0 | 0 |
| SAUK RAPIDS | 214 | 129 | 0 | 2 | 0 |
| SAVAGE | 411 | 78 | 1 | 1 | 1 |
| SHAKOPEE | 719 | 162 | 2 | 2 | 2 |
| SHOREVIEW | 244 | 159 | 0 | 1 | 1 |
| SHOREWOOD | 38 | 22 | 0 | 0 | 0 |
| SLEEPY EYE | 51 | 71 | 0 | 0 | 0 |
| SOUTH ST PAUL | 290 | 160 | 2 | 0 | 0 |
| SPRING LAKE PARK | 90 | 65 | 0 | 1 | 1 |
| STAPLES | 51 | 55 | 0 | 0 | 0 |
| STEWARTVILLE | 232 | 64 | 1 | 2 | 2 |
| STILLWATER | 246 | 194 | 1 | 0 | 0 |
| THIEF RIVER FALLS | 117 | 101 | 1 | 2 | 0 |
| TWO HARBORS | 64 | 51 | 0 | 0 | 0 |
| VADNAIS HEIGHTS | 137 | 62 | 0 | 1 | 1 |
| VICTORIA | 67 | 28 | 1 | 0 | 0 |
| VIRGINIA | 100 | 161 | 0 | 0 | 0 |
| WACONIA | 143 | 113 | 1 | 0 | 0 |
| WADENA | 64 | 57 | 1 | 0 | 0 |
| WAITE PARK | 118 | 65 | 1 | 0 | 0 |

Overview of 2013 - Table 7
 LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS
 BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2013

| URBAN AREA | LIVE BIRTHS | DEATHS | FETAL DEATHS | INFANT DEATHS | NEONATAL DEATHS |
|-----------------|----------------|--------|-----------------|------------------|--------------------|
| WASECA | 137 | 84 | 2 | 0 | 0 |
| WATERTOWN | 71 | 38 | 0 | 1 | 1 |
| WAYZATA | 85 | 93 | 0 | 0 | 0 |
| WEST ST PAUL | 294 | 224 | 2 | 1 | 1 |
| WHITE BEAR LAKE | 354 | 262 | 2 | 2 | 1 |
| WILLMAR | 378 | 211 | 3 | 2 | 2 |
| WINDOM | 64 | 65 | 0 | 0 | 0 |
| WINONA | 283 | 255 | 0 | 1 | 0 |
| WOODBURY | 889 | 282 | 3 | 4 | 3 |
| WORTHINGTON | 254 | 114 | 1 | 4 | 3 |
| WYOMING | 76 | 38 | 1 | 0 | 0 |

*Municipalities with a population of 2,500 or more as of the 2000 Census

Live Births

Every day in 2013, residents of Minnesota
experienced an average of:

190 Births

72 First Births

12 Births Weighing
<2500 Grams

29 Births to Women
Age 35 and Older

8 Births to Women
Age 19 and Under

5 Births in which Prenatal
Care was Initiated Late or
Not at All

Live Births - Table 1
LIVE BIRTHS BY COUNTY OF OCCURRENCE DISTRIBUTED ACCORDING TO RESIDENCE:
RESIDENT LIVE BIRTHS DISTRIBUTED ACCORDING TO PLACE OF BIRTH
MINNESOTA, 2013

| County | Births Occurring in County | | | | Resident Births | | Total |
|-------------------|----------------------------|------------------|---------------------------|------------------------|------------------|-------------------|--------|
| | Total | County Residents | Other Minnesota Residents | Out of State Residents | Outside County | | |
| | | | | | Within Minnesota | Outside Minnesota | |
| State Total | 68,494 | 43,734 | 23,091 | 1,669 | 23,091 | 2,358 | 69,183 |
| Aitkin | 74 | 59 | 15 | 0 | 54 | 0 | 113 |
| Anoka | 3,116 | 2,058 | 1,055 | 3 | 2,152 | 15 | 4,225 |
| Becker | 503 | 312 | 189 | 2 | 54 | 52 | 418 |
| Beltrami | 999 | 648 | 350 | 1 | 36 | 9 | 693 |
| Benton | 8 | 7 | 1 | 0 | 519 | 1 | 527 |
| Big Stone | 74 | 41 | 12 | 21 | 8 | 7 | 56 |
| Blue Earth | 1,469 | 686 | 773 | 10 | 45 | 2 | 733 |
| Brown | 352 | 219 | 131 | 2 | 66 | 3 | 288 |
| Carlton | 225 | 107 | 117 | 1 | 234 | 1 | 342 |
| Carver | 1,304 | 607 | 696 | 1 | 514 | 4 | 1,125 |
| Cass | 3 | 3 | 0 | 0 | 327 | 6 | 336 |
| Chippewa | 114 | 67 | 47 | 0 | 79 | 0 | 146 |
| Chisago | 711 | 288 | 417 | 6 | 202 | 34 | 524 |
| Clay | 8 | 7 | 0 | 1 | 23 | 782 | 812 |
| Clearwater | 9 | 9 | 0 | 0 | 98 | 3 | 110 |
| Cook | 5 | 5 | 0 | 0 | 35 | 0 | 40 |
| Cottonwood | 112 | 76 | 36 | 0 | 45 | 16 | 137 |
| Crow Wing | 692 | 510 | 180 | 2 | 190 | 1 | 701 |
| Dakota | 3,301 | 2,191 | 1,073 | 37 | 2,933 | 24 | 5,148 |
| Dodge | 5 | 5 | 0 | 0 | 241 | 0 | 246 |
| Douglas | 648 | 372 | 270 | 6 | 26 | 3 | 401 |
| Faribault | 55 | 42 | 7 | 6 | 94 | 1 | 137 |
| Fillmore | 44 | 44 | 0 | 0 | 164 | 53 | 261 |
| Freeborn | 395 | 281 | 49 | 65 | 71 | 4 | 356 |
| Goodhue | 315 | 215 | 67 | 33 | 254 | 4 | 473 |
| Grant | 0 | 0 | 0 | 0 | 82 | 2 | 84 |
| Hennepin | 21,087 | 14,763 | 6,223 | 101 | 1,758 | 63 | 16,584 |
| Minneapolis | 10,004 | 4,100 | 5,828 | 76 | 1,987 | 29 | 6,116 |
| Houston | 1 | 1 | 0 | 0 | 7 | 186 | 194 |
| Hubbard | 120 | 80 | 40 | 0 | 137 | 9 | 226 |
| Isanti | 454 | 234 | 220 | 0 | 200 | 4 | 438 |
| Itasca | 395 | 352 | 43 | 0 | 99 | 2 | 453 |
| Jackson | 3 | 2 | 0 | 1 | 98 | 16 | 116 |
| Kanabec | 159 | 65 | 93 | 1 | 106 | 1 | 172 |
| Kandiyohi | 839 | 563 | 275 | 1 | 53 | 2 | 618 |
| Kittson | 4 | 4 | 0 | 0 | 22 | 29 | 55 |
| Koochiching | 76 | 75 | 0 | 1 | 42 | 0 | 117 |
| Lac Qui Parle | 9 | 4 | 5 | 0 | 54 | 13 | 71 |
| Lake | 3 | 3 | 0 | 0 | 110 | 0 | 113 |
| Lake of the Woods | 0 | 0 | 0 | 0 | 30 | 4 | 34 |
| Le Sueur | 2 | 2 | 0 | 0 | 291 | 2 | 295 |
| Lincoln | 2 | 2 | 0 | 0 | 36 | 35 | 73 |
| Lyon | 488 | 322 | 164 | 2 | 12 | 27 | 361 |
| McLeod | 440 | 277 | 162 | 1 | 139 | 0 | 416 |
| Mahnomen | 4 | 3 | 1 | 0 | 95 | 14 | 112 |

Live Births - Table 1
LIVE BIRTHS BY COUNTY OF OCCURRENCE DISTRIBUTED ACCORDING TO RESIDENCE:
RESIDENT LIVE BIRTHS DISTRIBUTED ACCORDING TO PLACE OF BIRTH
MINNESOTA, 2013

| County | Births Occurring in County | | | | Resident Births | | Total |
|-----------------|----------------------------|------------------|---------------------------|------------------------|------------------|-------------------|-------|
| | Total | County Residents | Other Minnesota Residents | Out of State Residents | Outside County | | |
| | | | | | Within Minnesota | Outside Minnesota | |
| Marshall | 1 | 1 | 0 | 0 | 60 | 62 | 123 |
| Martin | 250 | 182 | 42 | 26 | 31 | 10 | 223 |
| Meeker | 155 | 127 | 28 | 0 | 148 | 1 | 276 |
| Mille Lacs | 9 | 9 | 0 | 0 | 295 | 1 | 305 |
| Morrison | 211 | 175 | 36 | 0 | 217 | 0 | 392 |
| Mower | 427 | 362 | 43 | 22 | 127 | 1 | 490 |
| Murray | 1 | 1 | 0 | 0 | 65 | 11 | 77 |
| Nicollet | 4 | 3 | 0 | 1 | 368 | 1 | 372 |
| Nobles | 413 | 286 | 111 | 16 | 28 | 58 | 372 |
| Norman | 4 | 4 | 0 | 0 | 18 | 51 | 73 |
| Olmsted | 3,212 | 2,123 | 964 | 125 | 29 | 11 | 2,163 |
| Otter Tail | 484 | 391 | 90 | 3 | 193 | 47 | 631 |
| Pennington | 277 | 134 | 141 | 2 | 6 | 22 | 162 |
| Pine | 1 | 1 | 0 | 0 | 302 | 4 | 307 |
| Pipestone | 69 | 48 | 16 | 5 | 37 | 47 | 132 |
| Polk | 180 | 113 | 65 | 2 | 27 | 243 | 383 |
| Pope | 57 | 37 | 20 | 0 | 85 | 0 | 122 |
| Ramsey | 9,878 | 5,638 | 4,062 | 178 | 2,149 | 46 | 7,833 |
| St. Paul | 7,090 | 2,949 | 3,985 | 156 | 2,230 | 31 | 5,210 |
| Red Lake | 0 | 0 | 0 | 0 | 46 | 14 | 60 |
| Redwood | 100 | 78 | 22 | 0 | 110 | 4 | 192 |
| Renville | 16 | 14 | 2 | 0 | 144 | 2 | 160 |
| Rice | 398 | 319 | 78 | 1 | 413 | 0 | 732 |
| Rock | 125 | 56 | 57 | 12 | 1 | 44 | 101 |
| Roseau | 235 | 194 | 28 | 13 | 22 | 20 | 236 |
| St. Louis | 2,972 | 1,978 | 522 | 472 | 49 | 6 | 2,033 |
| Duluth | 2,302 | 1,011 | 819 | 472 | 18 | 4 | 1,033 |
| Scott | 1,426 | 873 | 547 | 6 | 1,002 | 5 | 1,880 |
| Sherburne | 467 | 202 | 265 | 0 | 958 | 2 | 1,162 |
| Sibley | 5 | 5 | 0 | 0 | 156 | 0 | 161 |
| Stearns | 3,120 | 1,860 | 1,255 | 5 | 153 | 6 | 2,019 |
| Steele | 552 | 379 | 171 | 2 | 92 | 2 | 473 |
| Stevens | 98 | 78 | 19 | 1 | 44 | 4 | 126 |
| Swift | 0 | 0 | 0 | 0 | 105 | 1 | 106 |
| Todd | 601 | 216 | 382 | 3 | 115 | 0 | 331 |
| Traverse | 0 | 0 | 0 | 0 | 21 | 14 | 35 |
| Wabasha | 73 | 39 | 13 | 21 | 199 | 3 | 241 |
| Wadena | 175 | 67 | 108 | 0 | 99 | 2 | 168 |
| Waseca | 2 | 2 | 0 | 0 | 204 | 0 | 206 |
| Washington | 2,392 | 1,093 | 1,018 | 281 | 1,718 | 46 | 2,857 |
| Watsonwan | 3 | 2 | 1 | 0 | 131 | 0 | 133 |
| Wilkin | 177 | 43 | 12 | 122 | 12 | 11 | 66 |
| Winona | 369 | 305 | 20 | 44 | 100 | 104 | 509 |
| Wright | 899 | 667 | 231 | 1 | 1,119 | 1 | 1,787 |
| Yellow Medicine | 29 | 18 | 11 | 0 | 55 | 17 | 90 |
| Unknown | 0 | 0 | 0 | 0 | 3 | 0 | 3 |

Live Births - Table 2
 Education of Mother, Age 25 and over*
 Minnesota Resident Births, 2013

| | | Total Births | No High School Diploma | High School Diploma/ Equivalent | Some College - No degree | Associate Degree | Bachelor's Degree | Graduate or Professional Level |
|------------------------|------------|--------------|------------------------------|---------------------------------------|--------------------------------|---------------------|----------------------|--------------------------------------|
| Total | Number | 52,356 | 3,144 | 6,328 | 8,972 | 8,076 | 17,149 | 8,687 |
| | % of Total | | 6.0 | 12.1 | 17.1 | 15.4 | 32.8 | 16.6 |
| White | Number | 42,590 | 1,185 | 4,255 | 7,028 | 7,116 | 15,453 | 7,553 |
| | % of Total | | 2.8 | 10.0 | 16.5 | 16.7 | 36.3 | 17.7 |
| African American | Number | 5,091 | 1,315 | 1,236 | 1,206 | 532 | 551 | 251 |
| | % of Total | | 25.8 | 24.3 | 23.7 | 10.4 | 10.8 | 4.9 |
| American Indian | Number | 680 | 133 | 256 | 150 | 82 | 43 | 16 |
| | % of Total | | 19.6 | 37.6 | 22.1 | 12.1 | 6.3 | 2.4 |
| Asian/Pacific Islander | Number | 3,995 | 511 | 581 | 588 | 346 | 1,102 | 867 |
| | % of Total | | 12.8 | 14.5 | 14.7 | 8.7 | 27.6 | 21.7 |
| Hispanic** | Number | 3,003 | 1,256 | 648 | 410 | 197 | 325 | 167 |
| | % of Total | | 41.8 | 21.6 | 13.7 | 6.6 | 10.8 | 5.6 |

*Includes only those mothers for whom education was reported.

**Persons of Hispanic origin may be of any race.

Live Births - Table 3
Race and Hispanic Origin of Mother
Minnesota Resident Births, 2013

| | Total | Not Hispanic | Hispanic | Unknown Ethnicity |
|------------------------|--------|-----------------|----------|----------------------|
| Total | 69,183 | 64,197 | 4,664 | 322 |
| White | 52,409 | 50,169 | 2,125 | 115 |
| African American | 7,556 | 7,431 | 114 | 11 |
| American Indian | 1,333 | 1,264 | 67 | 2 |
| Asian/Pacific Islander | 5,276 | 5,245 | 30 | 1 |
| Other Race | 2,316 | 52 | 2,259 | 5 |
| Unknown Race | 293 | 36 | 69 | 188 |

Live Births - Table 4
Race and Hispanic Origin by Age of Mother
Minnesota Resident Births, 2013

| | Total | White | African American | American Indian | Asian & Pacific Islander | Other/Unknown | Hispanic* |
|----------------|--------|--------|------------------|-----------------|--------------------------|---------------|-----------|
| Age of Mother | 69,183 | 52,409 | 7,556 | 1,333 | 5,276 | 2,609 | 4,664 |
| <15 | 31 | 13 | 10 | 2 | 1 | 5 | 9 |
| 15-17 | 758 | 410 | 143 | 56 | 76 | 73 | 150 |
| 18-19 | 2,192 | 1,343 | 410 | 115 | 176 | 148 | 323 |
| Teen Mom Total | 2,981 | 1,766 | 563 | 173 | 253 | 226 | 482 |
| 20-24 | 11,746 | 7,906 | 1,801 | 466 | 982 | 591 | 1,158 |
| 25-29 | 21,920 | 16,868 | 2,299 | 375 | 1,618 | 760 | 1,303 |
| 30-34 | 22,013 | 17,816 | 1,813 | 226 | 1,542 | 616 | 1,052 |
| 35-39 | 8,701 | 6,781 | 811 | 76 | 693 | 340 | 557 |
| 40-44 | 1,688 | 1,183 | 245 | 15 | 172 | 73 | 106 |
| 45+ | 134 | 89 | 24 | 2 | 16 | 3 | 6 |

*Persons of Hispanic origin may be of any race.

Live Births - Table 5
Race of Mother*
2013 Minnesota Resident Births

| | |
|------------------------|--------|
| WHITE | 53,046 |
| AFRICAN AMERICAN | 5,066 |
| SOMALI | 1,957 |
| ETHIOPIAN | 556 |
| LIBERIAN | 350 |
| KENYAN | 182 |
| SUDANESE | 87 |
| NIGERIAN | 191 |
| GHANIAN | 74 |
| OTHER AFRICAN | 295 |
| AMERICAN INDIAN | 1,858 |
| ASIAN INDIAN | 952 |
| CHINESE | 362 |
| FILIPINO | 243 |
| JAPANESE | 99 |
| KOREAN | 318 |
| VIETNAMESE | 362 |
| HMONG | 2,165 |
| CAMBODIAN | 156 |
| LAOTIAN | 238 |
| OTHER ASIAN | 626 |
| HAWAIIAN | 30 |
| GUAMANIAN/CHAMORRO | 9 |
| SAMOAN | 9 |
| OTHER PACIFIC ISLANDER | 33 |
| OTHER RACE | 2,568 |

*more than one category may be selected, thus counts sum to more than the Minnesota resident birth total of 69,183

Note: These categories correspond to those listed on the birth certificate worksheet. Counts are the number of records on which that checkbox was indicated. The race(s) chosen do not necessarily correspond with birth country of mother.

Live Births - Table 6
 Birth Country of Mother
 2013 Minnesota Resident Births

| Country | # of Births |
|---------------|-------------|
| UNITED STATES | 56,948 |
| FOREIGN-BORN | 12,178 |
| SOMALIA | 1,939 |
| MEXICO | 1,874 |
| THAILAND | 850 |
| INDIA | 791 |
| ETHIOPIA | 649 |
| LAOS | 624 |
| LIBERIA | 391 |
| VIETNAM | 291 |
| SOUTH KOREA | 270 |
| CHINA | 249 |
| KENYA | 245 |
| GUATEMALA | 207 |
| CANADA | 201 |
| BURMA | 197 |
| EL SALVADOR | 197 |
| NIGERIA | 193 |
| PHILIPPINES | 184 |
| ECUADOR | 183 |
| GERMANY | 147 |
| UKRAINE | 108 |
| RUSSIA | 103 |
| SUDAN | 99 |
| HONDURAS | 98 |
| CAMBODIA | 84 |
| PAKISTAN | 83 |
| COLOMBIA | 83 |
| GHANA | 83 |

Live Births - Table 7
Smoking Quit Rates by Age of Mother*
Minnesota Residents, 2013

| | Total | Percent | Age of Mother | | | | | | | | | | | |
|--------------------------------------|-------|---------|---------------|------|-------|------|-------|------|-------|------|-------|------|-----|------|
| | | | < 20 | | 20-24 | | 25-29 | | 30-34 | | 35-39 | | 40+ | |
| | | | # | % | # | % | # | % | # | % | # | % | # | % |
| Smoked 3 Months Prior | 9,165 | | 696 | | 2,991 | | 2,915 | | 1,858 | | 595 | | 110 | |
| Quit Prior to Pregnancy ¹ | 2,044 | 22.3 | 151 | 21.7 | 634 | 21.2 | 688 | 23.6 | 436 | 23.5 | 111 | 18.7 | 24 | 21.8 |
| Quit During Pregnancy ² | 1,356 | 14.8 | 152 | 21.8 | 422 | 14.1 | 408 | 14.0 | 279 | 15.0 | 82 | 13.8 | 13 | 11.8 |

¹Smoked 3 mths prior, but not during pregnancy

²Smoked 3 mths prior and during 1st and/or 2nd trimester, but not 3rd
(definitions per National Center for Health Statistics)

*Table includes only mothers for whom # of cigarettes smoked each trimester was reported.

Live Births - Table 8
 Pre-Pregnancy BMI¹ of Mother by Selected Birth Outcome
 Minnesota Resident Births, 2013

| Pre-Pregnancy BMI Range | Total | | C-Section Delivery | | Maternal Diabetes | | | |
|-----------------------------------|---------------|--------------|--------------------|--------------------|-----------------------|------------------------------------|----------------------|-----------------------------------|
| | Count | % of Births | Count | Row % ² | Pre-Existing Count | Pre-Existing Row % ² | Gestational Count | Gestational Row % ² |
| Underweight (BMI < 19.0) | 2,673 | 3.9 | 470 | 17.6 | 10 | 0.4 | 82 | 3.1 |
| Acceptable (BMI 19.0 - 24.9) | 30,046 | 43.4 | 6,449 | 21.5 | 101 | 0.3 | 1,154 | 3.8 |
| Overweight (BMI 25.0 - 29.9) | 18,089 | 26.1 | 4,994 | 27.6 | 165 | 0.9 | 1,158 | 6.4 |
| Obese (BMI 30.0 - 40.9) | 14,474 | 20.9 | 5,226 | 36.1 | 204 | 1.4 | 1,673 | 11.6 |
| Morbidly Obese (BMI > 40.9) | 2,443 | 3.5 | 1,146 | 46.9 | 88 | 3.6 | 414 | 16.9 |
| Height and/or weight not reported | 1,458 | 2.1 | - | - | - | - | - | - |
| Total Resident Births | 69,183 | 100.0 | 18,569 | 26.8 | 584 | 0.8 | 4,555 | 6.6 |

¹BMI (body mass index) is weight in pounds divided by height in inches squared times 703.

²Percent of births in given BMI range

Live Births - Table 9
Pregnancies Resulting from Infertility Treatments
Minnesota Resident Mothers, 2013

| | Total | Single | Twin | Triplet |
|---|--------|--------|-------|---------|
| Pregnancies¹ | | | | |
| Total pregnancies | 67,944 | 66,694 | 1,230 | 20 |
| # resulting from infertility treatments | 1,191 | 946 | 233 | 12 |
| % resulting from infertility treatments | 1.8 | 1.4 | 18.9 | 60.0 |
| Age of Mother | | | | |
| <20 | 0 | 0 | 0 | 0 |
| 20-24 | 31 | 28 | 3 | 0 |
| 25-29 | 254 | 199 | 51 | 4 |
| 30-34 | 476 | 377 | 93 | 6 |
| 35-39 | 316 | 248 | 66 | 2 |
| 40-44 | 93 | 78 | 15 | 0 |
| 45+ | 21 | 16 | 5 | 0 |
| Treatment Type | | | | |
| Drugs/Artificial Insemination Only | 602 | 533 | 63 | 6 |
| Assisted Reproductive Technologies Only | 546 | 383 | 157 | 6 |
| Both Methods | 13 | 9 | 4 | 0 |
| Method Not Specified | 30 | 21 | 9 | 0 |

¹Number of pregnancies, not number of births. Each mother is counted only once regardless of the plurality count of the pregnancy. In 2013, no pluralities greater than triplets were recorded.

Fertility Table 1
 Total Reported Pregnancies by Outcome and Rate
 Minnesota Residents, 1986 - 2013

| Year | Total Reported Pregnancies* | Live Births | Induced Abortions | Fetal Deaths | Female Population Ages 15-44 | Pregnancy Rate** |
|------|-----------------------------|-------------|-------------------|--------------|------------------------------|------------------|
| 1986 | 81,882 | 65,766 | 15,716 | 400 | 997,501 | 82.1 |
| 1987 | 81,318 | 65,168 | 15,746 | 404 | 1,004,801 | 80.9 |
| 1988 | 83,335 | 66,745 | 16,124 | 466 | 1,020,209 | 81.7 |
| 1989 | 83,426 | 67,490 | 15,506 | 430 | 1,024,576 | 81.4 |
| 1990 | 83,714 | 67,985 | 15,280 | 449 | 1,025,919 | 81.6 |
| 1991 | 81,904 | 67,037 | 14,441 | 426 | 1,036,146 | 79.0 |
| 1992 | 79,844 | 65,591 | 13,846 | 407 | 1,049,175 | 76.1 |
| 1993 | 77,939 | 64,646 | 12,955 | 338 | 1,060,396 | 73.5 |
| 1994 | 78,344 | 64,277 | 13,702 | 365 | 1,073,649 | 73.0 |
| 1995 | 76,338 | 63,259 | 12,715 | 364 | 1,053,136 | 72.5 |
| 1996 | 76,909 | 63,681 | 12,876 | 352 | 1,066,220 | 72.1 |
| 1997 | 77,850 | 64,491 | 12,997 | 362 | 1,050,544 | 74.1 |
| 1998 | 78,646 | 65,207 | 13,050 | 389 | 1,054,458 | 74.6 |
| 1999 | 79,374 | 65,953 | 13,037 | 384 | 1,054,543 | 75.3 |
| 2000 | 81,039 | 67,451 | 13,200 | 388 | 1,082,642 | 74.9 |
| 2001 | 80,407 | 66,617 | 13,448 | 342 | 1,093,734 | 73.5 |
| 2002 | 81,284 | 68,037 | 12,902 | 345 | 1,096,832 | 74.1 |
| 2003 | 83,300 | 70,053 | 12,918 | 329 | 1,093,415 | 76.2 |
| 2004 | 83,719 | 70,614 | 12,755 | 350 | 1,095,018 | 76.5 |
| 2005 | 83,555 | 70,920 | 12,306 | 329 | 1,092,604 | 76.5 |
| 2006 | 86,814 | 73,515 | 12,948 | 351 | 1,070,877 | 81.1 |
| 2007 | 86,832 | 73,675 | 12,770 | 387 | 1,058,541 | 82.0 |
| 2008 | 84,653 | 72,382 | 11,896 | 375 | 1,048,477 | 80.7 |
| 2009 | 82,353 | 70,617 | 11,391 | 345 | 1,046,457 | 78.7 |
| 2010 | 79,329 | 68,407 | 10,570 | 352 | 1,045,681 | 75.9 |
| 2011 | 78,942 | 68,416 | 10,150 | 376 | 1,044,201 | 75.6 |
| 2012 | 78,906 | 68,783 | 9,758 | 365 | 1,046,298 | 75.4 |
| 2013 | 78,600 | 69,183 | 9,030 | 387 | 1,049,636 | 74.9 |

*Includes Live Births, Fetal Deaths of 20 weeks or more gestation, and Induced Abortions.
 Fetal Deaths of less than 20 weeks are not reported to the Minnesota Department of Health.

**Number of pregnancies per 1,000 women ages 15 - 44 years.

Fertility Table 2
Pregnancy Outcomes and Pregnancy Rates by Age of Woman
Minnesota Residents, 2000 - 2013

| Year/ Event | Total | Age of Woman | | | | | | | |
|--|--------|--------------|-------|--------|--------|--------|--------|-------|-------|
| | | <15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40+ | Unkwn |
| 2000 | | | | | | | | | |
| Reported Pregnancies ¹ | 81,039 | 150 | 7,575 | 18,085 | 22,261 | 20,994 | 9,764 | 2,180 | 30 |
| Age Specific Pregnancy Rate ² | 74.9 | *** | 41.4 | 114.4 | 141.2 | 120.1 | 47.7 | 10.7 | *** |
| 2001 | | | | | | | | | |
| Reported Pregnancies ¹ | 80,407 | 130 | 7,266 | 18,449 | 21,796 | 20,752 | 9,722 | 2,286 | 6 |
| Age Specific Pregnancy Rate ² | 74.3 | *** | 39.8 | 116.4 | 138.2 | 118.8 | 47.5 | 11.2 | *** |
| 2002 | | | | | | | | | |
| Reported Pregnancies ¹ | 81,284 | 127 | 7,090 | 19,054 | 22,131 | 20,986 | 9,649 | 2,244 | 3 |
| Age Specific Pregnancy Rate ² | 74.1 | *** | 38.4 | 109.1 | 142.7 | 119.1 | 49.8 | 10.6 | *** |
| 2003 | | | | | | | | | |
| Reported Pregnancies ¹ | 83,295 | 105 | 6,830 | 19,314 | 23,390 | 21,353 | 9,982 | 2,320 | 6 |
| Age Specific Pregnancy Rate ² | 76.2 | *** | 37.2 | 107.2 | 147.9 | 123.3 | 53.4 | 11.0 | *** |
| 2004 | | | | | | | | | |
| Reported Pregnancies ¹ | 83,719 | 120 | 6,820 | 19,598 | 24,014 | 20,732 | 10,172 | 2,258 | 5 |
| Age Specific Pregnancy Rate ² | 76.5 | *** | 37.1 | 108.8 | 151.8 | 119.8 | 54.4 | 10.8 | *** |
| 2005 | | | | | | | | | |
| Reported Pregnancies ¹ | 83,552 | 109 | 6,622 | 19,304 | 24,668 | 20,188 | 10,264 | 2,394 | 3 |
| Age Specific Pregnancy Rate ² | 76.5 | *** | 36.1 | 103.0 | 146.8 | 120.7 | 56.7 | 11.7 | *** |
| 2006 | | | | | | | | | |
| Reported Pregnancies ¹ | 86,814 | 114 | 7,014 | 20,245 | 26,184 | 20,378 | 10,521 | 2,355 | 3 |
| Age Specific Pregnancy Rate ² | 81.1 | *** | 38.4 | 110.5 | 155.0 | 127.5 | 59.5 | 11.8 | *** |
| 2007 | | | | | | | | | |
| Reported Pregnancies ¹ | 86,832 | 120 | 7,109 | 19,971 | 26,763 | 20,550 | 10,038 | 2,275 | 6 |
| Age Specific Pregnancy Rate ² | 82.0 | *** | 39.1 | 112.5 | 154.6 | 128.8 | 57.6 | 11.8 | *** |
| 2008 | | | | | | | | | |
| Reported Pregnancies ¹ | 84,653 | 114 | 6,598 | 18,910 | 26,455 | 20,595 | 9,690 | 2,291 | 0 |
| Age Specific Pregnancy Rate ² | 80.7 | *** | 36.7 | 106.7 | 150.1 | 128.3 | 57.0 | 12.4 | *** |
| 2009 | | | | | | | | | |
| Reported Pregnancies ¹ | 82,353 | 81 | 5,981 | 18,061 | 25,964 | 20,672 | 9,250 | 2,340 | 4 |
| Age Specific Pregnancy Rate ² | 78.7 | *** | 33.1 | 97.6 | 144.6 | 130.0 | 56.3 | 13.1 | *** |
| 2010 | | | | | | | | | |
| Reported Pregnancies ¹ | 79,329 | 89 | 5,351 | 16,455 | 25,102 | 21,031 | 9,023 | 2,275 | 3 |
| Age Specific Pregnancy Rate ² | 75.9 | *** | 29.9 | 94.1 | 135.6 | 124.9 | 55.6 | 13.0 | *** |
| 2011 | | | | | | | | | |
| Reported Pregnancies ¹ | 78,942 | 72 | 4,743 | 15,622 | 24,946 | 22,090 | 9,102 | 2,356 | 11 |
| Age Specific Pregnancy Rate ² | 75.6 | *** | 26.4 | 90.6 | 134.9 | 125.9 | 57.9 | 13.5 | *** |
| 2012 | | | | | | | | | |
| Reported Pregnancies ¹ | 78,906 | 77 | 4,392 | 15,501 | 24,543 | 22,865 | 9,189 | 2,333 | 6 |
| Age Specific Pregnancy Rate ² | 75.4 | *** | 24.7 | 88.7 | 134.3 | 126.1 | 58.4 | 13.5 | *** |
| 2013 | | | | | | | | | |
| Reported Pregnancies ¹ | 78,600 | 57 | 3,878 | 14,698 | 24,416 | 23,771 | 9,604 | 2,174 | 2 |
| Age Specific Pregnancy Rate ² | 74.9 | *** | 22.1 | 82.7 | 135.5 | 128.0 | 59.6 | 12.9 | *** |

¹ Includes live births, fetal deaths of 20 week or more gestation, and induced abortions

² Pregnancies within a specific age group per 1,000 female population of that same age group. Total rate is calculated per 1,000 female population age 15-44.

*** Appropriate age-specific female population is not available for use in rate calculations.

Mortality

Every day in 2013, residents of Minnesota
experienced an average of:

112 Deaths

26 Cancer Deaths

21 Heart Disease Deaths

6 Stroke Deaths

6 Respiratory Deaths

4 Alzheimer's Deaths

3 Diabetic Deaths

7 Unintentional Injury Deaths

[1 Motor Vehicle Death]

[3 Deaths from Falls]

[3 Other Accidental Deaths]

39 Deaths From Other Causes

Mortality Table 1
DEATHS BY COUNTY OF OCCURRENCE DISTRIBUTED ACCORDING TO RESIDENCE;
RESIDENT DEATHS DISTRIBUTED ACCORDING TO PLACE OF DEATH
MINNESOTA, 2013

| County | Deaths Occurring in County | | | | Resident Deaths | | |
|-------------------|----------------------------|------------------|---------------------------|------------------------|------------------|-------------------|--------|
| | Total | County Residents | Other Minnesota Residents | Out of State Residents | Outside County | | Total |
| | | | | | Within Minnesota | Outside Minnesota | |
| State Total | 40,988 | 32,653 | 6,827 | 1,508 | 6,827 | 1,501 | 40,981 |
| Aitkin | 158 | 142 | 14 | 2 | 54 | 4 | 200 |
| Anoka | 1,677 | 1,394 | 269 | 14 | 469 | 21 | 1,884 |
| Becker | 291 | 259 | 26 | 6 | 16 | 67 | 342 |
| Beltrami | 405 | 333 | 66 | 6 | 32 | 38 | 403 |
| Benton | 260 | 216 | 44 | 0 | 113 | 2 | 331 |
| Big Stone | 69 | 58 | 4 | 7 | 5 | 15 | 78 |
| Blue Earth | 569 | 411 | 155 | 3 | 39 | 5 | 455 |
| Brown | 280 | 255 | 24 | 1 | 46 | 1 | 302 |
| Carlton | 310 | 274 | 34 | 2 | 105 | 4 | 383 |
| Carver | 500 | 354 | 138 | 8 | 103 | 10 | 467 |
| Cass | 191 | 159 | 25 | 7 | 131 | 17 | 307 |
| Chippewa | 133 | 120 | 13 | 0 | 47 | 2 | 169 |
| Chisago | 376 | 305 | 66 | 5 | 105 | 7 | 417 |
| Clay | 305 | 264 | 10 | 31 | 15 | 186 | 465 |
| Clearwater | 68 | 65 | 3 | 0 | 17 | 10 | 92 |
| Cook | 45 | 41 | 3 | 1 | 13 | 2 | 56 |
| Cottonwood | 125 | 108 | 17 | 0 | 15 | 19 | 142 |
| Crow Wing | 596 | 528 | 63 | 5 | 133 | 13 | 674 |
| Dakota | 1,785 | 1,531 | 225 | 29 | 747 | 42 | 2,320 |
| Dodge | 103 | 94 | 8 | 1 | 35 | 1 | 130 |
| Douglas | 351 | 313 | 35 | 3 | 46 | 19 | 378 |
| Faribault | 145 | 136 | 6 | 3 | 47 | 2 | 185 |
| Fillmore | 197 | 183 | 12 | 2 | 63 | 12 | 258 |
| Freeborn | 317 | 290 | 22 | 5 | 39 | 4 | 333 |
| Goodhue | 472 | 404 | 51 | 17 | 86 | 2 | 492 |
| Grant | 54 | 49 | 4 | 1 | 12 | 2 | 63 |
| Hennepin | 9,396 | 7,410 | 1,709 | 277 | 602 | 118 | 8,130 |
| Minneapolis | 3,542 | 1,850 | 1,513 | 179 | 555 | 37 | 2,442 |
| Houston | 110 | 98 | 8 | 4 | 4 | 63 | 165 |
| Hubbard | 169 | 144 | 24 | 1 | 44 | 28 | 216 |
| Isanti | 267 | 218 | 47 | 2 | 65 | 2 | 285 |
| Itasca | 414 | 394 | 16 | 4 | 95 | 10 | 499 |
| Jackson | 67 | 64 | 2 | 1 | 19 | 18 | 101 |
| Kanabec | 102 | 95 | 7 | 0 | 47 | 1 | 143 |
| Kandiyohi | 334 | 292 | 40 | 2 | 47 | 3 | 342 |
| Kittson | 61 | 58 | 3 | 0 | 3 | 15 | 76 |
| Koochiching | 126 | 124 | 1 | 1 | 44 | 2 | 170 |
| Lac Qui Parle | 65 | 62 | 3 | 0 | 18 | 9 | 89 |
| Lake | 123 | 104 | 16 | 3 | 43 | 3 | 150 |
| Lake of the Woods | 49 | 40 | 7 | 2 | 3 | 3 | 46 |
| Le Sueur | 152 | 137 | 13 | 2 | 96 | 1 | 234 |
| Lincoln | 57 | 55 | 2 | 0 | 3 | 13 | 71 |
| Lyon | 200 | 189 | 11 | 0 | 11 | 21 | 221 |
| McLeod | 300 | 260 | 37 | 3 | 82 | 5 | 347 |
| Mahnomen | 39 | 32 | 6 | 1 | 10 | 11 | 53 |

Mortality Table 1
DEATHS BY COUNTY OF OCCURRENCE DISTRIBUTED ACCORDING TO RESIDENCE;
RESIDENT DEATHS DISTRIBUTED ACCORDING TO PLACE OF DEATH
MINNESOTA, 2013

| County | Deaths Occurring in County | | | | Resident Deaths | | |
|-----------------|----------------------------|------------------|---------------------------|------------------------|------------------|-------------------|-------|
| | Total | County Residents | Other Minnesota Residents | Out of State Residents | Outside County | | Total |
| | | | | | Within Minnesota | Outside Minnesota | |
| Marshall | 49 | 47 | 2 | 0 | 13 | 32 | 92 |
| Martin | 210 | 199 | 5 | 6 | 37 | 6 | 242 |
| Meeker | 201 | 172 | 28 | 1 | 49 | 1 | 222 |
| Mille Lacs | 262 | 227 | 34 | 1 | 66 | 6 | 299 |
| Morrison | 263 | 241 | 21 | 1 | 73 | 4 | 318 |
| Mower | 344 | 323 | 12 | 9 | 75 | 8 | 406 |
| Murray | 81 | 74 | 7 | 0 | 9 | 17 | 100 |
| Nicollet | 193 | 163 | 29 | 1 | 81 | 3 | 247 |
| Nobles | 150 | 135 | 13 | 2 | 23 | 36 | 194 |
| Norman | 74 | 66 | 7 | 1 | 2 | 26 | 94 |
| Olmsted | 1,736 | 900 | 511 | 325 | 49 | 16 | 965 |
| Otter Tail | 576 | 532 | 32 | 12 | 65 | 68 | 665 |
| Pennington | 99 | 85 | 14 | 0 | 12 | 27 | 124 |
| Pine | 163 | 149 | 14 | 0 | 89 | 3 | 241 |
| Pipestone | 89 | 83 | 6 | 0 | 7 | 20 | 110 |
| Polk | 264 | 237 | 19 | 8 | 17 | 82 | 336 |
| Pope | 107 | 93 | 12 | 2 | 27 | 0 | 120 |
| Ramsey | 4,901 | 3,462 | 1,195 | 244 | 472 | 47 | 3,981 |
| St. Paul | 3,058 | 1,626 | 1,210 | 222 | 338 | 26 | 1,990 |
| Red Lake | 32 | 31 | 1 | 0 | 8 | 12 | 51 |
| Redwood | 168 | 142 | 26 | 0 | 41 | 6 | 189 |
| Renville | 137 | 127 | 10 | 0 | 47 | 3 | 177 |
| Rice | 435 | 370 | 62 | 3 | 114 | 9 | 493 |
| Rock | 126 | 96 | 26 | 4 | 4 | 17 | 117 |
| Roseau | 122 | 114 | 5 | 3 | 6 | 22 | 142 |
| St. Louis | 2,540 | 1,942 | 306 | 292 | 73 | 21 | 2,036 |
| Duluth | 1,587 | 784 | 518 | 285 | 28 | 7 | 819 |
| Scott | 514 | 386 | 117 | 11 | 171 | 9 | 566 |
| Sherburne | 418 | 316 | 99 | 3 | 170 | 6 | 492 |
| Sibley | 106 | 99 | 6 | 1 | 33 | 0 | 132 |
| Stearns | 1,347 | 811 | 518 | 18 | 110 | 6 | 927 |
| Steele | 261 | 226 | 30 | 5 | 59 | 4 | 289 |
| Stevens | 70 | 65 | 5 | 0 | 10 | 3 | 78 |
| Swift | 75 | 69 | 6 | 0 | 25 | 3 | 97 |
| Todd | 184 | 154 | 30 | 0 | 63 | 3 | 220 |
| Traverse | 35 | 33 | 0 | 2 | 5 | 15 | 53 |
| Wabasha | 168 | 148 | 7 | 13 | 55 | 3 | 206 |
| Wadena | 168 | 129 | 39 | 0 | 51 | 12 | 192 |
| Waseca | 136 | 123 | 12 | 1 | 52 | 4 | 179 |
| Washington | 1,202 | 985 | 177 | 40 | 451 | 35 | 1,471 |
| Watonwan | 113 | 105 | 7 | 1 | 29 | 3 | 137 |
| Wilkin | 78 | 57 | 2 | 19 | 5 | 21 | 83 |
| Winona | 340 | 315 | 13 | 12 | 43 | 35 | 393 |
| Wright | 534 | 476 | 54 | 4 | 234 | 5 | 715 |
| Yellow Medicine | 103 | 84 | 18 | 1 | 28 | 6 | 118 |
| Unknown | 1 | 0 | 1 | 0 | 5 | 3 | 8 |

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

| 10th Revi- sion No. | Cause of Death and Sex | | Under 1 Total | 1 to 4 | 5 to 9 | 10 to 14 | 15 to 19 | 20 to 24 | 25 to 29 | 30 to 34 | 35 to 39 | 40 to 44 | 45 to 49 | 50 to 54 | 55 to 59 | 60 to 64 | 65 to 69 | 70 to 74 | 75 to 79 | 80 to 84 | 85 and Over | |
|------------------------------|--|---|---------------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------------|--------|
| | ALL CAUSES, Total *** | T | 40,981 | 349 | 51 | 41 | 49 | 117 | 245 | 274 | 328 | 369 | 495 | 822 | 1,497 | 1,996 | 2,468 | 2,875 | 3,474 | 4,093 | 5,634 | 15,804 |
| | | M | 20,347 | 197 | 25 | 28 | 34 | 82 | 181 | 189 | 229 | 239 | 295 | 501 | 930 | 1,219 | 1,527 | 1,635 | 1,998 | 2,175 | 2,878 | 5,985 |
| | | F | 20,633 | 151 | 26 | 13 | 15 | 35 | 64 | 85 | 99 | 130 | 200 | 321 | 567 | 777 | 941 | 1,240 | 1,476 | 1,918 | 2,756 | 9,819 |
| Re- sid- ual | Other Infectious and Parasitic Diseases and Sequelae | T | 104 | 3 | 1 | 0 | 0 | 0 | 0 | 1 | 4 | 0 | 0 | 1 | 4 | 9 | 6 | 8 | 11 | 12 | 10 | 34 |
| | | M | 59 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | 0 | 0 | 4 | 3 | 7 | 7 | 6 | 7 | 5 | 14 |
| | | F | 45 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 6 | -1 | 1 | 5 | 5 | 5 | 20 |
| C00- D48 | II. NEOPLASMS | T | 9,899 | 1 | 5 | 7 | 7 | 9 | 13 | 28 | 36 | 57 | 123 | 211 | 473 | 769 | 937 | 1,209 | 1,309 | 1,324 | 1,386 | 1,995 |
| | | M | 5,152 | 1 | 3 | 4 | 5 | 6 | 8 | 18 | 17 | 33 | 58 | 100 | 247 | 407 | 521 | 642 | 690 | 696 | 729 | 967 |
| | | F | 4,747 | 0 | 2 | 3 | 2 | 3 | 5 | 10 | 19 | 24 | 65 | 111 | 226 | 362 | 416 | 567 | 619 | 628 | 657 | 1,028 |
| C00- C97 | Malignant Neoplasms | T | 9,603 | 1 | 5 | 7 | 7 | 8 | 12 | 26 | 36 | 53 | 119 | 206 | 462 | 760 | 919 | 1,183 | 1,285 | 1,295 | 1,343 | 1,876 |
| | | M | 4,992 | 1 | 3 | 4 | 5 | 6 | 7 | 16 | 17 | 31 | 57 | 97 | 242 | 401 | 510 | 632 | 671 | 678 | 702 | 912 |
| | | F | 4,611 | 0 | 2 | 3 | 2 | 2 | 5 | 10 | 19 | 22 | 62 | 109 | 220 | 359 | 409 | 551 | 614 | 617 | 641 | 964 |
| C00- C14 | Of Lip, Oral Cavity and Pharynx | T | 140 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 5 | 11 | 13 | 21 | 15 | 15 | 17 | 12 | 29 |
| | | M | 96 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 4 | 10 | 9 | 14 | 11 | 13 | 12 | 9 | 12 |
| | | F | 44 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 7 | 4 | 2 | 5 | 3 | 17 |
| C15 | Of Esophagus | T | 249 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 5 | 5 | 14 | 26 | 31 | 34 | 38 | 32 | 31 | 31 |
| | | M | 191 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 3 | 3 | 11 | 20 | 26 | 30 | 26 | 25 | 24 | 21 |
| | | F | 58 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 3 | 6 | 5 | 4 | 12 | 7 | 7 | 10 |
| C16 | Of Stomach | T | 151 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 2 | 4 | 14 | 11 | 14 | 16 | 15 | 22 | 20 | 28 |
| | | M | 99 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 3 | 10 | 8 | 8 | 11 | 9 | 15 | 14 | 17 |
| | | F | 52 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 1 | 4 | 3 | 6 | 5 | 6 | 7 | 6 | 11 |
| C18- C21 | Of Colon, Rectum, and Anus | T | 796 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 3 | 7 | 11 | 22 | 37 | 64 | 60 | 87 | 93 | 102 | 110 | 198 |
| | | M | 384 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 9 | 12 | 20 | 40 | 32 | 47 | 46 | 54 | 50 | 70 |
| | | F | 412 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 2 | 4 | 2 | 10 | 17 | 24 | 28 | 40 | 47 | 48 | 60 | 128 |
| C22 | Of Liver and Intrahepatic Bile Ducts | T | 306 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 2 | 3 | 6 | 9 | 22 | 46 | 49 | 54 | 24 | 36 | 26 | 26 |
| | | M | 216 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 2 | 2 | 2 | 8 | 17 | 35 | 41 | 37 | 16 | 22 | 15 | 16 |
| | | F | 90 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 1 | 5 | 11 | 8 | 17 | 8 | 14 | 11 | 10 |
| C25 | Of Pancreas | T | 681 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 10 | 10 | 32 | 56 | 85 | 81 | 100 | 86 | 86 | 134 |
| | | M | 366 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 7 | 6 | 20 | 39 | 53 | 48 | 47 | 54 | 43 | 48 |
| | | F | 315 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 4 | 12 | 17 | 32 | 33 | 53 | 32 | 43 | 86 |

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

| 10th Revi- sion No. | Cause of Death and Sex | | Under 1 Total | 1 to 4 | 5 to 9 | 10 to 14 | 15 to 19 | 20 to 24 | 25 to 29 | 30 to 34 | 35 to 39 | 40 to 44 | 45 to 49 | 50 to 54 | 55 to 59 | 60 to 64 | 65 to 69 | 70 to 74 | 75 to 79 | 80 to 84 | 85 and Over | |
|------------------------------|--------------------------------------|---|---------------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------------|--------|
| | ALL CAUSES, Total *** | T | 40,981 | 349 | 51 | 41 | 49 | 117 | 245 | 274 | 328 | 369 | 495 | 822 | 1,497 | 1,996 | 2,468 | 2,875 | 3,474 | 4,093 | 5,634 | 15,804 |
| | | M | 20,347 | 197 | 25 | 28 | 34 | 82 | 181 | 189 | 229 | 239 | 295 | 501 | 930 | 1,219 | 1,527 | 1,635 | 1,998 | 2,175 | 2,878 | 5,985 |
| | | F | 20,633 | 151 | 26 | 13 | 15 | 35 | 64 | 85 | 99 | 130 | 200 | 321 | 567 | 777 | 941 | 1,240 | 1,476 | 1,918 | 2,756 | 9,819 |
| C32 | Of Larynx | T | 32 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 5 | 7 | 3 | 4 | 4 | 4 |
| | | M | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 4 | 5 | 2 | 3 | 4 | 4 |
| | | F | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 1 | 1 | 0 | 0 |
| C33- C34 | Of Trachea, Bronchus, and Lung | T | 2,392 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 4 | 15 | 33 | 104 | 181 | 249 | 357 | 398 | 365 | 360 | 321 |
| | | M | 1,289 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 9 | 17 | 58 | 99 | 143 | 185 | 217 | 176 | 196 | 183 |
| | | F | 1,103 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 6 | 16 | 46 | 82 | 106 | 172 | 181 | 189 | 164 | 138 | |
| C43 | Of Skin | T | 164 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 4 | 5 | 8 | 9 | 13 | 13 | 22 | 16 | 20 | 19 | 29 |
| | | M | 106 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 2 | 4 | 6 | 7 | 10 | 8 | 15 | 12 | 8 | 13 | 17 |
| | | F | 58 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 2 | 2 | 3 | 5 | 7 | 4 | 12 | 6 | 12 | |
| C50 | Of Breast | T | 671 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 19 | 35 | 51 | 70 | 68 | 82 | 71 | 65 | 75 | 129 |
| | | M | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 1 | 0 | 0 | 0 | 1 | 0 |
| | | F | 665 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 19 | 33 | 49 | 70 | 67 | 82 | 71 | 65 | 74 | 129 |
| C53 | Of Cervix Uteri | T | 51 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 7 | 4 | 6 | 11 | 7 | 4 | 1 | 1 | 4 | 2 |
| | | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | F | 51 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 7 | 4 | 6 | 11 | 7 | 4 | 1 | 1 | 4 | 2 |
| C54- C55 | Of Corpus Uteri and Uterus | T | 140 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 3 | 9 | 10 | 14 | 17 | 16 | 19 | 14 | 14 | 34 |
| | | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | F | 140 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 3 | 9 | 10 | 14 | 17 | 16 | 19 | 14 | 14 | 34 |
| C56 | Of Ovary | T | 240 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 5 | 14 | 24 | 26 | 31 | 41 | 27 | 28 | 42 |
| | | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | F | 240 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 5 | 14 | 24 | 26 | 31 | 41 | 27 | 28 | 42 |
| C61 | Of Prostate | T | 506 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 6 | 12 | 18 | 48 | 49 | 71 | 88 | 213 |
| | | M | 506 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 6 | 12 | 18 | 48 | 49 | 71 | 88 | 213 |
| | | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| C64- C65 | Of Kidney and Renal Pelvis | T | 260 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 2 | 5 | 17 | 27 | 25 | 33 | 42 | 33 | 30 | 41 |
| | | M | 166 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 2 | 12 | 17 | 18 | 26 | 32 | 22 | 13 | 19 |
| | | F | 94 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 3 | 5 | 10 | 7 | 7 | 10 | 11 | 17 | 22 |

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

| 10th Revi- sion No. | Cause of Death and Sex | | Under 1 Total | 1 to 4 | 5 to 9 | 10 to 14 | 15 to 19 | 20 to 24 | 25 to 29 | 30 to 34 | 35 to 39 | 40 to 44 | 45 to 49 | 50 to 54 | 55 to 59 | 60 to 64 | 65 to 69 | 70 to 74 | 75 to 79 | 80 to 84 | 85 and Over | |
|------------------------------|--|---|---------------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------------|--------|
| | ALL CAUSES, Total *** | T | 40,981 | 349 | 51 | 41 | 49 | 117 | 245 | 274 | 328 | 369 | 495 | 822 | 1,497 | 1,996 | 2,468 | 2,875 | 3,474 | 4,093 | 5,634 | 15,804 |
| | | M | 20,347 | 197 | 25 | 28 | 34 | 82 | 181 | 189 | 229 | 239 | 295 | 501 | 930 | 1,219 | 1,527 | 1,635 | 1,998 | 2,175 | 2,878 | 5,985 |
| | | F | 20,633 | 151 | 26 | 13 | 15 | 35 | 64 | 85 | 99 | 130 | 200 | 321 | 567 | 777 | 941 | 1,240 | 1,476 | 1,918 | 2,756 | 9,819 |
| C67 | Of Bladder | T | 265 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 6 | 1 | 13 | 12 | 25 | 33 | 36 | 46 | 91 | |
| | | M | 180 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 3 | 1 | 6 | 8 | 16 | 23 | 26 | 32 | 63 | |
| | | F | 85 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 7 | 4 | 9 | 10 | 10 | 14 | 28 | |
| C70- C72 | Of Meninges, Brain and Other Parts of Central Nervous System | T | 258 | 0 | 2 | 3 | 2 | 2 | 2 | 3 | 3 | 7 | 9 | 18 | 22 | 29 | 33 | 38 | 25 | 25 | 16 | 19 |
| | | M | 158 | 0 | 0 | 2 | 2 | 2 | 1 | 1 | 2 | 4 | 5 | 10 | 13 | 20 | 26 | 22 | 17 | 13 | 12 | 6 |
| | | F | 100 | 0 | 2 | 1 | 0 | 0 | 1 | 2 | 1 | 3 | 4 | 8 | 9 | 9 | 7 | 16 | 8 | 12 | 4 | 13 |
| C81- C96 | Of Lymphoid, Hematopoietic, and Related Tissue | T | 1,064 | 1 | 2 | 3 | 2 | 0 | 1 | 5 | 9 | 5 | 13 | 11 | 39 | 64 | 69 | 106 | 147 | 155 | 203 | 229 |
| | | M | 592 | 1 | 2 | 2 | 2 | 0 | 0 | 4 | 2 | 4 | 6 | 8 | 29 | 35 | 46 | 68 | 93 | 77 | 109 | 104 |
| | | F | 472 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 7 | 1 | 7 | 3 | 10 | 29 | 23 | 38 | 54 | 78 | 94 | 125 |
| C81 | Hodgkin's Disease | T | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 2 | 1 | 6 | 1 | 3 | 5 |
| | | M | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 | 4 | 0 | 1 | 2 |
| | | F | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 2 | 3 |
| C82- C85 | Non-Hodgkin's Lymphoma | T | 395 | 0 | 0 | 0 | 1 | 0 | 1 | 3 | 3 | 3 | 8 | 2 | 12 | 23 | 25 | 40 | 53 | 54 | 81 | 86 |
| | | M | 212 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 2 | 3 | 4 | 1 | 10 | 15 | 18 | 21 | 32 | 26 | 40 | 37 |
| | | F | 183 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 4 | 1 | 2 | 8 | 7 | 19 | 21 | 28 | 41 | 49 |
| C91- C95 | Leukemia | T | 437 | 1 | 2 | 3 | 1 | 0 | 0 | 2 | 5 | 2 | 2 | 5 | 14 | 30 | 30 | 34 | 55 | 74 | 72 | 105 |
| | | M | 251 | 1 | 2 | 2 | 1 | 0 | 0 | 2 | 0 | 1 | 0 | 3 | 8 | 14 | 21 | 27 | 35 | 37 | 48 | 49 |
| | | F | 186 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 5 | 1 | 2 | 2 | 6 | 16 | 9 | 7 | 20 | 37 | 24 | 56 |
| C88 C90 | Multiple Myeloma and Immunoprolifer- ative Neoplasms | T | 209 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 4 | 10 | 11 | 12 | 31 | 33 | 26 | 47 | 32 | |
| | | M | 117 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 4 | 8 | 6 | 6 | 19 | 22 | 14 | 20 | 16 | |
| | | F | 92 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 5 | 6 | 12 | 11 | 12 | 27 | 16 | |
| C96 | Other Lymphoid, Hematopouetic, and Related Tissue | T | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | M | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | F | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Re- sid- ual | Other Malignant Neoplasms | T | 941 | 0 | 1 | 1 | 2 | 3 | 5 | 6 | 3 | 6 | 7 | 16 | 41 | 79 | 102 | 100 | 134 | 150 | 128 | 157 |
| | | M | 451 | 0 | 1 | 0 | 1 | 3 | 3 | 3 | 2 | 6 | 7 | 8 | 19 | 44 | 53 | 53 | 50 | 82 | 52 | 64 |
| | | F | 490 | 0 | 0 | 1 | 1 | 0 | 2 | 3 | 1 | 0 | 0 | 8 | 22 | 35 | 49 | 47 | 84 | 68 | 76 | 93 |

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

| 10th Revi- sion No. | Cause of Death and Sex | | Under 1 Total | 1 to 4 | 5 to 9 | 10 to 14 | 15 to 19 | 20 to 24 | 25 to 29 | 30 to 34 | 35 to 39 | 40 to 44 | 45 to 49 | 50 to 54 | 55 to 59 | 60 to 64 | 65 to 69 | 70 to 74 | 75 to 79 | 80 to 84 | 85 and Over | |
|------------------------------|---|---|---------------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------------|--------|
| | ALL CAUSES, Total *** | T | 40,981 | 349 | 51 | 41 | 49 | 117 | 245 | 274 | 328 | 369 | 495 | 822 | 1,497 | 1,996 | 2,468 | 2,875 | 3,474 | 4,093 | 5,634 | 15,804 |
| | | M | 20,347 | 197 | 25 | 28 | 34 | 82 | 181 | 189 | 229 | 239 | 295 | 501 | 930 | 1,219 | 1,527 | 1,635 | 1,998 | 2,175 | 2,878 | 5,985 |
| | | F | 20,633 | 151 | 26 | 13 | 15 | 35 | 64 | 85 | 99 | 130 | 200 | 321 | 567 | 777 | 941 | 1,240 | 1,476 | 1,918 | 2,756 | 9,819 |
| D00- D48 | In Situ and Benign Neoplasms and Neoplasms of Uncertain Behavior | T | 296 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 4 | 4 | 5 | 11 | 9 | 18 | 26 | 24 | 29 | 43 | 119 |
| | | M | 160 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 2 | 1 | 3 | 5 | 6 | 11 | 10 | 19 | 18 | 27 | 55 |
| | | F | 136 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 3 | 2 | 6 | 3 | 7 | 16 | 5 | 11 | 16 | 64 |
| D50- D89 | III. DISEASES OF THE BLOOD AND BLOOD- FORMING ORGANS | T | 164 | 2 | 0 | 1 | 0 | 2 | 1 | 2 | 0 | 0 | 3 | 8 | 5 | 7 | 5 | 13 | 10 | 16 | 24 | 65 |
| | | M | 75 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 2 | 4 | 4 | 4 | 2 | 5 | 7 | 10 | 11 | 23 |
| | | F | 89 | 2 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 1 | 4 | 1 | 3 | 3 | 8 | 3 | 6 | 13 | 42 | |
| D50- D64 | Anemias | T | 86 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 3 | 5 | 10 | 9 | 54 |
| | | M | 33 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 5 | 4 | 20 | |
| | | F | 53 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 2 | 3 | 5 | 5 | 34 |
| D65- D89 | Other Diseases of the Blood and Blood-Forming Organs | T | 78 | 2 | 0 | 1 | 0 | 2 | 0 | 1 | 0 | 0 | 2 | 7 | 5 | 7 | 4 | 10 | 5 | 6 | 15 | 11 |
| | | M | 42 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 2 | 4 | 4 | 4 | 2 | 4 | 5 | 5 | 7 | 3 |
| | | F | 36 | 2 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 3 | 1 | 3 | 2 | 6 | 0 | 1 | 8 | 8 | |
| E00- E90 | IV. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS | T | 1,571 | 3 | 2 | 1 | 4 | 3 | 2 | 10 | 9 | 16 | 18 | 35 | 72 | 80 | 125 | 150 | 158 | 163 | 245 | 475 |
| | | M | 846 | 2 | 1 | 0 | 3 | 2 | 0 | 7 | 5 | 9 | 10 | 22 | 46 | 47 | 79 | 84 | 104 | 91 | 126 | 208 |
| | | F | 725 | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 4 | 7 | 8 | 13 | 26 | 33 | 46 | 66 | 54 | 72 | 119 | 267 |
| E10- E14 | Diabetes Mellitus | T | 1,162 | 0 | 0 | 0 | 0 | 1 | 1 | 7 | 4 | 12 | 13 | 21 | 57 | 54 | 96 | 114 | 120 | 126 | 196 | 340 |
| | | M | 649 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 3 | 7 | 8 | 13 | 37 | 33 | 58 | 64 | 82 | 74 | 103 | 162 |
| | | F | 513 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 1 | 5 | 5 | 8 | 20 | 21 | 38 | 50 | 38 | 52 | 93 | 178 |
| E40- E64 | Nutritional Deficiencies | T | 33 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 4 | 5 | 3 | 6 | 11 |
| | | M | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 2 | 3 | 5 | |
| | | F | 18 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 2 | 2 | 1 | 3 | 6 |
| E40- E46 | Malnutrition | T | 31 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 4 | 4 | 3 | 6 | 10 |
| | | M | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 2 | 3 | 4 | |
| | | F | 17 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 2 | 1 | 1 | 3 | 6 |
| E50- E64 | Other Nutritional Deficiencies | T | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| | | M | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | F | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

| 10th Revi- sion No. | Cause of Death and Sex | Total | Under 1 Year | 1 to 4 | 5 to 9 | 10 to 14 | 15 to 19 | 20 to 24 | 25 to 29 | 30 to 34 | 35 to 39 | 40 to 44 | 45 to 49 | 50 to 54 | 55 to 59 | 60 to 64 | 65 to 69 | 70 to 74 | 75 to 79 | 80 to 84 | 85 and Over |
|---------------------------------|--|----------|--------------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------------|
| | ALL CAUSES, Total *** | T 40,981 | 349 | 51 | 41 | 49 | 117 | 245 | 274 | 328 | 369 | 495 | 822 | 1,497 | 1,996 | 2,468 | 2,875 | 3,474 | 4,093 | 5,634 | 15,804 |
| | | M 20,347 | 197 | 25 | 28 | 34 | 82 | 181 | 189 | 229 | 239 | 295 | 501 | 930 | 1,219 | 1,527 | 1,635 | 1,998 | 2,175 | 2,878 | 5,985 |
| | | F 20,633 | 151 | 26 | 13 | 15 | 35 | 64 | 85 | 99 | 130 | 200 | 321 | 567 | 777 | 941 | 1,240 | 1,476 | 1,918 | 2,756 | 9,819 |
| H60- H95 | VIII. DISEASES OF THE EAR AND MASTOID PROCESS | T 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | M 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | F 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| I00- I99 | IX. DISEASES OF THE CIRCULATORY SYSTEM | T 10,759 | 9 | 1 | 3 | 2 | 5 | 10 | 17 | 30 | 60 | 88 | 166 | 325 | 396 | 533 | 580 | 736 | 965 | 1,501 | 5,332 |
| | | M 5,440 | 7 | 1 | 3 | 1 | 5 | 4 | 11 | 22 | 39 | 60 | 123 | 232 | 293 | 387 | 397 | 471 | 576 | 800 | 2,008 |
| | | F 5,319 | 2 | 0 | 0 | 1 | 0 | 6 | 6 | 8 | 21 | 28 | 43 | 93 | 103 | 146 | 183 | 265 | 389 | 701 | 3,324 |
| I00- I78 | Major Cardiovascular Diseases | T 10,703 | 9 | 1 | 3 | 2 | 5 | 9 | 16 | 29 | 60 | 87 | 164 | 321 | 393 | 524 | 576 | 735 | 960 | 1,495 | 5,314 |
| | | M 5,411 | 7 | 1 | 3 | 1 | 5 | 4 | 11 | 22 | 39 | 59 | 122 | 230 | 291 | 382 | 395 | 470 | 573 | 797 | 1,999 |
| | | F 5,292 | 2 | 0 | 0 | 1 | 0 | 5 | 5 | 7 | 21 | 28 | 42 | 91 | 102 | 142 | 181 | 265 | 387 | 698 | 3,315 |
| I00-I09, I11,I13, I20-I51 | Diseases of the Heart | T 7,671 | 7 | 1 | 2 | 2 | 5 | 8 | 12 | 19 | 49 | 75 | 139 | 267 | 315 | 398 | 417 | 524 | 683 | 1,038 | 3,710 |
| | | M 4,125 | 6 | 1 | 2 | 1 | 5 | 4 | 8 | 15 | 29 | 56 | 104 | 199 | 241 | 297 | 306 | 336 | 437 | 591 | 1,487 |
| | | F 3,546 | 1 | 0 | 0 | 1 | 0 | 4 | 4 | 4 | 20 | 19 | 35 | 68 | 74 | 101 | 111 | 188 | 246 | 447 | 2,223 |
| I00- I09 | Acute Rheumatic Fever and Chronic Rheumatic Heart Diseases | T 73 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 5 | 1 | 3 | 9 | 13 | 39 |
| | | M 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 1 | 4 | 2 | 8 |
| | | F 53 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 2 | 5 | 11 | 31 |
| I11 | Hypertensive Heart Disease | T 156 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 5 | 3 | 7 | 8 | 8 | 6 | 10 | 9 | 14 | 84 |
| | | M 61 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 5 | 2 | 4 | 6 | 6 | 5 | 3 | 5 | 3 | 21 |
| | | F 95 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 3 | 2 | 2 | 1 | 7 | 4 | 11 | 63 |
| I13 | Hypertensive Heart and Renal Disease | T 41 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 2 | 2 | 1 | 4 | 30 |
| | | M 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 9 |
| | | F 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 2 | 21 |
| I20- I25 | Ischemic Heart Diseases | T 4,170 | 0 | 0 | 0 | 0 | 0 | 2 | 4 | 6 | 26 | 42 | 93 | 189 | 227 | 265 | 272 | 337 | 405 | 574 | 1,728 |
| | | M 2,615 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 6 | 19 | 37 | 71 | 150 | 182 | 214 | 216 | 243 | 284 | 374 | 815 |
| | | F 1,555 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 7 | 5 | 22 | 39 | 45 | 51 | 56 | 94 | 121 | 200 | 913 |

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

| 10th Revi- sion No. | Cause of Death and Sex | | Under 1 Total | 1 to 4 | 5 to 9 | 10 to 14 | 15 to 19 | 20 to 24 | 25 to 29 | 30 to 34 | 35 to 39 | 40 to 44 | 45 to 49 | 50 to 54 | 55 to 59 | 60 to 64 | 65 to 69 | 70 to 74 | 75 to 79 | 80 to 84 | 85 and Over | |
|------------------------------|---|---|---------------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------------|--------|
| | ALL CAUSES, Total *** | T | 40,981 | 349 | 51 | 41 | 49 | 117 | 245 | 274 | 328 | 369 | 495 | 822 | 1,497 | 1,996 | 2,468 | 2,875 | 3,474 | 4,093 | 5,634 | 15,804 |
| | | M | 20,347 | 197 | 25 | 28 | 34 | 82 | 181 | 189 | 229 | 239 | 295 | 501 | 930 | 1,219 | 1,527 | 1,635 | 1,998 | 2,175 | 2,878 | 5,985 |
| | | F | 20,633 | 151 | 26 | 13 | 15 | 35 | 64 | 85 | 99 | 130 | 200 | 321 | 567 | 777 | 941 | 1,240 | 1,476 | 1,918 | 2,756 | 9,819 |
| I21- I22 | Acute Myocardial Infarction | T | 1,072 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 6 | 9 | 26 | 46 | 66 | 90 | 76 | 94 | 108 | 147 | 402 |
| | | M | 617 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 5 | 9 | 20 | 35 | 51 | 73 | 55 | 58 | 61 | 81 | 167 |
| | | F | 455 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 6 | 11 | 15 | 17 | 21 | 36 | 47 | 66 | 235 |
| I24 | Other Acute Ischemic Heart Diseases | T | 39 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 5 | 1 | 2 | 2 | 6 | 1 | 5 | 16 |
| | | M | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 0 | 2 | 1 | 6 | 0 | 3 | 6 | |
| | | F | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 1 | 2 | 10 | |
| I20, I25 | Other Chronic Ischemic Heart Disease | T | 3,063 | 0 | 0 | 0 | 0 | 0 | 2 | 4 | 4 | 20 | 32 | 67 | 138 | 160 | 173 | 194 | 237 | 296 | 422 | 1,314 |
| | | M | 1,978 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 4 | 14 | 27 | 51 | 111 | 131 | 139 | 160 | 179 | 223 | 290 | 645 |
| | | F | 1,085 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 6 | 5 | 16 | 27 | 29 | 34 | 34 | 58 | 73 | 132 | 669 |
| I25.0 | Atherosclerotic Cardiovascular Disease | T | 296 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 9 | 5 | 21 | 20 | 23 | 22 | 25 | 21 | 38 | 109 | |
| | | M | 197 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 8 | 5 | 18 | 18 | 21 | 19 | 18 | 18 | 26 | 43 | |
| | | F | 99 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 2 | 2 | 3 | 7 | 3 | 12 | 66 | |
| I20, I25.1-I25.9 | Other Chronic Ischemic Heart | T | 2,767 | 0 | 0 | 0 | 0 | 0 | 2 | 4 | 2 | 19 | 23 | 62 | 117 | 140 | 150 | 172 | 212 | 275 | 384 | 1,205 |
| | | M | 1,781 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 2 | 13 | 19 | 46 | 93 | 113 | 118 | 141 | 161 | 205 | 264 | 602 |
| | | F | 986 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 6 | 4 | 16 | 24 | 27 | 32 | 31 | 51 | 70 | 120 | 603 |
| I26- I51 | Other Heart Diseases | T | 2,644 | 7 | 1 | 2 | 2 | 5 | 5 | 8 | 10 | 20 | 25 | 37 | 60 | 71 | 100 | 115 | 143 | 218 | 361 | 1,454 |
| | | M | 1,163 | 6 | 1 | 2 | 1 | 5 | 2 | 5 | 7 | 9 | 13 | 25 | 39 | 46 | 61 | 69 | 75 | 118 | 173 | 506 |
| | | F | 1,481 | 1 | 0 | 0 | 1 | 0 | 3 | 3 | 3 | 11 | 12 | 12 | 21 | 25 | 39 | 46 | 68 | 100 | 188 | 948 |
| I33 | Acute and Subacute Endocarditis | T | 17 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 3 | 0 | 1 | 0 | 2 | 2 | 2 | 4 |
| | | M | 10 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 1 | 0 | 1 | 1 | 1 | 1 |
| | | F | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 3 |
| I30-I31, I40 | Diseases of Pericardium and Acute Myocarditis | T | 24 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 3 | 2 | 1 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | M | 11 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 0 | 0 | 0 | 3 | 1 | 2 |
| | | F | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 1 | 0 | 1 | 2 | 0 | 3 | 3 | 3 |
| I50 | Heart Failure | T | 1,140 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 5 | 7 | 6 | 15 | 26 | 43 | 79 | 160 | 794 |
| | | M | 457 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 3 | 6 | 5 | 8 | 18 | 27 | 43 | 73 | 270 |
| | | F | 683 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 1 | 1 | 7 | 8 | 16 | 36 | 87 | 524 |

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

| 10th Revi- sion No. | Cause of Death and Sex | | Under 1 Total | 1 to 4 | 5 to 9 | 10 to 14 | 15 to 19 | 20 to 24 | 25 to 29 | 30 to 34 | 35 to 39 | 40 to 44 | 45 to 49 | 50 to 54 | 55 to 59 | 60 to 64 | 65 to 69 | 70 to 74 | 75 to 79 | 80 to 84 | 85 and Over | |
|-------------------------------------|---|---|---------------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------------|--------|
| | ALL CAUSES, Total *** | T | 40,981 | 349 | 51 | 41 | 49 | 117 | 245 | 274 | 328 | 369 | 495 | 822 | 1,497 | 1,996 | 2,468 | 2,875 | 3,474 | 4,093 | 5,634 | 15,804 |
| | | M | 20,347 | 197 | 25 | 28 | 34 | 82 | 181 | 189 | 229 | 239 | 295 | 501 | 930 | 1,219 | 1,527 | 1,635 | 1,998 | 2,175 | 2,878 | 5,985 |
| | | F | 20,633 | 151 | 26 | 13 | 15 | 35 | 64 | 85 | 99 | 130 | 200 | 321 | 567 | 777 | 941 | 1,240 | 1,476 | 1,918 | 2,756 | 9,819 |
| I26-I28, I34-I38, I42-I49,I51 | All Other Forms of Heart Disease | T | 2,050 | 6 | 1 | 1 | 2 | 4 | 5 | 7 | 9 | 18 | 28 | 32 | 58 | 73 | 104 | 109 | 125 | 175 | 267 | 1,026 |
| | | M | 936 | 5 | 1 | 1 | 1 | 4 | 2 | 5 | 7 | 7 | 14 | 23 | 35 | 47 | 66 | 65 | 61 | 96 | 135 | 361 |
| | | F | 1,114 | 1 | 0 | 0 | 1 | 0 | 3 | 2 | 2 | 11 | 14 | 9 | 23 | 26 | 38 | 44 | 64 | 79 | 132 | 665 |
| I10, I12 | Essential Hypertension and Hypertensive Renal Disease | T | 555 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 3 | 7 | 15 | 28 | 29 | 35 | 53 | 68 | 312 |
| | | M | 216 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 2 | 4 | 14 | 21 | 18 | 22 | 21 | 25 | 85 |
| | | F | 339 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 1 | 7 | 11 | 13 | 32 | 43 | 227 |
| I60- I69 | Cerebrovascular Diseases | T | 2,051 | 2 | 0 | 1 | 0 | 0 | 1 | 1 | 4 | 3 | 7 | 17 | 40 | 51 | 77 | 102 | 127 | 191 | 328 | 1,099 |
| | | M | 857 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 2 | 3 | 0 | 13 | 23 | 31 | 49 | 55 | 82 | 99 | 151 | 346 |
| | | F | 1,194 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 7 | 4 | 17 | 20 | 28 | 47 | 45 | 92 | 177 | 753 |
| I70 | Atherosclerosis | T | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 3 | 7 | 2 | 13 | 29 |
| | | M | 29 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 4 | 0 | 6 | 15 |
| | | F | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 3 | 2 | 7 | 14 |
| I71- I78 | Other Diseases of the Circulatory System | T | 369 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 5 | 6 | 3 | 5 | 5 | 12 | 20 | 25 | 42 | 31 | 48 | 164 |
| | | M | 184 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 4 | 5 | 2 | 3 | 3 | 5 | 14 | 14 | 26 | 16 | 24 | 66 |
| | | F | 185 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 7 | 6 | 11 | 16 | 15 | 24 | 98 |
| I71 | Aortic Aneurysm and Dissection | T | 213 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 4 | 3 | 4 | 4 | 5 | 17 | 14 | 22 | 24 | 28 | 82 |
| | | M | 118 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 3 | 2 | 3 | 3 | 2 | 13 | 8 | 14 | 15 | 14 | 36 |
| | | F | 95 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 1 | 3 | 4 | 6 | 8 | 9 | 14 | 46 |
| I72- I78 | Diseases of the Arteries, Arterioles, and Capillaries | T | 156 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 1 | 1 | 7 | 3 | 11 | 20 | 7 | 20 | 82 |
| | | M | 66 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 3 | 1 | 6 | 12 | 1 | 10 | 30 |
| | | F | 90 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 4 | 2 | 5 | 8 | 6 | 10 | 52 |
| I80- I99 | Other Disorders of the Circulatory System | T | 56 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 2 | 4 | 3 | 9 | 4 | 1 | 5 | 6 | 18 |
| | | M | 29 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 5 | 2 | 1 | 3 | 3 | 9 |
| | | F | 27 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 2 | 1 | 4 | 2 | 0 | 2 | 3 | 9 |
| J00- J99 | X. DISEASES OF THE RESPIRATORY SYSTEM | T | 3,912 | 8 | 5 | 3 | 2 | 4 | 2 | 6 | 10 | 12 | 20 | 34 | 80 | 112 | 196 | 275 | 426 | 537 | 698 | 1,482 |
| | | M | 1,925 | 5 | 3 | 2 | 0 | 3 | 0 | 2 | 6 | 2 | 7 | 16 | 33 | 62 | 101 | 152 | 238 | 261 | 379 | 653 |
| | | F | 1,987 | 3 | 2 | 1 | 2 | 1 | 2 | 4 | 4 | 10 | 13 | 18 | 47 | 50 | 95 | 123 | 188 | 276 | 319 | 829 |

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

| 10th Revi- sion No. | Cause of Death and Sex | | Under 1 Total | 1 to 4 | 5 to 9 | 10 to 14 | 15 to 19 | 20 to 24 | 25 to 29 | 30 to 34 | 35 to 39 | 40 to 44 | 45 to 49 | 50 to 54 | 55 to 59 | 60 to 64 | 65 to 69 | 70 to 74 | 75 to 79 | 80 to 84 | 85 and Over | |
|------------------------------|---|---|---------------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------------|--------|
| | ALL CAUSES, Total *** | T | 40,981 | 349 | 51 | 41 | 49 | 117 | 245 | 274 | 328 | 369 | 495 | 822 | 1,497 | 1,996 | 2,468 | 2,875 | 3,474 | 4,093 | 5,634 | 15,804 |
| | | M | 20,347 | 197 | 25 | 28 | 34 | 82 | 181 | 189 | 229 | 239 | 295 | 501 | 930 | 1,219 | 1,527 | 1,635 | 1,998 | 2,175 | 2,878 | 5,985 |
| | | F | 20,633 | 151 | 26 | 13 | 15 | 35 | 64 | 85 | 99 | 130 | 200 | 321 | 567 | 777 | 941 | 1,240 | 1,476 | 1,918 | 2,756 | 9,819 |
| J10- J18 | Influenza and Pneumonia | T | 749 | 6 | 4 | 0 | 1 | 1 | 0 | 4 | 2 | 2 | 10 | 11 | 18 | 13 | 29 | 32 | 33 | 64 | 100 | 419 |
| | | M | 355 | 3 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 5 | 6 | 10 | 7 | 19 | 16 | 22 | 32 | 56 | 175 |
| | | F | 394 | 3 | 2 | 0 | 1 | 1 | 0 | 3 | 2 | 1 | 5 | 5 | 8 | 6 | 10 | 16 | 11 | 32 | 44 | 244 |
| J10- J11 | Influenza | T | 140 | 3 | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 1 | 2 | 2 | 3 | 3 | 5 | 7 | 15 | 19 | 76 |
| | | M | 56 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 2 | 6 | 6 | 8 | 28 |
| | | F | 84 | 2 | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 1 | 2 | 1 | 1 | 1 | 3 | 1 | 9 | 11 | 48 |
| J12- J18 | Pneumonia | T | 609 | 3 | 3 | 0 | 0 | 0 | 0 | 3 | 2 | 2 | 9 | 9 | 16 | 10 | 26 | 27 | 26 | 49 | 81 | 343 |
| | | M | 299 | 2 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 5 | 6 | 9 | 5 | 17 | 14 | 16 | 26 | 48 | 147 |
| | | F | 310 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 4 | 3 | 7 | 5 | 9 | 13 | 10 | 23 | 33 | 196 |
| J20- J22 | Other Acute Lower Respiratory Infections | T | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | M | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | F | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| J20- J21 | Acute Bronchitis and Bronchiolitis | T | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | M | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | F | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| J22 | Unspecified Acute Lower Respiratory Infection | T | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | M | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| | | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| J40- J47 | Chronic Lower Respiratory Diseases | T | 2,285 | 0 | 1 | 3 | 0 | 3 | 1 | 1 | 4 | 2 | 4 | 14 | 43 | 72 | 125 | 183 | 312 | 353 | 430 | 734 |
| | | M | 1,080 | 0 | 1 | 2 | 0 | 3 | 0 | 0 | 3 | 1 | 2 | 6 | 14 | 38 | 62 | 98 | 159 | 156 | 223 | 312 |
| | | F | 1,205 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 8 | 29 | 34 | 63 | 85 | 153 | 197 | 207 | 422 |
| J40- J42 | Bronchitis, Chronic and Unspecified | T | 8 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 3 |
| | | M | 5 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | | F | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| J43 | Emphysema | T | 86 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 5 | 6 | 7 | 10 | 13 | 10 | 11 | 22 |
| | | M | 46 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 5 | 3 | 4 | 9 | 5 | 7 | 10 |
| | | F | 40 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1 | 4 | 6 | 4 | 5 | 4 | 12 |

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

| 10th Revi- sion No. | Cause of Death and Sex | | Under 1 Total | 1 to 4 | 5 to 9 | 10 to 14 | 15 to 19 | 20 to 24 | 25 to 29 | 30 to 34 | 35 to 39 | 40 to 44 | 45 to 49 | 50 to 54 | 55 to 59 | 60 to 64 | 65 to 69 | 70 to 74 | 75 to 79 | 80 to 84 | 85 and Over | |
|------------------------------|---|---|---------------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------------|--------|
| | ALL CAUSES, Total *** | T | 40,981 | 349 | 51 | 41 | 49 | 117 | 245 | 274 | 328 | 369 | 495 | 822 | 1,497 | 1,996 | 2,468 | 2,875 | 3,474 | 4,093 | 5,634 | 15,804 |
| | | M | 20,347 | 197 | 25 | 28 | 34 | 82 | 181 | 189 | 229 | 239 | 295 | 501 | 930 | 1,219 | 1,527 | 1,635 | 1,998 | 2,175 | 2,878 | 5,985 |
| | | F | 20,633 | 151 | 26 | 13 | 15 | 35 | 64 | 85 | 99 | 130 | 200 | 321 | 567 | 777 | 941 | 1,240 | 1,476 | 1,918 | 2,756 | 9,819 |
| J45- J46 | Asthma | T | 80 | 0 | 0 | 3 | 0 | 2 | 1 | 1 | 3 | 2 | 2 | 4 | 6 | 2 | 8 | 4 | 3 | 8 | 9 | 22 |
| | | M | 32 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | 2 | 1 | 1 | 3 | 1 | 0 | 3 | 3 | 3 | 0 | 4 | 7 |
| | | F | 48 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 5 | 2 | 5 | 1 | 0 | 8 | 5 | 15 |
| J44, J47 | Other Chronic Lower Respiratory Diseases | T | 2,111 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 9 | 32 | 64 | 110 | 169 | 295 | 335 | 409 | 687 |
| | | M | 997 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 12 | 33 | 56 | 91 | 147 | 151 | 212 | 293 | |
| | | F | 1,114 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 7 | 20 | 31 | 54 | 78 | 148 | 184 | 197 | 394 |
| J60- J66, J68 | Pneumoconioses and Chemical Effects | T | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 4 | 2 | 5 |
| | | M | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 4 | 2 | 5 |
| | | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| J69 | Pneumonitis Due to Solids and Liquids | T | 249 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 1 | 7 | 11 | 9 | 7 | 12 | 19 | 51 | 128 |
| | | M | 139 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 2 | 6 | 4 | 3 | 7 | 15 | 29 | 71 |
| | | F | 110 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 5 | 5 | 5 | 4 | 5 | 4 | 5 | 22 | 57 |
| Re- sid- ual | Other Disease of the Respiratory System | T | 611 | 2 | 0 | 0 | 1 | 0 | 1 | 1 | 3 | 5 | 5 | 6 | 12 | 15 | 33 | 53 | 68 | 97 | 114 | 195 |
| | | M | 335 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 1 | 7 | 10 | 16 | 35 | 49 | 54 | 68 | 90 |
| | | F | 276 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 5 | 5 | 5 | 5 | 5 | 17 | 18 | 19 | 43 | 46 | 105 |
| K00- K93 | XI. DISEASES OF THE DIGESTIVE SYSTEM | T | 1,564 | 3 | 0 | 2 | 2 | 0 | 3 | 6 | 10 | 23 | 38 | 65 | 122 | 152 | 157 | 124 | 144 | 139 | 153 | 421 |
| | | M | 810 | 2 | 0 | 1 | 1 | 0 | 1 | 4 | 8 | 14 | 23 | 37 | 79 | 97 | 110 | 59 | 82 | 71 | 75 | 146 |
| | | F | 754 | 1 | 0 | 1 | 1 | 0 | 2 | 2 | 2 | 9 | 15 | 28 | 43 | 55 | 47 | 65 | 62 | 68 | 78 | 275 |
| K25- K28 | Peptic Ulcer | T | 40 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 3 | 2 | 8 | 3 | 4 | 3 | 9 | 5 |
| | | M | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 1 | 4 | 1 | 3 | 1 | 4 | 1 |
| | | F | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 4 | 2 | 1 | 2 | 5 | 4 |
| K35- K38 | Diseases of the Appendix | T | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| | | M | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | F | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| K40- K46 | Hernia | T | 33 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 3 | 4 | 7 | 14 | |
| | | M | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 2 | 2 | 5 | |
| | | F | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 2 | 5 | 9 | |

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

| 10th Revi- sion No. | Cause of Death and Sex | | Under 1 Total | 1 to 4 | 5 to 9 | 10 to 14 | 15 to 19 | 20 to 24 | 25 to 29 | 30 to 34 | 35 to 39 | 40 to 44 | 45 to 49 | 50 to 54 | 55 to 59 | 60 to 64 | 65 to 69 | 70 to 74 | 75 to 79 | 80 to 84 | 85 and Over | |
|---------------------------------|---|---|---------------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------------|--------|
| | ALL CAUSES, Total *** | T | 40,981 | 349 | 51 | 41 | 49 | 117 | 245 | 274 | 328 | 369 | 495 | 822 | 1,497 | 1,996 | 2,468 | 2,875 | 3,474 | 4,093 | 5,634 | 15,804 |
| | | M | 20,347 | 197 | 25 | 28 | 34 | 82 | 181 | 189 | 229 | 239 | 295 | 501 | 930 | 1,219 | 1,527 | 1,635 | 1,998 | 2,175 | 2,878 | 5,985 |
| | | F | 20,633 | 151 | 26 | 13 | 15 | 35 | 64 | 85 | 99 | 130 | 200 | 321 | 567 | 777 | 941 | 1,240 | 1,476 | 1,918 | 2,756 | 9,819 |
| K70, K73- K74 | Chronic Liver Disease and Cirrhosis | T | 517 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 6 | 11 | 26 | 36 | 82 | 93 | 89 | 46 | 46 | 30 | 23 | 24 |
| | | M | 349 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 5 | 7 | 16 | 25 | 55 | 60 | 66 | 29 | 33 | 19 | 16 | 14 |
| | | F | 168 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 10 | 11 | 27 | 33 | 23 | 17 | 13 | 11 | 7 | 10 |
| K70 | Alcoholic Liver Disease | T | 304 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 4 | 10 | 22 | 25 | 68 | 60 | 56 | 21 | 21 | 9 | 2 | 1 |
| | | M | 216 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 3 | 7 | 14 | 18 | 47 | 38 | 46 | 12 | 16 | 8 | 2 | 1 |
| | | F | 88 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 8 | 7 | 21 | 22 | 10 | 9 | 5 | 1 | 0 | 0 |
| K73- K74 | Other Chronic Liver Disease and Cirrhosis | T | 213 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 4 | 11 | 14 | 33 | 33 | 25 | 25 | 21 | 21 | 23 |
| | | M | 133 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 7 | 8 | 22 | 20 | 17 | 17 | 11 | 14 | 13 |
| | | F | 80 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 4 | 6 | 11 | 13 | 8 | 8 | 10 | 7 | 7 | 10 |
| K80- K82 | Cholelithiasis and Other Disorders of Gallbladder and Biliary Tract | T | 75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 3 | 5 | 5 | 11 | 12 | 35 |
| | | M | 37 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 1 | 3 | 4 | 9 | 14 |
| | | F | 38 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 4 | 2 | 7 | 3 | 21 |
| Re- sid- ual | Other Disease of the Digestive System | T | 897 | 3 | 0 | 2 | 2 | 0 | 3 | 1 | 4 | 11 | 12 | 26 | 36 | 55 | 55 | 67 | 86 | 91 | 101 | 342 |
| | | M | 391 | 2 | 0 | 1 | 1 | 0 | 1 | 0 | 3 | 6 | 7 | 12 | 20 | 34 | 35 | 26 | 43 | 45 | 44 | 111 |
| | | F | 506 | 1 | 0 | 1 | 1 | 0 | 2 | 1 | 1 | 5 | 5 | 14 | 16 | 21 | 20 | 41 | 43 | 46 | 57 | 231 |
| L00- L99 | XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE | T | 67 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 5 | 4 | 5 | 4 | 9 | 13 | 24 |
| | | M | 37 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 4 | 2 | 1 | 3 | 4 | 8 | 13 |
| | | F | 30 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 2 | 4 | 1 | 5 | 5 | 11 |
| M00- M99 | XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE | T | 254 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 2 | 2 | 1 | 5 | 5 | 8 | 15 | 16 | 25 | 27 | 44 | 100 |
| | | M | 98 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 3 | 1 | 5 | 13 | 5 | 10 | 10 | 15 | 33 |
| | | F | 156 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 2 | 0 | 2 | 4 | 3 | 2 | 11 | 15 | 17 | 29 | 67 |
| N00- N99 | XIV. DISEASES OF THE GENITOURINARY SYSTEM | T | 884 | 2 | 0 | 0 | 0 | 0 | 2 | 1 | 2 | 4 | 6 | 5 | 11 | 23 | 39 | 57 | 75 | 94 | 124 | 439 |
| | | M | 439 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 3 | 4 | 9 | 10 | 24 | 33 | 38 | 51 | 61 | 202 |
| | | F | 445 | 2 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 3 | 1 | 2 | 13 | 15 | 24 | 37 | 43 | 63 | 237 |
| N00-N07, N17-N19, N25-N27 | Nephritis, Nephrotic Syndrome and Nephrosis | T | 652 | 2 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 3 | 4 | 2 | 7 | 16 | 28 | 40 | 55 | 67 | 97 | 327 |
| | | M | 336 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 2 | 2 | 6 | 7 | 18 | 25 | 28 | 37 | 48 | 160 |
| | | F | 316 | 2 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 2 | 0 | 1 | 9 | 10 | 15 | 27 | 30 | 49 | 167 |

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

| 10th Revi- sion No. | Cause of Death and Sex | | Under 1 Total | 1 to 4 | 5 to 9 | 10 to 14 | 15 to 19 | 20 to 24 | 25 to 29 | 30 to 34 | 35 to 39 | 40 to 44 | 45 to 49 | 50 to 54 | 55 to 59 | 60 to 64 | 65 to 69 | 70 to 74 | 75 to 79 | 80 to 84 | 85 and Over | |
|------------------------------|--|---|---------------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------------|--------|
| | ALL CAUSES, Total *** | T | 40,981 | 349 | 51 | 41 | 49 | 117 | 245 | 274 | 328 | 369 | 495 | 822 | 1,497 | 1,996 | 2,468 | 2,875 | 3,474 | 4,093 | 5,634 | 15,804 |
| | | M | 20,347 | 197 | 25 | 28 | 34 | 82 | 181 | 189 | 229 | 239 | 295 | 501 | 930 | 1,219 | 1,527 | 1,635 | 1,998 | 2,175 | 2,878 | 5,985 |
| | | F | 20,633 | 151 | 26 | 13 | 15 | 35 | 64 | 85 | 99 | 130 | 200 | 321 | 567 | 777 | 941 | 1,240 | 1,476 | 1,918 | 2,756 | 9,819 |
| N00- N01, N04 | Acute and Rapidly Progressive Nephritic & Nephrotic Syndrome | T | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 6 |
| | | M | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 2 |
| | | F | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| N02-N03, N05-N07, N26 | Chronic Glomerulo- Nephritis, Nephritis, and Renal Sclerosis | T | 8 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 3 |
| | | M | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 3 |
| | | F | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| N17- N19 | Renal Failure | T | 635 | 2 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 3 | 4 | 1 | 7 | 14 | 28 | 39 | 54 | 66 | 96 | 318 |
| | | M | 325 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 2 | 1 | 6 | 5 | 18 | 24 | 27 | 36 | 48 | 155 |
| | | F | 310 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 2 | 0 | 1 | 9 | 10 | 15 | 27 | 30 | 48 | 163 |
| N25, N27 | Other Disorders of Kidney | T | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| N10- N12, N13.6,N15.1 | Infections of the Kidney | T | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 2 |
| | | M | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | F | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| N40 | Hyperplasia of the Prostate | T | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 5 |
| | | M | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 5 |
| | | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| N70- N76 | Inflammatory Diseases of Female Pelvic Organs | T | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 1 |
| | | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | F | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 1 |
| Re- sid- ual | Other Diseases of the Genitourinary System | T | 213 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 3 | 6 | 10 | 15 | 19 | 24 | 26 | 104 |
| | | M | 92 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 6 | 8 | 10 | 11 | 12 | 36 |
| | | F | 121 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 3 | 4 | 7 | 9 | 13 | 14 | 68 |
| O00- O99 | XV. PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM | T | 11 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 1 | 1 | 3 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | F | 11 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 1 | 1 | 3 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

| 10th Revi- sion No. | Cause of Death and Sex | | Under 1 Total | 1 to 4 | 5 to 9 | 10 to 14 | 15 to 19 | 20 to 24 | 25 to 29 | 30 to 34 | 35 to 39 | 40 to 44 | 45 to 49 | 50 to 54 | 55 to 59 | 60 to 64 | 65 to 69 | 70 to 74 | 75 to 79 | 80 to 84 | 85 and Over | |
|------------------------------|---|---|---------------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------------|--------|
| | ALL CAUSES, Total *** | T | 40,981 | 349 | 51 | 41 | 49 | 117 | 245 | 274 | 328 | 369 | 495 | 822 | 1,497 | 1,996 | 2,468 | 2,875 | 3,474 | 4,093 | 5,634 | 15,804 |
| | | M | 20,347 | 197 | 25 | 28 | 34 | 82 | 181 | 189 | 229 | 239 | 295 | 501 | 930 | 1,219 | 1,527 | 1,635 | 1,998 | 2,175 | 2,878 | 5,985 |
| | | F | 20,633 | 151 | 26 | 13 | 15 | 35 | 64 | 85 | 99 | 130 | 200 | 321 | 567 | 777 | 941 | 1,240 | 1,476 | 1,918 | 2,756 | 9,819 |
| O00- O07 | Pregnancy with Abortive Outcome | T | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O10- O99 | Other Complications of Pregnancy | T | 11 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 1 | 1 | 3 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | F | 11 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 1 | 3 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O08 | Other Complications of Pregnancy, Childbirth, and the Puerperium | T | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| P00- P96 | XVI. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD *** | T | 162 | 161 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | M | 96 | 95 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | F | 65 | 65 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Q00- Q99 | XVII. CONGENITAL MALFORMATIONS, DEFORMATIONS, AND CHROMOSOMAL ABNORMALITIES | T | 200 | 91 | 9 | 5 | 5 | 2 | 7 | 2 | 3 | 4 | 4 | 5 | 10 | 13 | 14 | 7 | 3 | 3 | 6 | 7 |
| | | M | 113 | 49 | 4 | 4 | 5 | 1 | 5 | 0 | 1 | 3 | 3 | 2 | 5 | 10 | 7 | 5 | 0 | 3 | 2 | 4 |
| | | F | 87 | 42 | 5 | 1 | 0 | 1 | 2 | 2 | 2 | 1 | 1 | 3 | 5 | 3 | 7 | 2 | 3 | 0 | 4 | 3 |
| R00- R99 | XVIII. SYMPTOMS, SIGNS, AND ABNORMAL CLINICAL AND LABORATORY FINDINGS | T | 1,072 | 26 | 3 | 0 | 0 | 3 | 5 | 3 | 7 | 7 | 6 | 6 | 17 | 27 | 38 | 58 | 63 | 89 | 101 | 613 |
| | | M | 447 | 14 | 1 | 0 | 0 | 2 | 3 | 3 | 6 | 5 | 4 | 5 | 14 | 15 | 20 | 36 | 43 | 48 | 45 | 183 |
| | | F | 625 | 12 | 2 | 0 | 0 | 1 | 2 | 0 | 1 | 2 | 2 | 1 | 3 | 12 | 18 | 22 | 20 | 41 | 56 | 430 |
| V01- Y98 | XX. EXTERNAL CAUSES | T | 3,418 | 29 | 14 | 18 | 24 | 84 | 189 | 182 | 191 | 163 | 146 | 213 | 255 | 243 | 172 | 135 | 149 | 155 | 256 | 800 |
| | | M | 2,101 | 14 | 8 | 13 | 16 | 60 | 152 | 133 | 146 | 118 | 102 | 148 | 186 | 177 | 117 | 86 | 105 | 89 | 134 | 297 |
| | | F | 1,317 | 15 | 6 | 5 | 8 | 24 | 37 | 49 | 45 | 45 | 44 | 65 | 69 | 66 | 55 | 49 | 44 | 66 | 122 | 503 |
| V01- X59, Y85-Y86 | Accidents | T | 2,487 | 26 | 9 | 14 | 12 | 47 | 102 | 101 | 103 | 98 | 87 | 123 | 159 | 147 | 121 | 96 | 113 | 130 | 231 | 768 |
| | | M | 1,401 | 13 | 5 | 10 | 8 | 27 | 77 | 75 | 77 | 72 | 63 | 81 | 108 | 107 | 83 | 58 | 72 | 77 | 115 | 273 |
| | | F | 1,086 | 13 | 4 | 4 | 4 | 20 | 25 | 26 | 26 | 26 | 24 | 42 | 51 | 40 | 38 | 38 | 41 | 53 | 116 | 495 |

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

| 10th Revi- sion No. | Cause of Death and Sex | Total | Under 1 Year | 1 to 4 | 5 to 9 | 10 to 14 | 15 to 19 | 20 to 24 | 25 to 29 | 30 to 34 | 35 to 39 | 40 to 44 | 45 to 49 | 50 to 54 | 55 to 59 | 60 to 64 | 65 to 69 | 70 to 74 | 75 to 79 | 80 to 84 | 85 and Over |
|------------------------------|--|----------|--------------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------------|
| | ALL CAUSES, Total *** | T 40,981 | 349 | 51 | 41 | 49 | 117 | 245 | 274 | 328 | 369 | 495 | 822 | 1,497 | 1,996 | 2,468 | 2,875 | 3,474 | 4,093 | 5,634 | 15,804 |
| | | M 20,347 | 197 | 25 | 28 | 34 | 82 | 181 | 189 | 229 | 239 | 295 | 501 | 930 | 1,219 | 1,527 | 1,635 | 1,998 | 2,175 | 2,878 | 5,985 |
| | | F 20,633 | 151 | 26 | 13 | 15 | 35 | 64 | 85 | 99 | 130 | 200 | 321 | 567 | 777 | 941 | 1,240 | 1,476 | 1,918 | 2,756 | 9,819 |
| V01- V99, Y85 | Transport Accidents | T 494 | 2 | 1 | 8 | 8 | 30 | 53 | 38 | 29 | 30 | 24 | 29 | 41 | 41 | 39 | 30 | 22 | 22 | 25 | 22 |
| | | M 338 | 0 | 1 | 5 | 5 | 14 | 39 | 29 | 26 | 24 | 20 | 17 | 31 | 29 | 27 | 19 | 15 | 12 | 13 | 12 |
| | | F 156 | 2 | 0 | 3 | 3 | 16 | 14 | 9 | 3 | 6 | 4 | 12 | 10 | 12 | 12 | 11 | 7 | 10 | 12 | 10 |
| * | Motor Vehicle Accidents | T 464 | 1 | 1 | 7 | 8 | 30 | 51 | 37 | 27 | 28 | 19 | 27 | 37 | 37 | 38 | 27 | 22 | 21 | 25 | 21 |
| | | M 314 | 0 | 1 | 5 | 5 | 14 | 39 | 28 | 24 | 22 | 15 | 15 | 27 | 25 | 26 | 18 | 15 | 11 | 13 | 11 |
| | | F 150 | 1 | 0 | 2 | 3 | 16 | 12 | 9 | 3 | 6 | 4 | 12 | 10 | 12 | 12 | 9 | 7 | 10 | 12 | 10 |
| ** | Other Land Transport Accidents | T 8 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| | | M 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| | | F 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| V90- V99, Y85 | Water, Air, Space, and Other Unspecified Transport Accidents | T 22 | 0 | 0 | 1 | 0 | 0 | 2 | 1 | 1 | 0 | 5 | 1 | 2 | 4 | 1 | 3 | 0 | 0 | 0 | 1 |
| | | M 17 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 5 | 1 | 2 | 4 | 1 | 1 | 0 | 0 | 0 | 1 |
| | | F 5 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| W00- X59, Y86 | Non-Transport Accidents | T 1,993 | 24 | 8 | 6 | 4 | 17 | 49 | 63 | 74 | 68 | 63 | 94 | 118 | 106 | 82 | 66 | 91 | 108 | 206 | 746 |
| | | M 1,063 | 13 | 4 | 5 | 3 | 13 | 38 | 46 | 51 | 48 | 43 | 64 | 77 | 78 | 56 | 39 | 57 | 65 | 102 | 261 |
| | | F 930 | 11 | 4 | 1 | 1 | 4 | 11 | 17 | 23 | 20 | 20 | 30 | 41 | 28 | 26 | 27 | 34 | 43 | 104 | 485 |
| W00- W19 | Falls | T 1,075 | 1 | 0 | 0 | 0 | 1 | 2 | 1 | 1 | 2 | 4 | 14 | 16 | 25 | 31 | 37 | 63 | 82 | 169 | 626 |
| | | M 470 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 1 | 4 | 11 | 11 | 20 | 19 | 24 | 39 | 47 | 82 | 209 |
| | | F 605 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 3 | 5 | 5 | 12 | 13 | 24 | 35 | 87 | 417 |
| W32- W34 | Accidental Discharge of Firearms | T 4 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | M 4 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | F 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| W65- W74 | Accidental Drowning and Submersion | T 38 | 2 | 2 | 1 | 2 | 1 | 5 | 1 | 4 | 3 | 3 | 3 | 1 | 4 | 2 | 1 | 2 | 0 | 0 | 1 |
| | | M 33 | 2 | 1 | 1 | 2 | 1 | 5 | 1 | 3 | 3 | 2 | 1 | 1 | 4 | 2 | 1 | 2 | 0 | 0 | 1 |
| | | F 5 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

* V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2

** V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

| 10th Revi- sion No. | Cause of Death and Sex | | Under 1 Total | 1 to 4 | 5 to 9 | 10 to 14 | 15 to 19 | 20 to 24 | 25 to 29 | 30 to 34 | 35 to 39 | 40 to 44 | 45 to 49 | 50 to 54 | 55 to 59 | 60 to 64 | 65 to 69 | 70 to 74 | 75 to 79 | 80 to 84 | 85 and Over | |
|-------------------------------|---|---|---------------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------------|--------|
| | ALL CAUSES, Total *** | T | 40,981 | 349 | 51 | 41 | 49 | 117 | 245 | 274 | 328 | 369 | 495 | 822 | 1,497 | 1,996 | 2,468 | 2,875 | 3,474 | 4,093 | 5,634 | 15,804 |
| | | M | 20,347 | 197 | 25 | 28 | 34 | 82 | 181 | 189 | 229 | 239 | 295 | 501 | 930 | 1,219 | 1,527 | 1,635 | 1,998 | 2,175 | 2,878 | 5,985 |
| | | F | 20,633 | 151 | 26 | 13 | 15 | 35 | 64 | 85 | 99 | 130 | 200 | 321 | 567 | 777 | 941 | 1,240 | 1,476 | 1,918 | 2,756 | 9,819 |
| X00- X09 | Accidental Exposure to Smoke, Fire, and Flames | T | 34 | 0 | 1 | 1 | 0 | 1 | 2 | 0 | 3 | 2 | 0 | 2 | 2 | 4 | 2 | 2 | 1 | 4 | 1 | 6 |
| | | M | 21 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 3 | 2 | 0 | 2 | 1 | 3 | 1 | 0 | 0 | 2 | 1 | 3 |
| | | F | 13 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 1 | 2 | 0 | 3 |
| X40- X49 | Accidental Poisoning and Exposure to Noxious Substances | T | 493 | 0 | 1 | 0 | 1 | 12 | 32 | 55 | 55 | 53 | 48 | 63 | 77 | 45 | 29 | 9 | 3 | 4 | 4 | 2 |
| | | M | 332 | 0 | 0 | 0 | 0 | 11 | 22 | 40 | 34 | 36 | 31 | 41 | 46 | 34 | 25 | 5 | 2 | 3 | 2 | 0 |
| | | F | 161 | 0 | 1 | 0 | 1 | 1 | 10 | 15 | 21 | 17 | 17 | 22 | 31 | 11 | 4 | 4 | 1 | 1 | 2 | 2 |
| Re- sid- ual | Other Non-Transport Accidents and Their Sequelae | T | 349 | 21 | 4 | 4 | 1 | 2 | 7 | 6 | 10 | 8 | 8 | 11 | 22 | 27 | 18 | 17 | 22 | 18 | 32 | 111 |
| | | M | 203 | 11 | 2 | 4 | 1 | 1 | 6 | 4 | 10 | 6 | 6 | 8 | 18 | 16 | 9 | 9 | 14 | 13 | 17 | 48 |
| | | F | 146 | 10 | 2 | 0 | 0 | 1 | 1 | 2 | 0 | 2 | 2 | 3 | 4 | 11 | 9 | 8 | 8 | 5 | 15 | 63 |
| X60- X84, Y87.0 | Intentional Self-Harm (Suicide) | T | 683 | 0 | 0 | 0 | 12 | 32 | 57 | 58 | 60 | 47 | 46 | 68 | 80 | 78 | 43 | 30 | 29 | 11 | 17 | 15 |
| | | M | 536 | 0 | 0 | 0 | 8 | 30 | 49 | 41 | 50 | 34 | 31 | 53 | 67 | 60 | 29 | 23 | 27 | 9 | 14 | 11 |
| | | F | 147 | 0 | 0 | 0 | 4 | 2 | 8 | 17 | 10 | 13 | 15 | 15 | 13 | 18 | 14 | 7 | 2 | 2 | 3 | 4 |
| X72- X74 | By Discharge of Firearms | T | 339 | 0 | 0 | 0 | 4 | 18 | 27 | 27 | 24 | 23 | 21 | 27 | 37 | 36 | 22 | 20 | 23 | 9 | 12 | 9 |
| | | M | 298 | 0 | 0 | 0 | 3 | 18 | 23 | 21 | 21 | 20 | 17 | 22 | 34 | 33 | 18 | 18 | 22 | 7 | 12 | 9 |
| | | F | 41 | 0 | 0 | 0 | 1 | 0 | 4 | 6 | 3 | 3 | 4 | 5 | 3 | 3 | 4 | 2 | 1 | 2 | 0 | 0 |
| X60-X71, X75-X84, Y87.0 | By Other and Unspecified Means and Their Sequelae | T | 344 | 0 | 0 | 0 | 8 | 14 | 30 | 31 | 36 | 24 | 25 | 41 | 43 | 42 | 21 | 10 | 6 | 2 | 5 | 6 |
| | | M | 238 | 0 | 0 | 0 | 5 | 12 | 26 | 20 | 29 | 14 | 14 | 31 | 33 | 27 | 11 | 5 | 5 | 2 | 2 | 2 |
| | | F | 106 | 0 | 0 | 0 | 3 | 2 | 4 | 11 | 7 | 10 | 11 | 10 | 10 | 15 | 10 | 5 | 1 | 0 | 3 | 4 |
| X85- Y09, Y87.1 | Assault (Homicide) | T | 134 | 1 | 4 | 3 | 0 | 5 | 29 | 18 | 19 | 11 | 6 | 14 | 6 | 5 | 2 | 3 | 3 | 2 | 0 | 3 |
| | | M | 101 | 0 | 3 | 2 | 0 | 3 | 25 | 14 | 16 | 7 | 5 | 9 | 6 | 3 | 1 | 1 | 2 | 1 | 0 | 3 |
| | | F | 33 | 1 | 1 | 1 | 0 | 2 | 4 | 4 | 3 | 4 | 1 | 5 | 0 | 2 | 1 | 2 | 1 | 1 | 0 | 0 |
| X93- X95 | By Discharge of Firearms | T | 76 | 0 | 0 | 1 | 0 | 2 | 24 | 14 | 13 | 4 | 2 | 6 | 3 | 3 | 1 | 2 | 1 | 0 | 0 | 0 |
| | | M | 65 | 0 | 0 | 1 | 0 | 2 | 23 | 11 | 12 | 4 | 2 | 3 | 3 | 2 | 0 | 1 | 1 | 0 | 0 | 0 |
| | | F | 11 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 1 | 0 | 0 | 3 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| X85-X92, X96-Y09, Y87.1 | By Other and Unspecified Means and Their Sequelae | T | 58 | 1 | 4 | 2 | 0 | 3 | 5 | 4 | 6 | 7 | 4 | 8 | 3 | 2 | 1 | 1 | 2 | 2 | 0 | 3 |
| | | M | 36 | 0 | 3 | 1 | 0 | 1 | 2 | 3 | 4 | 3 | 3 | 6 | 3 | 1 | 1 | 0 | 1 | 1 | 0 | 3 |
| | | F | 22 | 1 | 1 | 1 | 0 | 2 | 3 | 1 | 2 | 4 | 1 | 2 | 0 | 1 | 0 | 1 | 1 | 1 | 0 | 0 |

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2013

| 10th Revi- sion No. | Cause of Death and Sex | | Under 1 Total | 1 to 4 | 5 to 9 | 10 to 14 | 15 to 19 | 20 to 24 | 25 to 29 | 30 to 34 | 35 to 39 | 40 to 44 | 45 to 49 | 50 to 54 | 55 to 59 | 60 to 64 | 65 to 69 | 70 to 74 | 75 to 79 | 80 to 84 | 85 and Over | |
|-------------------------------------|---|---|---------------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------------|--------|
| | ALL CAUSES, Total *** | T | 40,981 | 349 | 51 | 41 | 49 | 117 | 245 | 274 | 328 | 369 | 495 | 822 | 1,497 | 1,996 | 2,468 | 2,875 | 3,474 | 4,093 | 5,634 | 15,804 |
| | | M | 20,347 | 197 | 25 | 28 | 34 | 82 | 181 | 189 | 229 | 239 | 295 | 501 | 930 | 1,219 | 1,527 | 1,635 | 1,998 | 2,175 | 2,878 | 5,985 |
| | | F | 20,633 | 151 | 26 | 13 | 15 | 35 | 64 | 85 | 99 | 130 | 200 | 321 | 567 | 777 | 941 | 1,240 | 1,476 | 1,918 | 2,756 | 9,819 |
| Y35, Y89.0 | Legal Intervention | T | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| | | M | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| | | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Y10- Y34, Y87.2,Y89.9 | Events of Undetermined Intent | T | 59 | 2 | 0 | 1 | 0 | 0 | 1 | 4 | 7 | 4 | 5 | 5 | 6 | 10 | 1 | 4 | 0 | 4 | 1 | 4 |
| | | M | 32 | 1 | 0 | 1 | 0 | 0 | 1 | 2 | 2 | 4 | 3 | 2 | 3 | 5 | 0 | 3 | 0 | 2 | 0 | 3 |
| | | F | 27 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 5 | 0 | 2 | 3 | 3 | 5 | 1 | 1 | 0 | 2 | 1 | 1 |
| Y22- Y24 | By Discharge of Firearms | T | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| | | M | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| | | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Y10-Y21, Y25-Y34, Y87.2,Y89.9 | By Other and Unspecified Means and Their Sequelae | T | 55 | 2 | 0 | 1 | 0 | 0 | 1 | 3 | 7 | 4 | 4 | 4 | 6 | 10 | 1 | 4 | 0 | 3 | 1 | 4 |
| | | M | 28 | 1 | 0 | 1 | 0 | 0 | 1 | 1 | 2 | 4 | 2 | 1 | 3 | 5 | 0 | 3 | 0 | 1 | 0 | 3 |
| | | F | 27 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 5 | 0 | 2 | 3 | 3 | 5 | 1 | 1 | 0 | 2 | 1 | 1 |
| Y36, Y89.1 | Operations of War and Their Sequelae | T | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Y40- Y84, Y88 | Complications of Medical and Surgical Care | T | 51 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 2 | 3 | 3 | 3 | 5 | 2 | 4 | 8 | 6 | 10 |
| | | M | 27 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 1 | 2 | 4 | 1 | 4 | 0 | 4 | 7 |
| | | F | 24 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 0 | 2 | 1 | 1 | 1 | 0 | 8 | 2 | 3 |

*** Total includes unknown gender.

Mortality Table 3
DEATHS DUE TO SELECTED CAUSES BY RACE
MINNESOTA RESIDENTS, 2013

| | Total* | White | African American | American Indian | Asian and Pacific Islander | **Hispanic |
|---------------------------------|--------|--------|------------------|-----------------|----------------------------|------------|
| Total - All Causes | 40,981 | 38,576 | 1,174 | 488 | 602 | 358 |
| HIV Disease | 38 | 20 | 16 | 1 | 0 | 1 |
| Malignant Neoplasms | 9,603 | 9,098 | 240 | 94 | 141 | 83 |
| Stomach | 151 | 131 | 9 | 2 | 6 | 8 |
| Colon, Rectum and Anus | 796 | 742 | 18 | 12 | 21 | 8 |
| Pancreas | 681 | 652 | 23 | 4 | 2 | 3 |
| Trachea, Bronchus, Lung | 2,392 | 2,283 | 51 | 28 | 25 | 13 |
| Breast | 671 | 636 | 15 | 4 | 10 | 10 |
| Cervix, Uterus, Ovary | 431 | 411 | 6 | 5 | 6 | 7 |
| Prostate | 506 | 489 | 10 | 4 | 2 | 3 |
| Non-Hodgkins Lymphoma | 395 | 368 | 11 | 6 | 9 | 4 |
| Leukemia | 437 | 422 | 7 | 4 | 4 | 4 |
| Other Malignancies | 3,143 | 2,964 | 90 | 25 | 56 | 23 |
| Diabetes Mellitus | 1,162 | 1,057 | 46 | 23 | 34 | 16 |
| Alzheimer's Disease | 1,426 | 1,397 | 13 | 5 | 10 | 5 |
| Major Cardiovascular | 10,703 | 10,187 | 273 | 87 | 129 | 63 |
| Diseases of Heart | 7,671 | 7,329 | 184 | 72 | 65 | 47 |
| Essential Hypertension | | | | | | |
| & Hypertensive Renal | 555 | 521 | 24 | 3 | 7 | 3 |
| Cerebrovascular | 2,051 | 1,935 | 52 | 9 | 50 | 12 |
| Other Circulatory | 426 | 402 | 13 | 3 | 7 | 1 |
| Influenza & Pneumonia | 749 | 705 | 21 | 10 | 11 | 4 |
| Chronic Lower | | | | | | |
| Respiratory Diseases | 2,285 | 2,179 | 53 | 17 | 29 | 11 |
| Chronic Liver Disease | | | | | | |
| and Cirrhosis | 517 | 472 | 12 | 26 | 4 | 8 |
| Nephritis, Nephrotic | | | | | | |
| Syndrome and Nephrosis | 652 | 611 | 16 | 6 | 17 | 5 |
| Pregnancy/Childbirth | 11 | 9 | 1 | 1 | 0 | 0 |
| All Other Diseases | 10,417 | 9,805 | 293 | 118 | 161 | 96 |
| Motor Vehicle Accidents | 464 | 406 | 25 | 13 | 13 | 15 |
| All Other Accidents | 2,023 | 1,841 | 93 | 56 | 23 | 28 |
| Intentional Self-Harm (Suicide) | 683 | 620 | 20 | 24 | 17 | 7 |
| Assault (Homicide) | 134 | 62 | 48 | 6 | 11 | 15 |
| Other External Causes | 114 | 107 | 4 | 1 | 2 | 1 |

*Total includes Other and Unknown race

**Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Note: see Table 3A for crude rates.

Mortality Table 3A
 CRUDE DEATH RATES¹ PER 100,000 FOR SELECTED CAUSES BY RACE
 MINNESOTA RESIDENTS, 2013

| | Total | White | African American | American Indian | Asian and Pacific Islander | Hispanic ² |
|--|-------|-------|------------------|-----------------|----------------------------|-----------------------|
| Total - All Causes | 756.1 | 826.0 | 380.8 | 688.7 | 242.9 | 132.3 |
| HIV Disease | 0.7 | 0.4 | - | - | - | - |
| Malignant Neoplasms | 177.2 | 194.8 | 77.8 | 132.7 | 56.9 | 30.7 |
| Stomach | 2.8 | 2.8 | - | - | - | - |
| Colon, Rectum and Anus | 14.7 | 15.9 | 5.8 | - | 8.5 | - |
| Pancreas | 12.6 | 14.0 | 7.5 | - | - | - |
| Trachea, Bronchus, Lung | 44.1 | 48.9 | 16.5 | 39.5 | 10.1 | - |
| Breast | 12.4 | 13.6 | - | - | - | - |
| Cervix, Uterus, Ovary | 8.0 | 8.8 | - | - | - | - |
| Prostate | 9.3 | 10.5 | - | - | - | - |
| Non-Hodgkins Lymphoma | 7.3 | 7.9 | - | - | - | - |
| Leukemia | 8.1 | 9.0 | - | - | - | - |
| Other Malignancies | 58.0 | 63.5 | 29.2 | 35.3 | 22.6 | 8.5 |
| Diabetes Mellitus | 21.4 | 22.6 | 14.9 | 32.5 | 13.7 | - |
| Alzheimer's Disease | 26.3 | 29.9 | - | - | - | - |
| Major Cardiovascular | 197.5 | 218.1 | 88.5 | 122.8 | 52.0 | 23.3 |
| Diseases of Heart | 141.5 | 156.9 | 59.7 | 101.6 | 26.2 | 17.4 |
| Essential Hypertension & Hypertensive Renal | 10.2 | 11.2 | 7.8 | - | - | - |
| Cerebrovascular | 37.8 | 41.4 | 16.9 | - | 20.2 | - |
| Other Circulatory | 7.9 | 8.6 | - | - | - | - |
| Influenza & Pneumonia | 13.8 | 15.1 | 6.8 | - | - | - |
| Chronic Lower Respiratory Diseases | 42.2 | 46.7 | 17.2 | - | 11.7 | - |
| Chronic Liver Disease and Cirrhosis | 9.5 | 10.1 | - | 36.7 | - | - |
| Nephritis, Nephrotic Syndrome and Nephrosis | 12.0 | 13.1 | - | - | - | - |
| Pregnancy/Childbirth | - | - | - | - | - | - |
| All Other Diseases | 192.2 | 210.0 | 95.0 | 166.5 | 65.0 | 35.5 |
| Motor Vehicle Accidents | 8.6 | 8.7 | 8.1 | - | - | - |
| All Other Accidents | 37.3 | 39.4 | 30.2 | 79.0 | - | 10.3 |
| Intentional Self-Harm (Suicide) | 12.6 | 13.3 | 6.5 | 33.9 | 6.9 | - |
| Assault (Homicide) | 2.5 | 1.3 | 15.6 | - | - | - |
| Other External Causes | 2.1 | 2.3 | - | - | - | - |

¹Rates not computed for counts <20

²Hispanic origin is reported separately from race. Persons of Hispanic origin may be from any racial group.

Note: see Table 3 for counts.

Mortality Table 4.1

U.S. Fifteen Leading Causes of Death*, Death Rates per 100,000 Population,
and Percent of Total Deaths, Minnesota Residents, 2013

| Cause of Death | Number of Deaths | Death Rates | Percent of Total |
|---|------------------|-------------|------------------|
| Diseases of the Heart (I00-I09,I11,I13,I20-I51) | 7,671 | 141.5 | 18.7 |
| Malignant Neoplasms (C00-C97) | 9,603 | 177.2 | 23.4 |
| Chronic Lower Respiratory Diseases (J40-J47) | 2,285 | 42.2 | 5.6 |
| Cerebrovascular Diseases (I60-I69) | 2,051 | 37.8 | 5.0 |
| Accidents (V01-X59,Y85-Y86) | 2,487 | 45.9 | 6.1 |
| Motor Vehicle (***) | 464 | 8.6 | 1.1 |
| Falls (W00-W19) | 1,075 | 19.8 | 2.6 |
| Alzheimer's Disease (G30) | 1,426 | 26.3 | 3.5 |
| Diabetes Mellitus (E10-E14) | 1,162 | 21.4 | 2.8 |
| Influenza and Pneumonia (J10-J18) | 749 | 13.8 | 1.8 |
| Influenza (J10-J11) | 140 | 2.6 | 0.3 |
| Pneumonia (J12-J18) | 609 | 11.2 | 1.5 |
| Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07,N17-N19,N25-N27) | 652 | 12.0 | 1.6 |
| Intentional Self-harm (suicide) (X60-X84,Y87.0) | 683 | 12.6 | 1.7 |
| Septicemia (A40-A41) | 382 | 7.0 | 0.9 |
| Chronic Liver Disease and Cirrhosis (K70,K73-K74) | 517 | 9.5 | 1.3 |
| Essential Hypertension and Hypertensive Renal Disease (I10,I12) | 555 | 10.2 | 1.4 |
| Parkinson's Disease (G20-G21) | 571 | 10.5 | 1.4 |
| Pneumonitis due to solids and liquids (J69) | 249 | 4.6 | 0.6 |
| All Other Causes | 9,938 | 183.3 | 24.3 |
| Total - All Causes | 40,981 | 756.1 | 100.0 |

*These are the 15 leading causes of death in the U.S., per 2012 final data, with causes listed in descending order as they occur nation-wide. Counts are for Minnesota residents.

***Motor Vehicle cause codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0,V89.2

Mortality Table 4.2

MN Fifteen Leading Causes of Death*, Death Rates per 100,000 Population,
and Percent of Total Deaths, Minnesota Residents, 2013

| Cause of Death | Number of Deaths | Death Rates | Percent of Total |
|---|------------------|-------------|------------------|
| Malignant Neoplasms (C00-C97) | 9,603 | 177.2 | 23.4 |
| Diseases of the Heart (I00-I09,I11,I13,I20-I51) | 7,671 | 141.5 | 18.7 |
| Accidents (V01-X59,Y85-Y86) | 2,487 | 45.9 | 6.1 |
| Motor Vehicle (***) | 464 | 8.6 | 1.1 |
| Falls (W00-W19) | 1,075 | 19.8 | 2.6 |
| Chronic Lower Respiratory Diseases (J40-J47) | 2,285 | 42.2 | 5.6 |
| Cerebrovascular Diseases (I60-I69) | 2,051 | 37.8 | 5.0 |
| Alzheimer's Disease (G30) | 1,426 | 26.3 | 3.5 |
| Diabetes Mellitus (E10-E14) | 1,162 | 21.4 | 2.8 |
| Influenza and Pneumonia (J10-J18) | 749 | 13.8 | 1.8 |
| Influenza (J10-J11) | 140 | 2.6 | 0.3 |
| Pneumonia (J12-J18) | 609 | 11.2 | 1.5 |
| Intentional Self-harm (suicide) (X60-X84,Y87.0) | 683 | 12.6 | 1.7 |
| Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07,N17-N19,N25-N27) | 652 | 12.0 | 1.6 |
| Parkinson's Disease (G20-G21) | 571 | 10.5 | 1.4 |
| Essential Hypertension and Hypertensive Renal Disease (I10,I12) | 555 | 10.2 | 1.4 |
| Chronic Liver Disease and Cirrhosis (K70,K73-K74) | 517 | 9.5 | 1.3 |
| Septicemia (A40-A41) | 382 | 7.0 | 0.9 |
| In Situ and Benign Neoplasms (D00-D48) | 296 | 5.5 | 0.7 |
| All Other Causes | 9,891 | 182.5 | 24.1 |
| Total - All Causes | 40,981 | 756.1 | 100.0 |

*These are the 15 leading causes of death for residents of Minnesota listed in descending order of prevalence.

***Motor Vehicle cause codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0,V89.2

Mortality Table 5
LEADING CAUSES OF DEATH BY SELECTED AGE GROUPS
MINNESOTA RESIDENTS, 2013

| | Age/Cause Specific Death Rate | | | Age/Cause Specific Death Rate | | | |
|-----------------------|-------------------------------|---------|------------------------|-------------------------------|---------|------------------------|---------|
| | No. of Deaths | Percent | Per 100,000 Population | No. of Deaths | Percent | Per 100,000 Population | |
| <u>1-4 Years</u> | | | | <u>35-49 Years</u> | | | |
| Total - all causes | 51 | 100.0 | 18.3 | Total - all causes | 1,686 | 100.0 | 163.5 |
| Accidents | 9 | 17.6 | 3.2 | Malignant Neoplasms | 378 | 22.4 | 36.7 |
| Motor Vehicle | 1 | 2.0 | 0.4 | Accidents | 308 | 18.3 | 29.9 |
| Congenital Anomalies | 9 | 17.6 | 3.2 | Motor Vehicle | 74 | 4.4 | 7.2 |
| Malignant Neoplasms | 5 | 9.8 | 1.8 | Diseases of the Heart | 263 | 15.6 | 25.5 |
| Influenza & Pneumonia | 4 | 7.8 | 1.4 | Intentional Self-Harm | 161 | 9.5 | 15.6 |
| Assault (Homicide) | 4 | 7.8 | 1.4 | Liver Disease, Cirrhosis | 73 | 4.3 | 7.1 |
| <u>5-9 Years</u> | | | | <u>50-64 Years</u> | | | |
| Total - all causes | 41 | 100.0 | 11.3 | Total - all causes | 5,961 | 100.0 | 539.6 |
| Accidents | 14 | 56.0 | 3.9 | Malignant Neoplasms | 2,141 | 35.9 | 193.8 |
| Motor Vehicle | 7 | 17.1 | 1.9 | Diseases of the Heart | 980 | 16.4 | 88.7 |
| Malignant Neoplasms | 7 | 17.1 | 1.9 | Accidents | 427 | 7.2 | 38.7 |
| Congenital Anomalies | 5 | 12.2 | 1.4 | Motor Vehicle | 112 | 1.9 | 10.1 |
| <u>10-14 Years</u> | | | | Liver Disease, Cirrhosis | 264 | 4.4 | 23.9 |
| Total - all causes | 49 | 100.0 | 13.8 | Chronic Lower | | | |
| Accidents | 12 | 24.5 | 3.4 | Respiratory Diseases | 240 | 4.0 | 21.7 |
| Motor Vehicle | 8 | 16.3 | 2.3 | Diabetes Mellitus | 207 | 3.5 | 18.7 |
| Intentional Self-Harm | 12 | 24.5 | 3.4 | Intentional Self-Harm | 201 | 3.4 | 18.2 |
| Malignant Neoplasms | 7 | 14.3 | 2.0 | <u>65-74 Years</u> | | | |
| Congenital Anomalies | 5 | 10.2 | 1.4 | Total - all causes | 6,349 | 100.0 | 1,538.2 |
| <u>15-19 Years</u> | | | | Malignant Neoplasms | 2,468 | 38.9 | 598.0 |
| Total - all causes | 117 | 100.0 | 32.6 | Diseases of the Heart | 941 | 14.8 | 228.0 |
| Accidents | 47 | 40.2 | 13.1 | Chronic Lower | | | |
| Motor Vehicle | 30 | 25.6 | 8.4 | Respiratory Diseases | 495 | 7.8 | 119.9 |
| Intentional Self-Harm | 32 | 27.4 | 8.9 | Diabetes Mellitus | 234 | 3.7 | 56.7 |
| Malignant Neoplasms | 8 | 6.8 | 2.2 | Cerebrovascular Diseases | 229 | 3.6 | 55.5 |
| Assault (Homicide) | 5 | 4.3 | 1.4 | Accidents | 209 | 3.3 | 50.6 |
| <u>20-34 Years</u> | | | | Motor Vehicle | 49 | 0.8 | 11.9 |
| Total - all causes | 847 | 100.0 | 76.7 | Falls | 100 | 1.6 | 24.2 |
| Accidents | 306 | 36.1 | 27.7 | <u>75 Years and Over</u> | | | |
| Motor Vehicle | 115 | 13.6 | 10.4 | Total - all causes | 25,531 | 100.0 | 7,436.2 |
| Intentional Self-Harm | 175 | 20.7 | 15.9 | Diseases of the Heart | 5,431 | 21.3 | 1,581.8 |
| Malignant Neoplasms | 74 | 8.7 | 6.7 | Malignant Neoplasms | 4,514 | 17.7 | 1,314.8 |
| Assault (Homicide) | 66 | 7.8 | 6.0 | Cerebrovascular Diseases | 1,618 | 6.3 | 471.3 |
| Diseases of the Heart | 39 | 4.6 | 3.5 | Chronic Lower | | | |
| | | | | Respiratory Diseases | 1,517 | 5.9 | 441.8 |
| | | | | Alzheimer's Disease | 1,340 | 5.2 | 390.3 |
| | | | | Accidents | 1,129 | 4.4 | 328.8 |
| | | | | Falls | 877 | 3.4 | 255.4 |

Mortality Table 6
DEATHS DUE TO SELECTED CAUSES BY EDUCATION, DECEDENTS AGE 25+
MINNESOTA RESIDENTS, 2013

| | Total | < High School | H.S. Grad/ G.E.D. | Some College | B.A./B.S./ Asso. Deg. | Post Grad Degree |
|--|--------|------------------|----------------------|-----------------|--------------------------|---------------------|
| Total - All Causes | 39,900 | 8,234 20.6% | 16,657 41.7% | 4,730 11.9% | 8,270 20.7% | 2,009 5.0% |
| <hr style="border-top: 1px dashed black;"/> | | | | | | |
| Malignant Neoplasms | 9,523 | 1,503 15.8% | 3,859 40.5% | 1,221 12.8% | 2,320 24.4% | 620 6.5% |
| Colon, Rectum and Anus | 791 | 126 15.9% | 311 39.3% | 113 14.3% | 201 25.4% | 40 5.1% |
| Pancreas | 678 | 77 11.4% | 274 40.4% | 80 11.8% | 192 28.3% | 55 8.1% |
| Trachea, Bronchus, Lung | 2,382 | 423 17.8% | 1,110 46.6% | 302 12.7% | 459 19.3% | 88 3.7% |
| Breast | 669 | 71 10.6% | 257 38.4% | 87 13.0% | 200 29.9% | 54 8.1% |
| Diabetes Mellitus | 1,152 | 258 22.4% | 486 42.2% | 135 11.7% | 227 19.7% | 46 4.0% |
| Alzheimer's Disease | 1,424 | 332 23.3% | 611 42.9% | 139 9.8% | 279 19.6% | 63 4.4% |
| Major Cardiovascular | 10,612 | 2,535 23.9% | 4,475 42.2% | 1,179 11.1% | 1,941 18.3% | 482 4.5% |
| Diseases of Heart | 7,598 | 1,839 24.2% | 3,183 41.9% | 843 11.1% | 1,374 18.1% | 359 4.7% |
| Cerebrovascular | 2,037 | 479 23.5% | 857 42.1% | 234 11.5% | 377 18.5% | 90 4.4% |
| Influenza & Pneumonia | 728 | 195 26.8% | 295 40.5% | 70 9.6% | 130 17.9% | 38 5.2% |
| Chronic Lower Respiratory Diseases | 2,262 | 562 24.8% | 1,033 45.7% | 248 11.0% | 363 16.0% | 56 2.5% |
| Chronic Liver Disease and Cirrhosis | 515 | 59 11.5% | 220 42.7% | 85 16.5% | 133 25.8% | 18 3.5% |
| Nephritis, Nephrotic Syndrome and Nephrosis | 646 | 180 27.9% | 291 45.0% | 62 9.6% | 79 12.2% | 34 5.3% |
| All Accidents | 2,262 | 358 15.8% | 966 42.7% | 323 14.3% | 521 23.0% | 94 4.2% |
| Motor Vehicle Accidents | 363 | 35 9.6% | 142 39.1% | 58 16.0% | 117 32.2% | 11 3.0% |
| Falls | 1,069 | 193 18.1% | 463 43.3% | 132 12.3% | 219 20.5% | 62 5.8% |
| Intentional Self-Harm (Suicide) | 581 | 45 7.7% | 220 37.9% | 102 17.6% | 169 29.1% | 45 7.7% |

Mortality Table 7
DEATHS BY AGE OF DECEDENT
MINNESOTA RESIDENTS, 2013

| | Total* | < High School | H.S. Grad/ G.E.D. | Some College | B.A./B.S./ Asso. Deg. | Post Grad Degree |
|-------|--------|------------------|----------------------|-----------------|--------------------------|---------------------|
| Total | 40,981 | 8,798 | 16,796 | 4,812 | 8,307 | 2,009 |
| ----- | | | | | | |
| <20 | 607 | 528 | 34 | 14 | 1 | 0 |
| 20-24 | 245 | 36 | 105 | 68 | 36 | 0 |
| 25-29 | 274 | 23 | 113 | 66 | 68 | 3 |
| 30-34 | 328 | 39 | 127 | 60 | 86 | 15 |
| 35-39 | 369 | 37 | 150 | 72 | 88 | 15 |
| 40-44 | 495 | 42 | 196 | 64 | 161 | 26 |
| 45-49 | 822 | 92 | 338 | 135 | 210 | 39 |
| 50-54 | 1,497 | 176 | 665 | 217 | 365 | 65 |
| 55-59 | 1,996 | 215 | 849 | 297 | 526 | 92 |
| 60-64 | 2,468 | 249 | 947 | 418 | 709 | 127 |
| 65-69 | 2,875 | 332 | 1,183 | 415 | 735 | 194 |
| 70-74 | 3,474 | 537 | 1,546 | 433 | 751 | 176 |
| 75-79 | 4,093 | 779 | 1,845 | 476 | 734 | 235 |
| 80-84 | 5,634 | 1,274 | 2,426 | 538 | 1,043 | 332 |
| 85+ | 15,804 | 4,439 | 6,272 | 1,539 | 2,794 | 690 |

*Total includes Unknown education level.

Marriage/Divorce Table 1
MARRIAGES BY COUNTY OF OCCURRENCE*
MINNESOTA, 2013

| County | Marriages | County | Marriages |
|-------------------|-----------|-----------------|-----------|
| State Total | 32,513 | | |
| Aitkin | 65 | Martin | 90 |
| Anoka | 1,736 | Meeker | 124 |
| Becker | 208 | Mille Lacs | 114 |
| Beltrami | 288 | Morrison | 165 |
| Benton | 74 | Mower | 218 |
| Big Stone | 37 | Murray | 39 |
| Blue Earth | 465 | Nicollet | 111 |
| Brown | 162 | Nobles | 114 |
| Carlton | 129 | Norman | 26 |
| Carver | 498 | Olmsted | 1,017 |
| Cass | 68 | Otter Tail | 206 |
| Chippewa | 62 | Pennington | 123 |
| Chisago | 210 | Pine | 144 |
| Clay | 654 | Pipestone | 71 |
| Clearwater | 58 | Polk | 189 |
| Cook | 58 | Pope | 63 |
| Cottonwood | 50 | Ramsey | 2,948 |
| Crow Wing | 434 | Red Lake | 8 |
| Dakota | 2,567 | Redwood | 68 |
| Dodge | 103 | Renville | 66 |
| Douglas | 248 | Rice | 294 |
| Faribault | 57 | Rock | 99 |
| Fillmore | 79 | Roseau | 73 |
| Freeborn | 177 | St. Louis | 1,251 |
| Goodhue | 234 | Scott | 599 |
| Grant | 24 | Sherburne | 446 |
| Hennepin | 9,234 | Sibley | 65 |
| Houston | 106 | Stearns | 1,119 |
| Hubbard | 81 | Steele | 199 |
| Isanti | 216 | Stevens | 67 |
| Itasca | 192 | Swift | 32 |
| Jackson | 23 | Todd | 107 |
| Kanabec | 74 | Traverse | 18 |
| Kandiyohi | 208 | Wabasha | 69 |
| Kittson | 18 | Wadena | 108 |
| Koochiching | 57 | Waseca | 69 |
| Lac Qui Parle | 23 | Washington | 1,525 |
| Lake | 42 | Watonwan | 66 |
| Lake of the Woods | 21 | Wilkin | 37 |
| Le Sueur | 77 | Winona | 310 |
| Lincoln | 28 | Wright | 475 |
| Lyon | 167 | Yellow Medicine | 41 |
| McLeod | 186 | Unknown | 0 |
| Mahnomen | 18 | | |
| Marshall | 24 | | |

*The count signifies the number of certificates for which the ceremony was performed and the paperwork returned for filing.