

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical education and physical activity	42.3	33.9 - 51.3	69	37.3	30.1 - 45.1	92	48.9	41.3 - 56.5	83	42.5	38.0 - 47.2	244
b. Nutrition	45.1	36.0 - 54.5	69	39.7	32.2 - 47.7	92	52.5	45.5 - 59.4	83	45.4	40.8 - 50.1	244
c. Tobacco-use prevention	48.5	39.0 - 58.0	67	36.8	29.6 - 44.6	90	54.1	46.0 - 62.0	83	45.8	41.1 - 50.7	240
d. Alcohol- and other drug-use prevention	46.9	38.0 - 56.1	69	37.4	30.4 - 45.0	91	51.7	43.3 - 60.0	83	44.9	40.2 - 49.7	243
e. Chronic health conditions (e.g., asthma, food allergies)	31.2	24.3 - 38.9	69	32.8	25.9 - 40.6	92	36.9	29.6 - 44.9	83	33.7	29.5 - 38.1	244
f. Unintentional injury and violence prevention (safety)	29.6	22.6 - 37.7	69	35.0	28.3 - 42.2	92	42.1	34.3 - 50.4	83	35.7	31.4 - 40.1	244
g. Sexual health, including HIV, other sexually transmitted infection (STI), and pregnancy prevention	41.5	33.0 - 50.5	69	32.8	26.2 - 40.2	92	42.6	34.8 - 50.9	82	38.5	34.1 - 43.2	243

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools that did the following activities during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Reviewed district’s local wellness policy	94.1	87.7 - 97.3	69	91.4	86.5 - 94.6	90	95.0	89.5 - 97.7	84	93.4	90.6 - 95.4	243
b. Helped revise district’s local wellness policy	71.4	62.8 - 78.7	68	59.3	51.4 - 66.8	90	78.1	70.2 - 84.4	84	69.1	64.5 - 73.3	242
c. Communicated to school staff about district’s local wellness policy	86.5	79.4 - 91.4	68	83.7	78.4 - 87.9	89	86.5	78.9 - 91.6	84	85.4	81.9 - 88.4	241
d. Communicated to parents and families about district’s local wellness policy	72.3	63.1 - 79.9	68	68.7	60.3 - 76.1	88	69.7	60.5 - 77.6	83	70.1	65.1 - 74.7	239
e. Communicated to students about district’s local wellness policy	69.8	60.7 - 77.6	68	62.3	54.9 - 69.2	89	68.9	59.4 - 77.0	83	66.7	61.8 - 71.2	240
f. Measured school’s compliance with district’s local wellness policy	66.5	56.5 - 75.2	68	58.8	50.7 - 66.5	89	66.6	58.0 - 74.3	84	63.7	58.6 - 68.4	241
g. Developed an action plan that describes steps to meet requirements of district’s local wellness policy	68.0	58.1 - 76.5	67	62.9	55.0 - 70.1	88	67.5	58.5 - 75.4	84	65.9	60.9 - 70.6	239

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that have one or more than one group (e.g., school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
37.6	29.3 - 46.6	68	36.6	29.1 - 44.9	95	40.6	32.7 - 49.0	84	38.2	33.5 - 43.1	247

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Identified student health needs based on a review of relevant data	81.8	70.0 - 89.7	26	81.7	67.9 - 90.4	33	77.4	64.8 - 86.5	34	80.2	73.2 - 85.8	93
b. Used district or school data to improve diversity, equity, inclusion, or accessibility (e.g., staffing, professional development, curriculum)	85.4	69.9 - 93.6	26	97.2	88.1 - 99.4	35	70.5	56.0 - 81.8	34	84.7	77.9 - 89.7	95
c. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	76.4	58.4 - 88.2	26	82.1	72.6 - 88.8	34	78.4	65.4 - 87.5	34	79.2	72.0 - 84.9	94
d. Sought funding or leveraged resources to support health and safety priorities for students and staff	91.5	76.4 - 97.3	26	73.7	59.9 - 84.1	34	70.6	57.8 - 80.8	33	77.9	70.4 - 83.9	93
e. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	93.0	80.7 - 97.7	26	85.6	74.3 - 92.4	34	85.2	72.8 - 92.5	34	87.6	81.4 - 91.9	94
f. Reviewed health-related curricula or instructional materials	80.0	64.4 - 89.8	26	85.4	73.1 - 92.7	34	72.3	57.5 - 83.5	34	79.4	71.7 - 85.4	94
g. Provided input on or reviewed the school's Emergency Operations Plan (EOP) or similar plan	93.0	81.0 - 97.7	26	91.1	80.0 - 96.3	34	91.6	81.1 - 96.5	34	91.8	86.4 - 95.2	94

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that use the following types of security staff during the regular school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Security guards (private or school employees/contractors)	42.3	35.1 - 49.8	68	14.9	10.4 - 20.8	93	7.0	4.6 - 10.4	82	20.4	17.5 - 23.7	243
b. School resource officers (SROs)	65.5	56.3 - 73.6	68	63.8	56.2 - 70.7	93	29.1	22.1 - 37.2	83	53.1	48.6 - 57.7	244
c. Police officers other than SROs (i.e., county or local law enforcement)	18.0	12.3 - 25.6	68	19.2	13.5 - 26.4	93	18.7	13.8 - 24.9	82	18.7	15.3 - 22.6	243

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have taken any of the following actions related to before- or after-school programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Included before- or after-school settings as part of the School Improvement Plan	56.3	45.8 - 66.2	51	56.5	46.9 - 65.6	74	33.0	24.6 - 42.5	63	49.0	43.4 - 54.6	188
b. Encouraged before- or after-school program staff or leaders to participate in school health council, committee, or team meetings	52.3	42.1 - 62.3	51	46.7	37.7 - 55.9	73	41.6	32.2 - 51.8	63	46.7	41.1 - 52.4	187
c. Partnered with community-based organizations (e.g., Boys & Girls Clubs, YMCA, 4H Clubs) to provide students with before- or after-school programming	39.0	28.7 - 50.4	51	49.3	40.3 - 58.3	73	27.6	20.2 - 36.5	63	39.5	34.2 - 45.1	187

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity. These clubs sometimes are called Gay/Straight Alliances or Genders and Sexualities Alliances (GSAs).

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
76.9	69.7 - 82.8	68	59.9	51.7 - 67.6	96	33.2	27.2 - 39.7	85	56.2	52.0 - 60.3	249

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, queer, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	96.2	91.0 - 98.5	68	90.0	83.7 - 94.1	93	90.6	85.0 - 94.2	85	92.0	89.0 - 94.3	246
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	100.0	†	68	100.0	†	94	96.5	91.7 - 98.6	85	98.9	97.3 - 99.5	247
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	94.3	88.1 - 97.4	68	90.0	83.7 - 94.1	93	90.4	83.9 - 94.4	84	91.4	88.1 - 93.9	245
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STI testing and counseling, to LGBTQ youth	63.1	54.7 - 70.8	68	55.5	48.7 - 62.1	94	60.0	52.6 - 66.9	84	59.2	54.9 - 63.3	246
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	69.4	59.5 - 77.8	68	63.7	56.5 - 70.3	94	69.4	61.3 - 76.5	84	67.2	62.5 - 71.6	246

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that have a student-led club specifically focused on creating a safe, welcoming, and accepting school environment for racial and ethnic minority students. These clubs sometimes are called Anti-racism Alliances or racial/ethnic affinity groups.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
66.1	58.2 - 73.3	68	49.7	41.0 - 58.5	94	28.9	22.8 - 35.7	85	47.7	43.2 - 52.3	247

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that engaged in the following practices related to supporting racial/ethnic minority students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Designated staff member(s) or office for leading and coordinating diversity, equity, and inclusion activities	79.9	70.6 - 86.8	68	81.6	74.3 - 87.1	94	69.2	61.7 - 75.9	84	77.1	72.7 - 81.0	246
b. Provided diversity, equity, and inclusion activities led and coordinated by school staff	84.9	76.6 - 90.6	68	88.2	81.6 - 92.6	94	78.8	72.9 - 83.8	84	84.2	80.5 - 87.3	246
c. Examined relevant data to identify racial/ethnic disparities in disciplinary practices	85.8	77.5 - 91.4	68	94.5	89.3 - 97.2	94	77.5	69.7 - 83.8	84	86.5	82.8 - 89.5	246
d. Encouraged staff to attend professional development on reducing racial/ethnic disparities (e.g., unconscious or implicit bias training, anti-discrimination training)	89.0	81.4 - 93.7	68	91.8	86.1 - 95.3	94	89.6	83.1 - 93.8	84	90.3	86.9 - 92.9	246
e. Implemented restorative disciplinary practices (e.g., restorative circles, peer mediation)	81.6	73.4 - 87.7	68	93.2	87.5 - 96.4	94	63.8	54.7 - 72.1	83	80.4	76.3 - 84.0	245
f. Facilitated access to providers who have experience in providing social and psychological services to racial/ethnic minority youth	79.5	71.5 - 85.8	68	73.7	66.9 - 79.6	94	60.0	52.2 - 67.4	84	71.0	66.8 - 74.9	246

**MINNESOTA**

**2024 School Health Profiles Report  
Weighted Principal Survey Results**

11. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
92.5	87.6 - 95.5	68	91.5	86.6 - 94.7	94	81.4	73.6 - 87.2	84	88.5	85.3 - 91.1	246

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	68	100.0	†	93	98.9	95.2 - 99.8	85	99.6	98.4 - 99.9	246

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that have written protocols for the following suicide prevention practices.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Assessing student suicide risk	95.3	88.9 - 98.1	67	94.3	89.0 - 97.2	94	82.5	75.7 - 87.7	85	90.7	87.6 - 93.1	246
b. Notifying parents when a student is at risk for suicide	96.9	91.1 - 99.0	67	94.5	89.3 - 97.2	94	86.0	80.1 - 90.3	85	92.4	89.6 - 94.5	246
c. Referring students at risk for suicide to mental health services	96.9	91.1 - 99.0	67	91.2	85.1 - 94.9	94	90.7	85.4 - 94.2	85	92.6	89.7 - 94.8	246
d. Responding to a suicide attempt at school	94.0	87.3 - 97.2	67	92.4	86.7 - 95.8	94	83.4	76.3 - 88.8	84	90.0	86.6 - 92.6	245
e. Supporting students returning to school after a suicide attempt	85.5	77.0 - 91.3	67	90.4	85.0 - 93.9	94	79.9	72.5 - 85.7	84	85.6	81.9 - 88.7	245
f. Responding to the death of a student or staff member from suicide	90.3	83.0 - 94.6	67	92.5	86.9 - 95.8	94	86.9	80.4 - 91.4	84	90.0	86.7 - 92.6	245

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Grade 6	§	§	§	97.8	93.6 - 99.3	88	-	-	11	98.0	94.2 - 99.3	99
b. Grade 7	§	§	§	97.9	94.0 - 99.3	94	100.0	†	78	98.8	96.6 - 99.6	172
c. Grade 8	§	§	§	94.6	89.6 - 97.3	91	100.0	†	82	97.0	94.2 - 98.5	173
d. Grade 9	97.6	93.1 - 99.2	66	-	-	0	91.3	84.8 - 95.2	84	94.3	90.5 - 96.6	150
e. Grade 10	70.7	61.4 - 78.6	65	§	§	§	63.4	54.9 - 71.1	81	66.9	60.7 - 72.5	146
f. Grade 11	33.3	23.7 - 44.4	56	§	§	§	17.6	11.9 - 25.2	78	24.6	19.1 - 31.0	134
g. Grade 12	23.8	16.0 - 33.7	55	§	§	§	16.6	11.1 - 24.1	77	19.8	15.0 - 25.6	132

\*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which the following types of staff attended professional development related to physical education or other strategies for integrating more physical activity into the school day during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical education teachers or specialists	77.3	69.7 - 83.5	67	76.8	68.9 - 83.2	94	67.1	58.3 - 74.8	85	73.8	69.2 - 77.9	246
b. Classroom teachers	24.2	17.8 - 32.1	67	23.9	17.6 - 31.5	93	20.8	15.0 - 28.2	85	23.0	19.2 - 27.2	245
c. Other school staff	21.7	15.1 - 30.1	67	22.0	15.8 - 29.9	92	21.3	14.9 - 29.5	85	21.7	17.8 - 26.2	244

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that engage in the following physical education practices.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Provide physical education teachers with a written physical education curriculum that aligns with national standards for physical education	88.0	79.9 - 93.2	67	86.3	80.1 - 90.9	94	73.6	66.4 - 79.8	85	82.7	78.8 - 85.9	246
b. Require physical education teachers to follow a written physical education curriculum	84.2	75.5 - 90.3	67	82.3	76.3 - 87.0	94	68.8	62.9 - 74.1	85	78.4	74.7 - 81.7	246
c. Allow the use of waivers, exemptions, or substitutions for physical education requirements for one grading period or longer	49.5	40.0 - 59.1	67	61.7	54.4 - 68.5	94	47.9	41.2 - 54.6	84	53.7	49.2 - 58.2	245
d. Allow teachers to exclude students from physical education to punish them for inappropriate behavior or failure to complete class work in another class	6.2	2.9 - 13.0	67	8.5	4.9 - 14.4	94	4.4	2.1 - 9.4	85	6.5	4.4 - 9.5	246
e. Require physical education teachers to be certified, licensed, or endorsed by the state in physical education	100.0	†	67	100.0	†	94	98.8	94.6 - 99.7	85	99.6	98.2 - 99.9	246
f. Limit physical education class sizes so that they are the same size as other subject areas	76.8	66.9 - 84.5	67	71.6	64.6 - 77.8	94	65.7	56.5 - 73.9	85	71.2	66.4 - 75.6	246
g. Have a dedicated budget for physical education materials and equipment	98.5	93.4 - 99.7	67	100.0	†	94	93.7	87.8 - 96.9	85	97.5	95.4 - 98.7	246
h. Provide adapted physical education (i.e., special courses separate from regular physical education courses) for students with disabilities as appropriate	100.0	†	67	100.0	†	94	96.5	91.7 - 98.6	85	98.9	97.3 - 99.5	246
i. Include students with disabilities in regular physical education courses as appropriate	100.0	†	67	99.0	95.3 - 99.8	94	100.0	†	85	99.6	98.2 - 99.9	246

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**MINNESOTA**

**2024 School Health Profiles Report  
Weighted Principal Survey Results**

17. Percentage of schools in which students participate in physical activity in classrooms during the school day outside of physical education.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
49.8	41.6 - 58.0	66	69.9	62.1 - 76.7	95	65.0	58.3 - 71.2	85	62.6	58.3 - 66.8	246

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that offer opportunities for all students to be physically active during the school day, such as recess, lunchtime intramural activities, or physical activity clubs.\*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
67.4	58.2 - 75.5	67	81.2	74.5 - 86.5	95	85.7	78.1 - 90.9	84	78.7	74.5 - 82.4	246

\*Not including physical education and classroom physical activity.  
N = Unweighted number of observations

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
88.5	80.6 - 93.4	67	79.4	73.0 - 84.6	95	76.4	68.3 - 83.0	85	81.0	77.0 - 84.5	247

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Before the school day	89.2	81.3 - 94.1	67	46.6	38.9 - 54.5	95	85.3	78.3 - 90.3	85	71.3	67.1 - 75.2	247
b. After the school day	100.0	†	66	92.6	87.0 - 95.9	94	94.0	88.3 - 97.0	85	95.1	92.5 - 96.9	245

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**MINNESOTA**

**2024 School Health Profiles Report  
Weighted Principal Survey Results**

21. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical activity or sports facilities	66.9	58.3 - 74.5	68	76.5	68.1 - 83.3	94	70.0	62.1 - 76.8	84	71.6	66.9 - 75.9	246
b. Kitchen facilities and equipment	36.3	27.1 - 46.5	68	34.8	27.9 - 42.4	95	20.6	14.5 - 28.5	85	30.6	26.2 - 35.4	248
c. Gardens (e.g., herb or vegetable plots)	20.6	14.5 - 28.5	68	17.0	11.8 - 23.8	95	15.8	10.7 - 22.7	85	17.6	14.3 - 21.6	248

**MINNESOTA**

**2024 School Health Profiles Report  
Weighted Principal Survey Results**

22. Percentage of schools that have a written plan for providing opportunities for students to be physically active before, during, and after school.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
27.9	20.3 - 37.0	68	14.9	10.2 - 21.3	94	18.3	12.9 - 25.2	85	19.8	16.2 - 23.8	247

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that have assessed opportunities available to students to be physically active before, during, or after school.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
49.6	40.1 - 59.1	67	51.2	43.2 - 59.1	94	49.2	42.7 - 55.7	85	50.1	45.4 - 54.7	246

**MINNESOTA**

**2024 School Health Profiles Report  
Weighted Principal Survey Results**

24. Percentage of schools that have adopted a policy prohibiting tobacco use.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
97.1	91.7 - 99.0	68	99.0	95.5 - 99.8	95	98.8	94.6 - 99.7	85	98.4	96.5 - 99.2	248

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

25A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	95.4	89.2 - 98.1	67	99.0	95.4 - 99.8	93	96.6	91.9 - 98.6	84	97.2	95.0 - 98.4	244
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	95.4	89.2 - 98.1	67	99.0	95.4 - 99.8	94	96.6	91.9 - 98.6	84	97.2	95.0 - 98.4	245
c. Cigars	93.8	87.0 - 97.1	67	94.8	89.9 - 97.4	94	88.5	82.5 - 92.7	84	92.5	89.5 - 94.7	245
d. Pipes	92.6	85.7 - 96.3	67	94.8	89.9 - 97.4	94	88.5	82.5 - 92.7	84	92.2	89.2 - 94.4	245
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL or Vuse)	95.4	89.2 - 98.1	67	99.0	95.4 - 99.8	94	97.7	93.3 - 99.2	84	97.5	95.4 - 98.7	245

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

25B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	95.4	89.2 - 98.1	67	99.0	95.4 - 99.8	94	95.3	90.1 - 97.8	83	96.8	94.5 - 98.1	244
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	95.4	89.2 - 98.1	67	99.0	95.4 - 99.8	94	94.2	88.7 - 97.1	83	96.4	94.1 - 97.9	244
c. Cigars	93.7	86.8 - 97.1	66	97.9	94.0 - 99.3	94	86.0	81.0 - 89.9	83	92.9	90.4 - 94.8	243
d. Pipes	92.6	85.7 - 96.3	67	97.9	94.0 - 99.3	94	86.0	81.0 - 89.9	83	92.6	90.0 - 94.5	244
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL or Vuse)	95.3	89.1 - 98.1	65	99.0	95.4 - 99.8	94	92.9	87.1 - 96.3	83	96.0	93.5 - 97.5	242

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

25C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	95.4	89.2 - 98.1	67	99.0	95.4 - 99.8	94	94.2	88.7 - 97.1	83	96.4	94.1 - 97.9	244
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	95.4	89.2 - 98.1	67	99.0	95.4 - 99.8	94	93.1	87.3 - 96.3	83	96.1	93.6 - 97.6	244
c. Cigars	93.8	87.0 - 97.1	67	97.9	94.0 - 99.3	94	84.9	79.6 - 89.1	83	92.6	90.0 - 94.5	244
d. Pipes	92.6	85.7 - 96.3	67	97.9	94.0 - 99.3	94	84.9	79.6 - 89.1	83	92.2	89.6 - 94.2	244
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL or Vuse)	95.3	89.0 - 98.1	66	99.0	95.4 - 99.8	94	92.9	87.1 - 96.3	83	96.0	93.5 - 97.5	243

**MINNESOTA**

**2024 School Health Profiles Report  
Weighted Principal Survey Results**

26A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. During school hours	97.1	91.7 - 99.0	68	99.0	95.4 - 99.8	94	97.7	93.3 - 99.2	84	98.0	96.1 - 99.0	246
b. During non-school hours	88.8	81.2 - 93.6	68	91.5	85.6 - 95.1	94	93.2	87.5 - 96.4	84	91.3	88.0 - 93.7	246

**MINNESOTA**

**2024 School Health Profiles Report  
Weighted Principal Survey Results**

26B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. During school hours	97.1	91.7 - 99.0	68	96.8	92.4 - 98.7	93	96.3	91.2 - 98.5	83	96.7	94.4 - 98.1	244
b. During non-school hours	77.2	68.0 - 84.3	68	78.4	71.1 - 84.3	93	69.8	61.9 - 76.7	83	75.3	70.8 - 79.3	244

**MINNESOTA**

**2024 School Health Profiles Report  
Weighted Principal Survey Results**

26C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	95.5	89.4 - 98.2	68	96.8	92.4 - 98.7	94	97.5	92.8 - 99.2	83	96.6	94.3 - 98.1	245
b. During non-school hours	81.8	74.8 - 87.2	68	86.1	79.1 - 91.0	94	76.9	69.7 - 82.7	83	81.9	78.0 - 85.2	245

**MINNESOTA**

**2024 School Health Profiles Report  
Weighted Principal Survey Results**

27A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	97.1	91.7 - 99.0	68	99.0	95.4 - 99.8	94	98.8	94.4 - 99.7	83	98.4	96.5 - 99.2	245
b. Outside on school grounds, including parking lots and playing fields	97.1	91.7 - 99.0	68	99.0	95.4 - 99.8	94	98.8	94.4 - 99.7	83	98.4	96.5 - 99.2	245
c. On school buses or other vehicles used to transport students	97.1	91.7 - 99.0	68	99.0	95.4 - 99.8	94	98.8	94.4 - 99.7	83	98.4	96.5 - 99.2	245
d. At off-campus, school-sponsored events	95.9	90.4 - 98.3	68	96.8	92.5 - 98.7	94	96.5	91.8 - 98.6	83	96.5	94.2 - 97.9	245

**MINNESOTA**

**2024 School Health Profiles Report  
Weighted Principal Survey Results**

27B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	97.1	91.7 - 99.0	68	99.0	95.4 - 99.8	94	97.5	92.8 - 99.2	83	98.0	96.0 - 99.0	245
b. Outside on school grounds, including parking lots and playing fields	97.1	91.7 - 99.0	68	99.0	95.4 - 99.8	93	97.5	92.8 - 99.2	83	97.9	96.0 - 99.0	244
c. On school buses or other vehicles used to transport students	97.1	91.7 - 99.0	68	99.0	95.4 - 99.8	94	96.4	91.5 - 98.5	83	97.6	95.6 - 98.7	245
d. At off-campus, school-sponsored events	93.3	88.3 - 96.3	68	96.7	92.3 - 98.7	92	93.9	88.2 - 97.0	83	94.8	92.3 - 96.5	243

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

27C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	97.1	91.7 - 99.0	68	99.0	95.4 - 99.8	94	97.5	92.8 - 99.2	83	98.0	96.0 - 99.0	245
b. Outside on school grounds, including parking lots and playing fields	97.1	91.7 - 99.0	68	99.0	95.4 - 99.8	94	97.5	92.8 - 99.2	83	98.0	96.0 - 99.0	245
c. On school buses or other vehicles used to transport students	97.1	91.7 - 99.0	68	99.0	95.4 - 99.8	93	96.4	91.5 - 98.5	83	97.6	95.5 - 98.7	244
d. At off-campus, school-sponsored events	90.7	86.4 - 93.7	68	91.6	85.8 - 95.1	94	87.0	79.7 - 91.9	83	89.8	86.7 - 92.3	245

**MINNESOTA**

**2024 School Health Profiles Report  
Weighted Principal Survey Results**

27N. Percentage of schools that follow a policy that mandates a “tobacco-free environment.” A “tobacco-free environment” is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
65.5	57.2 - 72.9	67	72.1	64.2 - 78.8	90	60.5	52.5 - 68.1	83	66.4	61.8 - 70.7	240

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

TOBVAPE. Percentage of schools that follow a policy that mandates a “tobacco-free environment” including prohibiting electronic vapor products. A “tobacco-free environment” is one that prohibits tobacco and EVP use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
64.5	56.2 - 72.0	65	72.1	64.2 - 78.8	90	60.5	52.5 - 68.1	83	66.1	61.5 - 70.4	238

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

28\_1. (Never) Percentage of schools that never take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Issue a warning to the student	14.1	8.3 - 22.8	66	24.6	18.5 - 31.8	94	27.8	20.7 - 36.2	85	22.6	18.7 - 27.1	245
b. Confiscate product	0.0	†	68	1.0	0.2 - 4.6	94	0.0	†	85	0.4	0.1 - 1.8	247
c. Notify parents or guardians	0.0	†	68	0.0	†	93	0.0	†	84	0.0	†	245
d. Develop a behavior contract with the student	3.1	1.0 - 8.9	67	3.3	1.3 - 7.8	95	9.2	5.3 - 15.4	85	5.1	3.4 - 7.8	247
e. Refer to a school counselor	4.3	1.8 - 10.3	68	0.0	†	95	10.5	6.2 - 17.2	85	4.7	3.0 - 7.2	248
f. Refer to a school administrator	0.0	†	68	1.0	0.2 - 4.6	94	0.0	†	85	0.4	0.1 - 1.8	247
g. Refer to an assistance, education, or cessation program	7.4	3.7 - 14.3	68	4.4	2.1 - 9.3	95	13.0	8.1 - 20.2	84	8.0	5.7 - 11.2	247
h. Refer to legal authorities (e.g., school resource officer)	10.6	5.8 - 18.4	68	12.7	8.1 - 19.4	95	14.2	9.2 - 21.1	85	12.6	9.6 - 16.4	248
i. Issue an in-school suspension (half day or full day)	7.4	3.7 - 14.3	68	5.2	2.6 - 10.2	95	12.5	7.8 - 19.3	85	8.2	5.9 - 11.4	248
j. Issue an after-school or weekend detention	53.6	43.3 - 63.5	67	65.3	57.6 - 72.3	95	57.6	49.5 - 65.3	85	59.4	54.5 - 64.2	247
k. Issue an out-of-school suspension	20.7	14.4 - 29.0	68	12.8	8.2 - 19.5	95	12.5	7.8 - 19.5	85	15.0	11.8 - 18.9	248
l. Expel from school	83.9	75.0 - 90.0	68	91.4	87.7 - 94.1	95	84.2	77.8 - 89.0	84	86.9	83.6 - 89.7	247

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

28\_2. (Rarely) Percentage of schools that rarely take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Issue a warning to the student	8.8	4.7 - 16.0	66	4.1	1.9 - 8.7	94	4.9	2.3 - 10.4	85	5.7	3.8 - 8.6	245
b. Confiscate product	0.0	†	68	0.0	†	94	0.0	†	85	0.0	†	247
c. Notify parents or guardians	0.0	†	68	0.0	†	93	0.0	†	84	0.0	†	245
d. Develop a behavior contract with the student	12.1	7.4 - 19.1	67	7.2	4.0 - 12.5	95	14.9	10.0 - 21.6	85	11.1	8.5 - 14.4	247
e. Refer to a school counselor	7.0	3.5 - 13.5	68	6.5	4.0 - 10.5	95	11.9	7.2 - 18.9	85	8.4	6.1 - 11.4	248
f. Refer to a school administrator	0.0	†	68	0.0	†	94	1.1	0.2 - 4.8	85	0.4	0.1 - 1.6	247
g. Refer to an assistance, education, or cessation program	15.1	10.2 - 21.8	68	13.9	9.0 - 20.8	95	20.1	14.5 - 27.3	84	16.2	13.0 - 20.0	247
h. Refer to legal authorities (e.g., school resource officer)	23.5	16.7 - 31.9	68	26.2	20.5 - 32.9	95	12.1	7.8 - 18.3	85	20.9	17.4 - 24.8	248
i. Issue an in-school suspension (half day or full day)	10.6	5.9 - 18.4	68	13.9	9.2 - 20.4	95	13.1	8.2 - 20.5	85	12.7	9.7 - 16.5	248
j. Issue an after-school or weekend detention	20.0	13.3 - 29.1	67	15.6	11.0 - 21.7	95	16.0	11.6 - 21.6	85	17.0	13.8 - 20.8	247
k. Issue an out-of-school suspension	14.9	9.6 - 22.5	68	25.4	19.5 - 32.3	95	31.1	24.0 - 39.2	85	24.2	20.5 - 28.4	248
l. Expel from school	13.1	7.7 - 21.3	68	7.4	4.5 - 11.9	95	13.3	8.7 - 19.9	84	11.0	8.3 - 14.3	247

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

28\_3. (Sometimes) Percentage of schools that sometimes take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Issue a warning to the student	15.4	9.4 - 24.2	66	11.5	7.5 - 17.2	94	8.5	4.7 - 14.9	85	11.6	8.7 - 15.2	245
b. Confiscate product	0.0	†	68	0.0	†	94	1.2	0.3 - 5.4	85	0.4	0.1 - 1.8	247
c. Notify parents or guardians	1.6	0.3 - 7.1	68	0.0	†	93	0.0	†	84	0.5	0.1 - 2.1	245
d. Develop a behavior contract with the student	56.2	47.3 - 64.7	67	54.6	46.2 - 62.8	95	45.3	37.7 - 53.1	85	52.1	47.2 - 56.9	247
e. Refer to a school counselor	51.4	41.5 - 61.2	68	46.2	38.2 - 54.5	95	48.5	40.5 - 56.6	85	48.5	43.4 - 53.5	248
f. Refer to a school administrator	5.8	2.7 - 12.2	68	2.1	0.7 - 5.9	94	4.9	2.3 - 10.4	85	4.1	2.5 - 6.6	247
g. Refer to an assistance, education, or cessation program	42.7	34.5 - 51.3	68	49.4	42.3 - 56.6	95	46.0	38.3 - 54.0	84	46.4	41.9 - 50.9	247
h. Refer to legal authorities (e.g., school resource officer)	40.1	31.9 - 48.8	68	24.4	17.9 - 32.4	95	41.3	33.1 - 50.1	85	34.4	29.9 - 39.2	248
i. Issue an in-school suspension (half day or full day)	53.4	44.1 - 62.5	68	46.9	39.5 - 54.4	95	33.0	26.0 - 40.9	85	44.3	39.7 - 48.9	248
j. Issue an after-school or weekend detention	21.7	15.2 - 29.9	67	17.9	12.9 - 24.4	95	22.7	16.5 - 30.5	85	20.6	17.0 - 24.7	247
k. Issue an out-of-school suspension	53.0	43.2 - 62.6	68	36.6	28.8 - 45.2	95	30.1	23.2 - 38.2	85	39.2	34.4 - 44.3	248
l. Expel from school	0.0	†	68	1.1	0.2 - 5.1	95	2.5	0.8 - 7.1	84	1.2	0.5 - 3.0	247

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

28\_4. (Always or almost always) Percentage of schools that always or almost always take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Issue a warning to the student	61.8	51.6 - 71.0	66	59.8	52.0 - 67.2	94	58.8	52.2 - 65.1	85	60.0	55.4 - 64.5	245
b. Confiscate product	100.0	†	68	99.0	95.4 - 99.8	94	98.8	94.6 - 99.7	85	99.2	97.7 - 99.7	247
c. Notify parents or guardians	98.4	92.9 - 99.7	68	100.0	†	93	100.0	†	84	99.5	97.9 - 99.9	245
d. Develop a behavior contract with the student	28.6	21.0 - 37.6	67	34.9	27.9 - 42.7	95	30.6	23.3 - 39.1	85	31.7	27.3 - 36.4	247
e. Refer to a school counselor	37.3	28.1 - 47.5	68	47.3	39.5 - 55.2	95	29.1	22.4 - 36.9	85	38.5	33.8 - 43.4	248
f. Refer to a school administrator	94.2	87.8 - 97.3	68	96.9	92.7 - 98.7	94	94.0	88.3 - 97.0	85	95.2	92.6 - 96.9	247
g. Refer to an assistance, education, or cessation program	34.8	26.5 - 44.1	68	32.3	25.8 - 39.6	95	20.9	14.9 - 28.4	84	29.3	25.2 - 33.8	247
h. Refer to legal authorities (e.g., school resource officer)	25.9	19.0 - 34.2	68	36.6	29.8 - 43.9	95	32.4	25.0 - 40.9	85	32.2	28.0 - 36.7	248
i. Issue an in-school suspension (half day or full day)	28.6	21.1 - 37.4	68	34.0	26.8 - 42.0	95	41.4	33.5 - 49.8	85	34.8	30.4 - 39.6	248
j. Issue an after-school or weekend detention	4.7	1.9 - 11.1	67	1.1	0.2 - 5.1	95	3.7	1.5 - 8.8	85	3.0	1.7 - 5.3	247
k. Issue an out-of-school suspension	11.3	7.0 - 17.8	68	25.2	19.0 - 32.6	95	26.2	19.3 - 34.5	85	21.6	17.9 - 25.7	248
l. Expel from school	3.1	1.0 - 8.7	68	0.0	†	95	0.0	†	84	0.9	0.3 - 2.6	247

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Foods or beverages are not offered at school celebrations	10.4	6.4 - 16.5	67	7.3	4.1 - 12.8	95	6.0	3.0 - 11.7	85	7.8	5.6 - 10.7	247
b. Never	1.5	0.3 - 6.6	67	0.0	†	95	7.1	3.7 - 13.0	85	2.7	1.5 - 4.8	247
c. Rarely	20.8	15.8 - 26.9	67	25.1	18.9 - 32.5	95	13.7	9.0 - 20.3	85	20.2	16.8 - 24.0	247
d. Sometimes	46.5	37.1 - 56.3	67	53.8	45.4 - 62.0	95	61.3	53.3 - 68.7	85	54.2	49.2 - 59.1	247
e. Always or almost always	20.7	14.0 - 29.5	67	13.8	9.3 - 19.9	95	11.9	7.7 - 18.1	85	15.2	12.0 - 18.9	247

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
85.0	78.3 - 90.0	66	48.4	40.0 - 56.9	95	63.8	56.2 - 70.7	85	63.7	59.2 - 68.0	246

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Chocolate candy	13.1	7.9 - 21.0	65	8.3	4.8 - 14.1	95	7.0	3.7 - 12.8	84	9.2	6.7 - 12.6	244
b. Other kinds of candy	19.4	13.1 - 27.7	64	10.7	6.9 - 16.2	94	9.7	5.9 - 15.7	85	12.8	10.0 - 16.2	243
c. Salty snacks that are not low in fat (e.g., regular potato chips)	31.9	23.1 - 42.3	65	24.2	17.4 - 32.7	95	16.2	11.2 - 22.8	85	23.7	19.5 - 28.5	245
d. Low sodium or "no added salt" pretzels, crackers, or chips	66.7	58.6 - 73.9	65	41.0	33.3 - 49.2	95	47.3	39.9 - 54.8	85	50.2	45.7 - 54.7	245
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	26.0	18.2 - 35.7	65	26.7	19.7 - 35.1	94	23.5	17.2 - 31.4	85	25.5	21.2 - 30.3	244
f. Ice cream or frozen yogurt that is not low in fat	18.7	12.5 - 27.0	65	15.6	10.6 - 22.2	95	5.5	2.8 - 10.7	85	13.1	10.2 - 16.8	245
g. 2% or whole milk (plain or flavored)	27.8	19.9 - 37.4	65	21.9	16.1 - 29.2	95	16.1	10.9 - 23.2	85	21.7	17.9 - 26.0	245
h. Nonfat or 1% (low-fat) milk (plain)	40.5	31.6 - 50.0	65	30.3	23.3 - 38.5	95	30.0	23.3 - 37.6	84	33.0	28.6 - 37.8	244
i. Water ices or frozen slushes that do not contain juice	31.7	23.2 - 41.5	65	13.7	8.8 - 20.6	95	10.7	6.7 - 16.6	84	17.7	14.2 - 21.9	244
j. Soda pop or fruit drinks that are not 100% juice	32.7	24.5 - 42.0	64	17.9	12.2 - 25.6	95	18.6	13.1 - 25.7	85	22.2	18.3 - 26.6	244
k. Sports drinks (e.g., Gatorade)	68.5	60.5 - 75.6	63	29.8	22.8 - 37.9	95	45.6	38.1 - 53.4	85	45.6	41.1 - 50.1	243
l. Energy drinks (e.g., Red Bull, Monster)	12.4	7.1 - 20.6	64	5.5	2.7 - 10.7	94	4.4	2.0 - 9.2	84	7.0	4.8 - 10.1	242

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
m. Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	76.6	69.5 - 82.4	65	40.4	32.4 - 48.9	94	57.8	50.2 - 65.0	85	56.2	51.7 - 60.7	244
n. Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	78.2	71.7 - 83.6	65	32.7	25.8 - 40.5	95	49.8	41.9 - 57.7	85	51.0	46.7 - 55.3	245
o. 100% fruit or vegetable juice	58.0	48.5 - 66.9	65	32.7	25.4 - 40.9	95	39.1	31.0 - 47.8	85	41.8	37.0 - 46.8	245
p. Foods or beverages containing caffeine	48.7	39.3 - 58.1	65	13.0	8.6 - 19.1	95	24.4	18.9 - 30.9	85	26.7	23.0 - 30.7	245
q. Fruits (not fruit juice)	44.6	36.8 - 52.6	64	22.3	16.2 - 29.7	94	24.1	18.2 - 31.2	85	29.0	25.1 - 33.3	243
r. Non-fried vegetables (not vegetable juice)	14.9	9.2 - 23.2	63	14.6	9.9 - 21.1	95	10.9	7.4 - 15.7	85	13.5	10.6 - 17.0	243

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	23.4	17.1 - 31.0	66	12.1	7.5 - 18.8	93	11.3	6.9 - 18.0	84	15.1	11.9 - 18.8	243
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	60.1	50.7 - 68.9	67	39.4	31.5 - 47.9	95	49.8	41.0 - 58.6	84	48.7	43.6 - 53.7	246
c. Provided information to students or families on the nutrition and caloric content of foods available	62.3	53.1 - 70.6	65	55.0	47.6 - 62.2	95	53.0	44.8 - 61.1	84	56.4	51.7 - 61.0	244
d. Conducted taste tests to determine food preferences for nutritious items	40.2	30.7 - 50.6	66	29.4	22.2 - 37.8	95	33.4	25.9 - 42.0	83	33.8	29.0 - 38.9	244
e. Served locally or regionally grown foods in the cafeteria or classrooms	66.0	55.5 - 75.2	66	61.8	53.8 - 69.2	94	64.0	55.6 - 71.6	84	63.7	58.7 - 68.4	244
f. Planted a school food or vegetable garden	40.9	33.4 - 48.8	65	24.8	18.4 - 32.6	95	27.9	21.3 - 35.7	84	30.3	26.3 - 34.8	244
g. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	91.0	83.6 - 95.3	67	80.2	73.9 - 85.2	95	70.8	62.9 - 77.6	84	80.2	76.4 - 83.6	246
h. Used attractive displays for fruits and vegetables in the cafeteria	74.7	66.2 - 81.7	66	80.9	74.2 - 86.2	95	70.2	61.8 - 77.4	84	75.7	71.3 - 79.6	245
i. Offered a self-serve salad bar to students	67.5	58.2 - 75.6	66	75.9	68.2 - 82.2	95	75.9	67.8 - 82.5	84	73.5	68.9 - 77.7	245

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
j. Provided students with at least 20 minutes to eat lunch after they receive their meal	98.4	92.8 - 99.7	67	94.8	92.8 - 96.3	95	96.2	91.1 - 98.5	84	96.3	94.5 - 97.5	246
k. Encouraged students to drink plain water	81.0	71.2 - 88.0	67	82.8	76.4 - 87.8	93	89.6	83.1 - 93.7	83	84.5	80.4 - 87.8	243
l. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	36.0	28.3 - 44.6	66	37.5	29.8 - 46.0	95	34.0	26.6 - 42.3	84	36.0	31.4 - 40.8	245
m. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	35.5	26.7 - 45.3	66	43.8	36.8 - 51.0	95	26.1	19.4 - 34.2	84	35.7	31.3 - 40.4	245

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. In school buildings	70.8	60.9 - 79.0	66	65.9	57.9 - 73.1	95	67.2	59.4 - 74.1	84	67.7	62.9 - 72.2	245
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	63.5	52.4 - 73.3	66	60.8	52.5 - 68.5	95	62.3	55.4 - 68.8	84	62.0	57.0 - 66.8	245
c. On school buses or other vehicles used to transport students	70.6	61.1 - 78.6	66	63.8	55.9 - 71.1	95	70.0	61.9 - 77.0	84	67.7	63.0 - 72.2	245
d. In school publications (e.g., newsletters, newspapers, web sites, other school publications)	60.2	50.5 - 69.2	66	62.7	54.3 - 70.4	95	60.1	52.3 - 67.5	84	61.2	56.2 - 65.9	245
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	67.8	58.2 - 76.1	66	61.5	53.6 - 68.9	95	57.1	49.5 - 64.4	83	61.9	57.2 - 66.4	244

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	91.5	84.4 - 95.5	67	94.5	89.4 - 97.3	95	87.2	81.7 - 91.2	85	91.3	88.3 - 93.5	247
b. Yes, in certain locations	5.4	2.5 - 11.4	67	5.5	2.7 - 10.6	95	12.8	8.8 - 18.3	85	7.8	5.7 - 10.6	247
c. No	3.1	1.0 - 8.9	67	0.0	†	95	0.0	†	85	0.9	0.3 - 2.6	247

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

34N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
96.9	91.1 - 99.0	67	100.0	†	95	100.0	†	85	99.1	97.4 - 99.7	247

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that offer a free source of drinking water in the following locations.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Cafeteria during breakfast	97.3	92.2 - 99.1	66	95.6	92.8 - 97.4	94	95.2	89.9 - 97.7	83	96.0	93.9 - 97.3	243
b. Cafeteria during lunch	97.3	92.1 - 99.1	65	95.6	92.8 - 97.4	94	95.2	89.9 - 97.7	83	95.9	93.9 - 97.3	242
c. Gymnasium or other indoor physical activity facilities	97.3	92.3 - 99.1	67	97.8	93.7 - 99.3	94	97.8	93.6 - 99.2	82	97.7	95.7 - 98.8	243
d. Outdoor physical activity facilities or sports fields	86.2	77.6 - 91.8	63	53.8	45.1 - 62.2	85	74.6	66.4 - 81.3	82	70.1	65.4 - 74.5	230
e. Hallways throughout the school	100.0	†	67	100.0	†	95	97.7	93.3 - 99.2	84	99.3	97.8 - 99.7	246

\*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**MINNESOTA**

**2024 School Health Profiles Report  
Weighted Principal Survey Results**

36. Percentage of schools that have a full-time registered nurse who provides health services to students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
79.7	71.6 - 85.9	67	71.1	63.6 - 77.6	94	53.9	47.0 - 60.5	85	67.9	63.7 - 71.9	246

**MINNESOTA**

**2024 School Health Profiles Report  
Weighted Principal Survey Results**

37. Percentage of schools that have a part-time registered nurse who provides health services to students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
45.3	36.6 - 54.4	67	46.0	38.3 - 53.9	95	42.2	34.7 - 50.1	85	44.6	39.9 - 49.3	247

**MINNESOTA**

**2024 School Health Profiles Report  
Weighted Principal Survey Results**

38. Percentage of schools that have a school-based health center that offers health services to students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
23.7	16.7 - 32.5	67	24.1	17.5 - 32.3	95	22.3	17.3 - 28.2	85	23.4	19.6 - 27.7	247

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	6.4	3.0 - 13.4	66	0.0	†	94	1.4	0.3 - 6.3	85	2.3	1.2 - 4.5	245
b. HIV treatment (ongoing medical care for persons living with HIV)	4.8	2.0 - 11.3	66	0.0	†	94	0.0	†	85	1.4	0.6 - 3.2	245
c. STI testing	11.2	6.2 - 19.4	67	0.0	†	94	1.4	0.3 - 6.3	85	3.7	2.1 - 6.2	246
d. STI treatment	11.2	6.2 - 19.4	67	0.0	†	93	1.4	0.3 - 6.3	85	3.7	2.1 - 6.3	245
e. Pregnancy testing	7.9	4.0 - 15.3	67	1.0	0.2 - 4.7	94	2.5	0.8 - 7.2	85	3.5	2.0 - 6.0	246
f. Provision of condoms	14.3	8.4 - 23.2	67	1.2	0.2 - 5.2	94	3.8	1.5 - 9.0	83	5.8	3.8 - 8.8	244
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	7.9	4.0 - 15.3	67	0.0	†	94	0.0	†	84	2.3	1.2 - 4.5	245
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	6.4	3.0 - 13.4	66	0.0	†	94	1.4	0.3 - 6.3	85	2.3	1.2 - 4.5	245
i. Prenatal care	6.5	3.0 - 13.7	65	1.0	0.2 - 4.6	94	2.3	0.8 - 6.6	85	3.0	1.7 - 5.3	244
j. Human papillomavirus (HPV) vaccine administration	11.2	6.2 - 19.4	67	1.0	0.2 - 4.7	94	1.4	0.3 - 6.3	85	4.1	2.4 - 6.7	246
k. Assessment for alcohol or other drug use, abuse, or dependency	32.9	24.6 - 42.4	66	14.7	10.3 - 20.6	94	23.3	17.3 - 30.5	85	22.7	19.0 - 26.8	245

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
l. Tobacco-use cessation (e.g., individual or group counseling)	38.4	30.0 - 47.6	67	19.2	13.8 - 26.0	92	25.8	19.6 - 33.3	85	26.9	23.0 - 31.2	244
m. Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	90.9	83.3 - 95.2	66	89.4	83.1 - 93.5	93	90.7	84.3 - 94.6	85	90.2	86.7 - 92.9	244
n. Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction, opioid overdose)	88.6	83.1 - 92.5	66	86.1	79.7 - 90.7	94	88.9	83.2 - 92.9	85	87.7	84.5 - 90.4	245
o. Case management for students with chronic health conditions (e.g., asthma, diabetes)	82.7	74.5 - 88.6	65	82.9	76.4 - 87.9	94	80.0	72.8 - 85.8	85	81.9	77.9 - 85.3	244

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	43.9	37.1 - 51.0	67	34.1	27.1 - 41.9	91	38.0	30.4 - 46.1	84	38.2	34.0 - 42.6	242
b. HIV treatment (ongoing medical care for persons living with HIV)	44.4	37.4 - 51.6	66	33.4	26.4 - 41.2	93	33.7	26.2 - 42.1	83	36.7	32.4 - 41.2	242
c. HIV PEP (post-exposure prophylaxis for HIV—a course of medication given within 72 hours of possible exposure to HIV)	42.7	36.1 - 49.6	67	33.8	26.6 - 41.7	92	33.6	25.9 - 42.3	83	36.3	32.0 - 40.8	242
d. PrEP (pre-exposure prophylaxis for HIV—medication taken to prevent HIV infection for those at risk for HIV)	41.8	34.9 - 48.9	66	33.4	26.4 - 41.2	93	34.4	26.8 - 42.8	84	36.1	31.8 - 40.6	243
e. STI testing	44.2	37.2 - 51.4	67	34.5	27.6 - 42.1	93	36.9	29.6 - 44.7	84	38.1	33.9 - 42.4	244
f. STI treatment	44.2	37.2 - 51.4	67	34.5	27.6 - 42.1	93	34.4	26.8 - 42.8	84	37.3	33.0 - 41.7	244
g. Pregnancy testing	50.1	42.3 - 57.8	67	34.5	27.6 - 42.1	93	44.9	37.4 - 52.7	84	42.4	38.0 - 46.8	244
h. Provision of condoms	40.9	33.2 - 49.2	65	33.6	26.6 - 41.4	93	35.6	28.3 - 43.7	84	36.3	32.0 - 40.9	242
i. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	37.3	29.5 - 45.8	66	32.5	25.4 - 40.5	93	33.3	25.7 - 41.9	84	34.1	29.7 - 38.9	243
j. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	40.3	32.4 - 48.7	66	33.9	26.8 - 41.8	92	37.3	30.0 - 45.2	83	36.8	32.5 - 41.4	241

**MINNESOTA**

**2024 School Health Profiles Report  
Weighted Principal Survey Results**

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
k. Prenatal care	47.9	41.0 - 55.0	66	32.4	25.2 - 40.4	93	41.7	33.5 - 50.4	83	39.8	35.4 - 44.5	242
l. Human papillomavirus (HPV) vaccine administration	43.3	36.1 - 50.8	66	38.7	31.5 - 46.5	93	38.4	31.0 - 46.4	83	39.9	35.6 - 44.4	242
m. Other vaccine administration (e.g., COVID-19, influenza)	56.2	48.6 - 63.4	66	59.0	51.7 - 65.9	93	62.3	54.1 - 69.9	84	59.3	54.9 - 63.5	243
n. Alcohol or other drug abuse treatment	63.2	55.1 - 70.5	65	55.8	48.5 - 62.8	93	60.3	52.1 - 67.8	84	59.3	54.9 - 63.7	242
o. Tobacco-use cessation (e.g., individual or group counseling)	62.0	54.2 - 69.2	65	56.8	50.8 - 62.6	93	59.3	51.4 - 66.7	84	59.1	55.0 - 63.0	242

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
63.2	54.6 - 71.0	64	64.6	56.4 - 72.0	93	57.4	49.6 - 64.9	82	61.9	57.2 - 66.4	239

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Asthma	97.3	92.4 - 99.1	67	97.8	93.7 - 99.3	94	95.3	90.1 - 97.8	85	96.8	94.6 - 98.2	246
b. Food allergies	98.5	93.4 - 99.7	67	96.8	92.3 - 98.7	93	97.6	93.0 - 99.2	85	97.5	95.4 - 98.7	245
c. Diabetes	98.5	93.4 - 99.7	67	97.8	93.7 - 99.3	94	96.4	91.4 - 98.5	85	97.5	95.4 - 98.7	246
d. Epilepsy or seizure disorder	98.5	93.4 - 99.7	67	97.8	93.7 - 99.3	94	96.4	91.4 - 98.5	85	97.5	95.4 - 98.7	246
e. Obesity	26.6	19.2 - 35.8	65	25.4	19.2 - 32.8	94	26.2	19.1 - 34.8	83	26.0	21.9 - 30.6	242
f. Hypertension/high blood pressure	55.0	45.6 - 64.0	65	50.8	43.1 - 58.6	94	46.4	38.1 - 55.0	84	50.6	45.7 - 55.5	243
g. Oral health condition (e.g., abscess, tooth decay)	35.8	26.8 - 45.9	65	44.8	37.7 - 52.1	94	37.1	29.9 - 44.9	83	39.8	35.2 - 44.5	242

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	54.3	45.1 - 63.3	66	49.9	42.3 - 57.5	94	51.0	43.1 - 58.7	84	51.5	46.8 - 56.2	244
b. Food allergies	55.8	46.9 - 64.4	66	47.9	40.0 - 55.8	94	52.2	44.6 - 59.7	84	51.5	46.8 - 56.2	244
c. Diabetes	55.8	46.9 - 64.4	66	47.9	40.0 - 55.8	94	51.0	43.6 - 58.3	84	51.1	46.5 - 55.8	244
d. Epilepsy or seizure disorder	55.8	46.9 - 64.4	66	48.9	41.2 - 56.7	94	49.7	42.2 - 57.3	84	51.1	46.5 - 55.8	244
e. Obesity	36.8	28.7 - 45.8	65	37.3	30.2 - 45.0	94	32.8	25.5 - 41.1	84	35.7	31.3 - 40.4	243
f. Hypertension/high blood pressure	47.9	39.6 - 56.4	65	44.1	36.6 - 51.8	93	42.5	34.7 - 50.6	84	44.6	40.1 - 49.3	242
g. Oral health condition (e.g., abscess, tooth decay)	44.6	37.2 - 52.3	65	53.3	45.4 - 61.0	94	48.8	41.3 - 56.4	84	49.4	44.9 - 53.9	243

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools in which any staff received professional development on each of the following topics during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Basic sexual health overview including community-specific information about STI, HIV, and unplanned pregnancy rates and prevention strategies	35.1	26.4 - 45.0	64	37.0	29.8 - 44.8	92	36.3	28.2 - 45.4	84	36.2	31.5 - 41.3	240
b. Sexual health services that adolescents should receive	32.0	23.5 - 42.1	64	32.3	25.5 - 40.0	93	30.8	23.6 - 39.1	83	31.8	27.3 - 36.6	240
c. Laws and policies related to adolescent sexual health services, such as minor consent for sexual health services	39.9	30.7 - 49.9	64	39.8	32.3 - 47.8	93	38.8	31.3 - 46.9	83	39.5	34.8 - 44.4	240
d. Importance of maintaining student confidentiality for sexual health services	49.6	39.9 - 59.4	64	48.5	40.0 - 57.1	93	47.3	39.2 - 55.5	83	48.4	43.3 - 53.6	240
e. How to create or use a student referral guide for sexual health services	24.2	17.2 - 33.0	64	25.6	19.0 - 33.5	93	20.6	14.6 - 28.3	83	23.6	19.6 - 28.1	240
f. How to make successful referrals of students to sexual health services	30.7	23.4 - 39.1	64	29.9	22.8 - 38.1	93	26.6	19.4 - 35.2	83	29.0	24.7 - 33.8	240
g. Best practices for adolescent sexual health services provision, such as making services youth-friendly	30.7	23.4 - 39.1	64	35.6	28.2 - 43.7	93	33.5	25.7 - 42.4	81	33.5	29.0 - 38.4	238
h. Ensuring sexual health services are inclusive of lesbian, gay, bisexual, transgender, queer, and questioning (LGBTQ) students	35.6	27.8 - 44.2	64	42.2	34.3 - 50.5	93	31.5	24.6 - 39.3	83	36.8	32.3 - 41.6	240

**MINNESOTA**  
**2024 School Health Profiles Report**  
**Weighted Principal Survey Results**

45. Percentage of schools that provide the following mental health programs or services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Universal mental health promotion programs (e.g., Positive Behavioral Interventions and Supports, Social-Emotional Learning programs or supports)	90.7	83.1 - 95.1	66	96.8	92.4 - 98.7	94	88.3	81.4 - 92.9	85	92.3	89.1 - 94.6	245
b. Confidential mental health screening to identify students in need of services (e.g., students at risk of mental health disorders, students experiencing trauma)	86.8	78.5 - 92.3	66	87.2	81.9 - 91.1	94	76.7	69.4 - 82.7	85	83.6	79.9 - 86.8	245
c. School-wide trauma-informed practices (i.e., efforts to ensure that all students, including those affected by trauma, are experiencing social, emotional, and educational success)	86.7	79.0 - 91.9	66	91.6	85.8 - 95.1	94	81.0	72.7 - 87.2	85	86.7	82.9 - 89.8	245
d. Small, topic-focused counseling or therapeutic groups (e.g., cognitive behavioral therapy [CBT], pro-social skills, stress management)	91.2	83.9 - 95.3	66	84.2	78.0 - 88.9	94	82.1	74.0 - 88.1	85	85.5	81.7 - 88.6	245
e. Multitiered systems of support (MTSS) (i.e., providing comprehensive differentiated supports to support students' mental and behavioral health)	90.6	82.8 - 95.1	66	90.6	86.3 - 93.6	94	87.1	79.9 - 91.9	85	89.4	86.1 - 92.0	245

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools with set opportunities for students to check in on their emotions and connect with their peers and teacher.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
81.6	72.0 - 88.5	63	95.9	91.3 - 98.1	94	75.9	67.7 - 82.6	84	85.4	81.5 - 88.6	241

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Provided parents with information to support parent-adolescent communication about sex	20.7	13.9 - 29.7	65	23.6	17.1 - 31.6	94	21.4	15.3 - 29.2	85	22.1	18.1 - 26.6	244
b. Provided parents with information to support parent-adolescent communication about mental and emotional health	77.7	68.6 - 84.8	66	81.8	74.7 - 87.2	94	62.8	54.5 - 70.4	83	74.5	70.0 - 78.5	243
c. Provided parents with information to support parent-adolescent communication about other topics (e.g., substance use)	66.0	55.4 - 75.2	66	71.1	64.0 - 77.3	94	60.7	52.6 - 68.4	83	66.3	61.5 - 70.8	243
d. Provided parents with information about how to monitor their teen (e.g., setting parental expectations, keeping track of their teen, responding when their teen breaks the rules)	54.2	44.8 - 63.3	66	59.7	51.5 - 67.5	94	41.0	33.8 - 48.7	82	52.2	47.4 - 57.0	242
e. Provided parents with information to support one-on-one time between adolescents and their health care providers	29.4	20.6 - 40.0	65	31.3	24.9 - 38.4	94	21.2	15.2 - 29.0	82	27.5	23.3 - 32.2	241
f. Provided parents with information about physical education and physical activity programs	66.9	58.3 - 74.5	66	76.9	70.3 - 82.4	94	61.9	54.4 - 68.9	82	69.2	65.0 - 73.1	242
g. Involved parents as school volunteers in physical education or physical activity programs	42.0	32.7 - 51.9	65	42.3	35.2 - 49.6	94	39.1	32.3 - 46.3	83	41.2	36.7 - 45.8	242
h. Linked parents and families to health services and programs in the community	76.9	70.4 - 82.3	65	78.1	70.8 - 83.9	94	69.6	60.8 - 77.1	83	75.0	70.7 - 78.8	242

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
i. Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	39.6	30.6 - 49.3	65	44.9	38.3 - 51.7	94	30.6	23.3 - 39.1	82	38.8	34.4 - 43.4	241
j. Provided parents with information about before- or after-school programs available in the community	80.7	72.7 - 86.8	66	82.0	74.9 - 87.4	94	79.1	71.6 - 85.1	82	80.7	76.6 - 84.3	242
k. Provided parents with access to information about relevant portions of school Emergency Operations Plans (EOPs) or similar plans (e.g., reunification plans, upcoming drills, emergency communication methods)	69.4	61.1 - 76.6	65	71.7	64.7 - 77.7	94	64.7	56.9 - 71.7	83	68.8	64.5 - 72.8	242

## MINNESOTA

### 2024 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that currently implement any of the following school-based positive youth development programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Service-learning programs, that is, community service designed to meet specific learning objectives	69.9	60.8 - 77.6	66	49.3	41.4 - 57.3	94	52.4	44.7 - 60.0	84	56.2	51.4 - 60.8	244
b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	64.4	53.9 - 73.7	65	43.6	35.5 - 52.0	94	41.0	33.3 - 49.0	84	48.6	43.5 - 53.6	243

**MINNESOTA**

**2024 School Health Profiles Report  
Weighted Principal Survey Results**

49. Percentage of schools that currently connect students to any of the following community-based positive youth development programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Service-learning programs, that is, community service designed to meet specific learning objectives	64.2	55.1 - 72.5	64	39.7	32.2 - 47.8	94	45.4	38.7 - 52.3	84	48.4	43.9 - 53.0	242
b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	69.6	60.3 - 77.5	63	53.3	45.4 - 61.0	94	37.1	30.0 - 44.8	84	52.4	47.8 - 57.0	241