

STI Quarterly Surveillance Report

JAN. 1 – JUNE 30, 2025

Overview

Table 1. Number of Cases and Rates (per 100,000 persons) of Chlamydia, Gonorrhea, Syphilis, and Chancroid – Minnesota, 2020 – Q1-Q2 2025

Disease	2021 Cases	2021 Rate	2022 Cases	2022 Rate	2023 Cases	2023 Rate	2024 Cases	2024 Rate	Q1-Q2 2025 Cases	Q1-Q2 2025 Rate
Chlamydia	22,578	395.4	22,079	386.7	21,767	380.7	19,703	344.6	8,909	155.8
Gonorrhea	9,671	169.4	8,161	153.9	7,717	135.0	7,131	124.7	2,739	47.9
All Stages of Syphilis	1457	25.5	1831	34.5	1748	30.6	1478	25.9	685	12.0
Primary/Secondary Syphilis	564	9.9	676	12.7	502	8.8	440	7.7	195	3.4
Early NP/NS	415	7.3	535	10.1	387	6.8	755	13.2	147	2.6
Late Unknown Duration ^{II}	463	8.1	601	11.3	830	14.5	694	12.1	329	5.8
Congenital Syphilis	15	23.6	20	31.7	26	42.7	29	47.5	14	23.0
Chancroid	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Note: Data exclude cases diagnosed in federal or private correctional facilities.

U.S. Census Intercensal and U.S. 2020/2022 data is used to calculate rates.

^IIncludes unstaged neurosyphilis, latent syphilis of unknown duration, and late syphilis with clinical manifestations.

^{II}Congenital syphilis rate per 100,000 live births.

Chlamydia

Note: Data exclude cases diagnosed in federal or private correctional facilities.

U.S. Census Intercensal and U.S. 2020/2022 data is used to calculate rates.

Table 2.A. Number of Cases and Rates (per 100,000 persons) of Chlamydia by Residence and Gender – Minnesota, Q1-Q2 2025

Residence ^I	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
Minneapolis	816	26%	1,233	21%	2,059	23%	484
St. Paul	390	12%	704	12%	1,096	12%	362
Suburban ^{II}	1,086	35%	1,929	33%	3,017	34%	125
Greater Minnesota	819	26%	1,894	33%	2,716	30%	106

STI QUARTERLY SURVEILLANCE REPORT

Residence ^I	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
Unknown ^{III}	13	0%	8	0%	21	0%	x
Total^{IV}	3,124	100%	5,768	100%	8,909	100%	156

^IResidence missing for 21 cases of chlamydia.

^{II}Suburban is defined as the seven-county metropolitan area (Anoka, Carver, Dakota, Hennepin, Ramsey, Scott, and Washington Counties, excluding the cities of Minneapolis and St. Paul).

^{III}No comparable population data available to calculate rates.

^{IV}Gender missing/other/unknown for 17 cases of chlamydia.

Table 2.B. Number of Cases and Rates of Chlamydia by Age and Gender – Minnesota, Q1-Q2 2025

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
< 15 yrs	11	0%	52	1%	63	1%	9
15-19 yrs	563	18%	1,642	28%	2,206	25%	589
20-24 yrs	925	30%	2,100	36%	3,030	34%	817
25-29 yrs	579	19%	909	16%	1,491	17%	412
30-34 yrs	399	13%	461	8%	863	10%	228
35-39 yrs	258	8%	313	5%	573	6%	146
40-44 yrs	154	5%	145	3%	300	3%	79
45-49 yrs	99	3%	80	1%	180	2%	56
50-54 yrs	57	2%	41	1%	98	1%	29
55+ yrs	79	3%	25	0%	105	1%	6
Total^I	3,124	100%	5,768	100%	8,909	100%	156

^IGender missing/other/unknown for 13 cases of chlamydia.

Table 2.C. Number of Cases and Rates of Chlamydia by Race/Ethnicity and Gender – Minnesota, Q1-Q2 2025

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
White, Non-Hispanic	947	30%	2,107	37%	3,060	34%	69
Black, Non-Hispanic	1,144	37%	1,531	27%	2,679	30%	633
American Indian	59	2%	238	4%	297	3%	496
Asian/PI	105	3%	276	5%	382	4%	122
Other ^{I,II}	83	3%	193	3%	276	3%	x

STI QUARTERLY SURVEILLANCE REPORT

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
Unknown ^I	364	12%	473	8%	839	9%	x
Hispanic ^{IV}	422	14%	950	16%	1,376	15%	403
Total^{IV}	3,124	100%	5,768	100%	8,909	100%	156

^IIncludes persons reported with more than one race.

^{II}No comparable population data available to calculate rates.

^{III}Persons of Hispanic origin may be of any race.

^{IV}Gender missing/other/unknown for 13 cases of chlamydia.

Gonorrhea

Note: Data exclude cases diagnosed in federal or private correctional facilities.

U.S. Census Intercensal and U.S. 2020/2022 data is used to calculate rates.

Table 3.A. Number of Cases and Rates (per 100,000 persons) of Gonorrhea by Residence and Gender – Minnesota, Q1-Q2 2025

Residence ^I	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
Minneapolis	747	43%	336	34%	1,087	40%	256
St. Paul	251	14%	164	17%	418	15%	138
Suburban ^{II}	516	30%	299	30%	817	30%	34
Greater Minnesota	227	13%	180	18%	407	15%	16
Unknown ^{III}	6	0%	4	0%	10	0%	x
Total^{IV}	1,747	100%	983	100%	2,739	100%	48

^IResidence missing for 10 cases of gonorrhea.

^{II}Suburban is defined as the seven-county metropolitan area (Anoka, Carver, Dakota, Hennepin, Ramsey, Scott, and Washington Counties, excluding the cities of Minneapolis and St. Paul).

^{III}No comparable population data available to calculate rates.

^{IV}Gender missing/other/unknown for 9 cases of gonorrhea.

Table 3.B. Number of Cases and Rates of Gonorrhea by Age and Gender – Minnesota, Q1-Q2 2025

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
< 15 yrs	5	0%	9	1%	14	1%	2
15-19 yrs	134	8%	203	21%	338	12%	90
20-24 yrs	315	18%	239	24%	556	20%	150
25-29 yrs	270	15%	133	14%	404	15%	112
30-34 yrs	341	20%	141	14%	484	18%	128
35-39 yrs	239	14%	126	13%	367	13%	93
40-44 yrs	169	10%	67	7%	236	9%	62
45-49 yrs	105	6%	36	4%	142	5%	44
50-54 yrs	74	4%	17	2%	91	3%	27
55+ yrs	95	5%	12	1%	107	4%	6
Total^I	1,747	100%	983	100%	2,739	100%	48

^IGender missing/other/unknown for 9 cases of gonorrhea.

Table 3.C. Number of Cases and Rates of Gonorrhea by Race/Ethnicity and Gender – Minnesota, Q1-Q2 2025

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
White, Non-Hispanic	571	33%	318	32%	892	33%	20
Black, Non-Hispanic	691	40%	326	33%	1,018	37%	241
American Indian	33	2%	111	11%	144	5%	240
Asian/PI	51	3%	25	3%	77	3%	25
Other ^{I,II}	33	2%	34	3%	68	2%	x
Unknown ^{II}	169	10%	88	9%	258	9%	x
Hispanic ^{III}	199	11%	81	8%	282	10%	83
Total^{IV,V}	1,747	100%	983	100%	2,739	100%	48

^IIncludes persons reported with more than one race.

^{II}No comparable population data available to calculate rates.

^{III}Persons of Hispanic origin may be of any race.

^{IV}Gender missing/other/unknown for 9 cases of gonorrhea.

Primary/Secondary Syphilis

Note: Data exclude cases diagnosed in federal or private correctional facilities.

U.S. Census Intercensal and U.S. 2022 data is used to calculate rates.

Table 4.A. Number of Cases and Rates (per 100,000 persons) of Primary/Secondary Syphilis by Residence and Gender – Minnesota, Q1-Q2 2025

Residence	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
Minneapolis	50	36%	16	28%	66	34%	15.5
St. Paul	18	13%	9	16%	27	14%	8.9
Suburban ⁱ	33	24%	7	12%	40	21%	1.7
Greater Minnesota	37	27%	25	44%	62	32%	2.4
Totalⁱⁱ	138	100%	57	100%	195	100%	3.4

ⁱSuburban is defined as the seven-county metropolitan area (Anoka, Carver, Dakota, Hennepin, Ramsey, Scott, and Washington Counties, excluding the cities of Minneapolis and St. Paul).

ⁱⁱGender missing/other/unknown for 0 cases of syphilis.

Table 4.B. Number of Cases and Rates of Primary/Secondary Syphilis by Age and Gender – Minnesota, Q1-Q2 2025

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
< 15 yrs	0	0%	0	%	0	0%	0.0
15-19 yrs	2	1%	1	2%	3	2%	0.8
20-24 yrs	12	9%	7	12%	19	10%	5.1
25-29 yrs	13	9%	7	12%	20	10%	5.5
30-34 yrs	31	22%	14	25%	45	23%	11.9
35-39 yrs	23	17%	8	14%	31	16%	7.9
40-44 yrs	16	12%	5	9%	21	11%	5.5
45-49 yrs	16	12%	8	14%	24	12%	7.5
50-54 yrs	7	5%	4	7%	11	6%	3.2
55+ yrs	18	13%	3	5%	21	11%	1.2
Totalⁱ	138	100%	57	100%	195	100%	3.4

ⁱGender missing/other/unknown for 0 cases of syphilis.

Table 4.C. Number of Cases and Rates of Primary/Secondary Syphilis by Race/Ethnicity and Gender – Minnesota, Q1-Q2 2025

Age	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)	Rate (Total)
White, Non-Hispanic	48	35%	30	53%	78	40%	1.8
Black, Non-Hispanic	49	36%	10	18%	59	30%	13.9
American Indian	5	4%	7	12%	12	6%	20.0
Asian/PI	9	7%	3	5%	12	6%	3.8
Other ^{I,II}	5	4%	1	2%	6	3%	x
Unknown ^{II}	2	1%	3	5%	5	3%	x
Hispanic ^{III}	20	14%	3	5%	23	12%	6.7
Total^{IV}	138	100%	57	100%	195	100%	3.4

^IIncludes persons reported with more than one race.

^{II}No comparable population data available to calculate rates.

^{III}Persons of Hispanic origin may be of any race.

^{IV}Gender missing/other/unknown for 0 cases of syphilis.

County STI Totals

Note: Data exclude cases diagnosed in federal or private correctional facilities.

County data missing for 21 chlamydia cases and 10 gonorrhea cases.

U.S. Census Intercensal and U.S. 2022 data is used to calculate rates.

Table 5. Number of Cases and Rates^I (per 100,000 persons) of Chlamydia and Gonorrhea by County of Residence – Minnesota, Q1-Q2 2025

County	Cases (Chlamydia)	Rate (Chlamydia)	Cases (Gonorrhea)	Rate (Gonorrhea)
Aitkin	5	31	1	-
Anoka	491	133	106	29
Becker	44	124	10	28
Beltrami	62	132	8	17
Benton	41	99	9	22
Big Stone	4	-	0	-
Blue Earth	142	204	14	20
Brown	9	35	1	-
Carlton	35	95	1	-

STI QUARTERLY SURVEILLANCE REPORT

County	Cases (Chlamydia)	Rate (Chlamydia)	Cases (Gonorrhea)	Rate (Gonorrhea)
Carver	76	69	23	21
Cass	27	86	0	-
Chippewa	12	98	0	-
Chisago	44	76	10	17
Clay	125	190	37	56
Clearwater	5	58	3	-
Cook	2	-	0	-
Cottonwood	10	88	2	-
Crow Wing	52	77	9	13
Dakota	621	140	162	37
Dodge	32	153	2	-
Douglas	30	76	8	20
Faribault	7	50	0	-
Fillmore	12	56	2	-
Freeborn	39	127	9	29
Goodhue	41	85	7	15
Grant	2	-	0	-
Hennepin	3,195	254	1438	114
Houston	11	59	1	-
Hubbard	16	73	2	-
Isanti	28	66	7	16
Itasca	25	55	1	-
Jackson	8	81	0	-
Kanabec	14	85	1	-
Kandiyohi	59	135	4	-
Kittson	3	-	0	-
Koochiching	9	76	1	-
Lac qui Parle	5	75	0	-
Lake	2	-	1	-
Lake of the Woods	0	-	0	-
Le Sueur	25	86	1	-
Lincoln	4	-	0	-

STI QUARTERLY SURVEILLANCE REPORT

County	Cases (Chlamydia)	Rate (Chlamydia)	Cases (Gonorrhea)	Rate (Gonorrhea)
Lyon	27	107	0	-
McLeod	29	79	5	14
Mahnomen	17	319	8	150
Marshall	6	68	0	-
Martin	16	81	0	-
Meeker	19	81	1	-
Mille Lacs	34	125	2	-
Morrison	17	50	6	18
Mower	61	152	10	25
Murray	4	-	0	-
Nicollet	32	93	9	26
Nobles	57	260	2	-
Norman	5	78	1	-
Olmsted	241	147	47	29
Otter Tail	34	56	4	-
Pennington	10	72	2	-
Pine	18	61	1	-
Pipestone	6	64	3	-
Polk	36	117	7	23
Pope	6	52	0	-
Ramsey	1,321	246	494	92
Red Lake	3	-	5	129
Redwood	16	104	0	-
Renville	12	83	1	-
Rice	60	89	9	13
Rock	9	94	0	-
Roseau	8	52	0	-
St. Louis	258	129	44	22
Scott	189	122	43	28
Sherburne	95	94	17	17
Sibley	11	74	4	-
Stearns	236	147	38	24

STI QUARTERLY SURVEILLANCE REPORT

County	Cases (Chlamydia)	Rate (Chlamydia)	Cases (Gonorrhea)	Rate (Gonorrhea)
Steele	65	174	7	19
Stevens	11	114	0	-
Swift	13	133	0	-
Todd	29	114	3	-
Traverse	5	153	0	-
Wabasha	22	102	1	-
Wadena	18	126	1	-
Waseca	17	90	1	-
Washington	272	99	53	19
Watonwan	6	54	0	-
Wilkin	3	-	0	-
Winona	58	117	4	-
Wright	97	66	14	9
Yellow Medicine	5	53	1	-

¹Rates not calculated for counties with fewer than five cases.

Note: County syphilis data is available at [Newly Diagnosed Syphilis Cases by County](https://www.health.state.mn.us/diseases/stds/stats/county.html)
(<https://www.health.state.mn.us/diseases/stds/stats/county.html>).

Minnesota Department of Health
651-201-5414
www.health.state.mn.us/std

8/27/2025

To obtain this information in a different format, call: 651-201-5414.