

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>MINNESOTA</b>						
2019	52,955	1,924 (3.6)	35,764 (67.5)	8,303 (15.7)	2,336 (4.4)	4,628 (8.7)
2018	56,971	2,128 (3.7)	38,482 (67.5)	9,035 (15.9)	2,550 (4.5)	4,776 (8.4)
2017	59,847	1,841 (3.1)	40,762 (68.1)	9,482 (15.8)	2,711 (4.5)	5,051 (8.4)
2016	62,644	2,346 (3.7)	42,382 (67.7)	10,005 (16.0)	2,834 (4.5)	5,077 (8.1)
2015	64,809	2,434 (3.8)	44,292 (68.3)	10,186 (15.7)	2,891 (4.5)	5,006 (7.7)
2014	62,749	2,471 (3.9)	43,055 (68.6)	9,334 (14.9)	2,807 (4.5)	5,082 (8.1)
2013	65,911	2,241 (3.4)	44,635 (67.7)	10,399 (15.8)	3,183 (4.8)	3,833 (8.1)
2012	70,114	1,959 (2.8)	48,025 (68.5)	11,224 (16.0)	3,328 (4.7)	5,578 (8.0)
2011	71,873	1,940 (2.7)	49,042 (68.2)	11,753 (16.4)	3,807 (5.3)	5,331(7.4)
<b>AITIKIN-ITASCA-KOOCHICHING: GRAND RAPIDS</b>						
2019	200	3 (1.5)	154 (77.0)	27 (13.5)	6 (3.0)	10 (5.0)
2018	229	11 (4.8)	160 (69.9)	34 (14.8)	11 (4.8)	13 (5.7)
2017	234	3 (1.3)	159 (67.9)	46 (19.7)	9 (3.8)	17 (7.3)
2016	231	9 (3.9)	162 (70.1)	39 (16.9)	9 (3.9)	12 (5.2)
2015	239	7 (2.9)	151 (63.2)	49 (20.5)	10 (4.2)	22 (9.2)
2014	210	3 (1.4)	145 (69.0)	34 (16.2)	10 (4.8)	18 (8.6)
2013	235	6 (2.6)	157 (66.8)	44 (18.7)	8 (3.4)	20 (8.5)
2012	260	7 (2.7)	186 (71.5)	39 (15.0)	12 (4.6)	16 (6.2)
2011	281	5 (1.8)	213 (75.8)	39 (13.9)	6 (2.1)	18 (6.4)
<b>ANOKA: ANDOVER/RAMSEY</b>						
2019	288	6 (2.1)	216 (75.0)	40 (13.9)	7 (2.4)	19 (6.6)
2018	260	8 (3.1)	187 (71.9)	46 (17.7)	4 (1.5)	15 (5.8)
2017	229	5 (2.2)	160 (69.9)	38 (16.6)	9 (3.9)	17 (7.4)
2016	205	8 (3.9)	164 (80.0)	19 (9.3)	4 (2.0)	10 (4.9)
2015	234	9 (3.8)	170 (72.6)	40 (17.1)	7 (3.0)	8 (3.4)
2014	218	7 (3.2)	166 (76.1)	30 (13.8)	5 (2.3)	10 (4.6)
2013	240	8 (3.3)	173 (72.1)	35 (14.6)	6 (2.5)	18 (7.5)
2012	254	11 (4.3)	180 (70.9)	46 (18.1)	5 (2.0)	12 (4.7)
2011	302	7 (2.3)	219 (72.5)	52 (17.2)	6 (2.0)	18 (6.0)
<b>ANOKA: ANOKA</b>						
2019	187	4 (2.1)	128 (68.4)	27 (14.4)	11 (5.9)	17 (9.1)
2018	196	10 (5.1)	142 (72.4)	25 (12.8)	6 (3.1)	13 (6.6)
2017	206	8 (3.9)	138 (67.0)	38 (18.4)	7 (3.4)	15 (7.3)
2016	185	10 (5.4)	120 (64.9)	35 (18.9)	8 (4.3)	12 (6.5)
2015	196	6 (3.1)	134 (68.4)	37 (18.9)	7 (3.6)	12 (6.1)
2014	206	10 (4.9)	135 (65.5)	42 (20.4)	5 (2.4)	14 (6.8)
2013	202	2 (1.0)	149 (73.8)	29 (14.4)	10 (5.0)	12 (5.9)
2012	230	3 (1.3)	176 (76.5)	23 (10.0)	13 (5.7)	15 (6.5)
2011	224	3 (1.3)	167 (74.6)	30 (13.4)	13 (5.8)	11 (4.9)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>ANOKA: BETHEL/EAST BETHEL/HAM LAKE/ST. FRANCIS</b>						
2019	136	4 (2.9)	101 (74.3)	22 (16.2)	3 (2.2)	6 (4.4)
2018	160	1 (<1)	124 (77.5)	20 (12.5)	3 (1.9)	12 (7.5)
2017	186	8 (4.3)	124 (66.7)	34 (18.3)	6 (3.2)	14 (7.5)
2016	170	8 (4.7)	113 (66.5)	35 (20.6)	5 (2.9)	9 (5.3)
2015	198	5 (2.5)	143 (72.2)	26 (13.1)	15 (7.6)	9 (4.5)
2014	199	4 (2.0)	142 (71.4)	38 (19.1)	6 (3.0)	9 (4.5)
2013	195	4 (2.1)	140 (71.8)	27 (13.8)	14 (7.2)	10 (5.1)
2012	228	6 (2.6)	157 (68.9)	40 (17.5)	12 (5.3)	13 (5.7)
2011	213	8 (3.8)	153 (71.8)	35 (16.4)	6 (2.8)	11 (5.2)
<b>ANOKA: BLAINE</b>						
2019	456	26 (5.7)	289 (63.4)	82 (18.0)	16 (3.5)	43 (9.4)
2018	468	21 (4.5)	317 (67.7)	78 (16.7)	16 (3.4)	36 (7.7)
2017	452	19 (4.2)	311 (68.8)	71 (15.7)	11 (2.4)	40 (8.8)
2016	467	16 (3.4)	331 (70.9)	70 (15.0)	16 (3.4)	34 (7.3)
2015	500	18 (3.6)	360 (72.0)	70 (14.0)	21 (4.2)	31 (6.2)
2014	479	17 (3.5)	334 (69.7)	74 (15.4)	14 (2.9)	40 (8.4)
2013	476	17 (3.6)	315 (66.2)	70 (14.7)	26 (5.5)	48 (10.1)
2012	477	13 (2.7)	333 (69.8)	73 (15.3)	22 (4.6)	36 (7.5)
2011	488	8 (1.6)	344 (70.5)	81 (16.6)	27 (5.5)	28 (5.7)
<b>ANOKA: CENTERVILLE/CIRCLE PINES/LINO LAKES/SPRING LK PK</b>						
2019	167	4 (2.4)	122 (73.1)	22 (13.2)	7 (4.2)	12 (7.2)
2018	187	2 (1.1)	135 (72.2)	28 (15.0)	8 (4.3)	14 (7.5)
2017	174	7 (4.0)	125 (71.8)	26 (14.9)	5 (2.9)	11 (6.3)
2016	169	5 (3.0)	118 (69.8)	31 (18.3)	11 (6.5)	4 (2.4)
2015	190	8 (4.2)	131 (68.9)	32 (16.8)	6 (3.2)	13 (6.8)
2014	188	4 (2.1)	122 (64.9)	30 (16.0)	12 (6.4)	20 (10.6)
2013	179	0	112 (62.6)	34 (19.0)	16 (8.9)	17 (9.5)
2012	228	4 (1.8)	144 (63.2)	49 (21.5)	12 (5.3)	19 (8.3)
2011	239	12 (5.0)	149 (62.3)	43 (18.0)	17 (7.1)	18 (7.5)
<b>ANOKA: COLUMBIA HEIGHTS</b>						
2019	291	19 (6.5)	189 (64.9)	54 (18.6)	7 (2.4)	22 (7.6)
2018	277	12 (4.3)	177 (63.9)	49 (17.7)	16 (5.8)	23 (8.3)
2017	308	8 (2.6)	218 (70.8)	43 (14.0)	16 (5.2)	23 (7.5)
2016	322	13 (4.0)	220 (68.3)	48 (14.9)	14 (4.3)	27 (8.4)
2015	365	11 (3.0)	248 (67.9)	70 (19.2)	14 (3.8)	22 (6.0)
2014	343	15 (4.4)	239 (69.7)	50 (14.6)	12 (3.5)	27 (7.9)
2013	373	16 (4.3)	254 (68.1)	60 (16.1)	14 (3.8)	29 (7.8)
2012	404	15 (3.7)	276 (68.3)	62 (15.3)	19 (4.7)	32 (7.9)
2011	398	9 (2.3)	282 (70.9)	71 (17.8)	16 (4.0)	20 (5.0)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>ANOKA: COON RAPIDS</b>						
2019	605	15 (2.5)	417 (68.9)	106 (17.5)	23 (3.8)	44 (7.3)
2018	625	21 (3.4)	430 (68.8)	110 (17.6)	27 (4.3)	37 (5.9)
2017	613	15 (2.4)	444 (72.4)	99 (16.2)	20 (3.3)	35 (5.7)
2016	650	20 (3.1)	459 (70.6)	105 (16.2)	29 (4.5)	37 (5.7)
2015	739	14 (1.9)	523 (70.8)	122 (16.5)	27 (3.7)	53 (7.2)
2014	678	21 (3.1)	475 (70.1)	103 (15.2)	22 (3.2)	57 (8.4)
2013	629	27 (4.3)	432 (68.7)	88 (14.0)	35 (5.6)	47 (7.5)
2012	656	25 (3.8)	437 (66.6)	114 (17.4)	31 (4.7)	49 (7.5)
2011	685	13 (1.9)	491 (71.7)	94 (13.7)	32 (4.7)	55 (8.0)
<b>ANOKA: FRIDLEY</b>						
2019	365	12 (3.3)	261 (71.5)	40 (11.0)	17 (4.7)	35 (9.6)
2018	425	20 (4.7)	295 (69.4)	67 (15.8)	14 (3.3)	29 (6.8)
2017	431	17 (3.9)	294 (68.2)	76 (17.6)	12 (2.8)	32 (7.4)
2016	417	17 (4.1)	285 (68.3)	59 (14.1)	25 (6.0)	31 (7.4)
2015	454	16 (3.5)	312 (68.7)	75 (16.5)	17 (3.7)	34 (7.5)
2014	442	19 (4.3)	302 (68.3)	74 (16.7)	13 (2.9)	34 (7.7)
2013	458	17 (3.7)	304 (66.4)	73 (15.9)	14 (3.1)	50 (10.9)
2012	472	15 (3.2)	317 (67.2)	84 (17.8)	17 (3.6)	39 (8.3)
2011	490	13 (2.7)	342 (69.8)	84 (17.1)	22 (4.5)	29 (5.9)
<b>BELTRAMI:BEMIDJI</b>						
2019	459	16 (3.5)	296 (64.5)	73 (15.9)	34 (7.4)	40 (8.7)
2018	458	14 (3.1)	293 (64.0)	85 (18.6)	26 (5.7)	40 (8.7)
2017	504	9 (1.8)	316 (62.7)	110 (21.8)	26 (5.2)	43 (8.5)
2016	541	12 (2.2)	337 (62.3)	114 (21.1)	31 (5.7)	47 (8.7)
2015	586	16 (2.7)	371 (63.3)	115 (19.6)	31 (5.3)	53 (9.0)
2014	608	19 (3.1)	409 (67.3)	109 (17.9)	26 (4.3)	45 (7.4)
2013	647	24 (3.7)	426 (65.8)	114 (17.6)	29 (4.5)	54 (8.3)
2012	660	23 (3.5)	437 (66.2)	110 (16.7)	31 (4.7)	59 (8.9)
2011	690	12 (1.7)	465 (67.4)	117 (17.0)	34 (4.9)	62 (9.0)
<b>BLOOMINGTON: BLOOMINGTON</b>						
2019	700	37 (5.3)	495 (70.7)	98 (14.0)	24 (3.4)	46 (6.6)
2018	707	34 (4.8)	501 (70.9)	101 (14.3)	28 (4.0)	43 (6.1)
2017	745	29 (3.9)	522 (70.1)	94 (12.6)	34 (4.6)	66 (8.9)
2016	777	42 (5.4)	516 (66.4)	128 (16.5)	37 (4.8)	54 (6.9)
2015	811	29 (3.6)	596 (73.5)	93 (11.5)	38 (4.7)	55 (6.8)
2014	723	27 (3.7)	515 (71.2)	92 (12.7)	23 (3.2)	66 (9.1)
2013	794	30 (3.8)	548 (69.0)	119 (15.0)	35 (4.4)	62 (7.8)
2012	821	36 (4.4)	574 (69.9)	115 (14.0)	34 (4.1)	62 (7.6)
2011	830	24 (2.9)	578 (69.6)	137 (16.5)	34 (4.1)	57 (6.9)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>BLUE EARTH: MANKATO</b>						
2019	409	19 (4.6)	287 (70.2)	59 (14.4)	17 (4.2)	27 (6.6)
2018	416	10 (2.4)	291 (70.0)	60 (14.4)	22 (5.3)	33 (7.9)
2017	436	18 (4.1)	301 (69.0)	65 (14.9)	14 (3.2)	38 (8.7)
2016	437	22 (5.0)	300 (68.6)	75 (17.2)	20 (4.6)	20 (4.6)
2015	488	22 (4.5)	358 (73.4)	74 (15.2)	15 (3.1)	19 (3.9)
2014	478	21 (4.4)	355 (74.3)	61 (12.8)	18 (3.8)	23 (4.8)
2013	479	21 (4.4)	334 (69.7)	75 (15.7)	16 (3.3)	33 (6.9)
2012	534	16 (3.0)	390 (73.0)	68 (12.7)	19 (3.6)	41 (7.7)
2011	550	22 (4.0)	393 (71.5)	80 (14.5)	22 (4.0)	33 (6.0)
<b>CARLTON-COOK-LAKE-ST. LOUIS: AURORA/BIWABIK/ BUHL/CHISHOLM/ ELY/EMBARRASS/ EVELETH/ HIBBING/ MT. IRON/VIRGINIA</b>						
2019	317	6 (1.9)	218 (68.8)	45 (14.2)	16 (5.0)	32 (10.1)
2018	320	7 (2.2)	232 (72.5)	44 (13.8)	12 (3.8)	25 (7.8)
2017	349	6 (1.7)	244 (69.9)	62 (17.8)	11 (3.2)	26 (7.4)
2016	383	11 (2.9)	263 (68.7)	65 (17.0)	17 (4.4)	27 (7.0)
2015	405	12 (3.0)	278 (68.6)	72 (17.8)	18 (4.4)	25 (6.2)
2014	379	10 (2.6)	277 (73.1)	60 (15.8)	10 (2.6)	22 (5.8)
2013	404	9 (2.2)	277 (68.6)	67 (16.6)	18 (4.5)	33 (8.2)
2012	488	7 (1.4)	337 (69.1)	86 (17.6)	25 (5.1)	33 (6.8)
2011	500	11 (2.2)	350 (70.0)	86 (17.2)	28 (5.6)	25 (5.0)
<b>CARLTON-COOK-LAKE ST. LOUIS: CLOQUET</b>						
2019	220	5 (2.3)	148 (67.3)	30 (13.6)	15 (6.8)	22 (10.0)
2018	219	8 (3.7)	150 (68.5)	38 (17.4)	6 (2.7)	17 (7.8)
2017	268	6 (2.2)	193 (72.0)	36 (13.4)	9 (3.4)	24 (9.0)
2016	272	9 (3.3)	187 (68.8)	37 (13.6)	16 (5.9)	23 (8.5)
2015	292	15 (5.1)	195 (66.8)	49 (16.8)	15 (5.1)	18 (6.2)
2014	296	5 (1.7)	193 (65.2)	58 (19.6)	14 (4.7)	26 (8.8)
2013	344	8 (2.3)	222 (64.5)	49 (14.2)	26 (7.6)	39 (11.3)
2012	365	5 (1.4)	242 (66.3)	61 (16.7)	18 (4.9)	39 (10.7)
2011	366	10 (2.7)	246 (67.2)	56 (15.3)	18 (4.9)	36 (9.8)
<b>CARLTON-COOK-LAKE-ST. LOUIS: DULUTH</b>						
2019	699	16 (2.3)	510 (73.0)	111 (15.9)	28 (4.0)	34 (4.9)
2018	744	15 (2.0)	521 (70.0)	126 (16.9)	29 (3.9)	53 (7.1)
2017	830	13 (1.6)	561 (67.6)	150 (18.1)	35 (4.2)	71 (8.6)
2016	804	21 (2.6)	534 (66.4)	159 (19.8)	36 (4.5)	54 (6.7)
2015	798	21 (2.6)	559 (70.1)	130 (16.3)	42 (5.3)	46 (5.8)
2014	827	22 (2.7)	565 (68.3)	136 (16.4)	36 (4.4)	68 (8.2)
2013	909	23 (2.5)	616 (67.8)	158 (17.4)	45 (5.0)	67 (7.4)
2012	1,008	25 (2.5)	692 (68.7)	161 (16.0)	44 (4.4)	86 (8.5)
2011	1,176	37 (3.1)	817 (69.5)	184 (15.6)	62 (5.3)	76 (6.5)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>CARLTON-COOK-LAKE-ST. LOUIS: HIBBING</b>						
2019	169	4 (2.4)	111 (65.7)	40 (23.7)	5 (3.0)	9 (5.3)
2018	167	2 (1.2)	128 (76.6)	29 (17.4)	4 (2.4)	4 (2.4)
2017	199	5 (2.5)	132 (66.3)	42 (21.1)	9 (4.5)	11 (5.5)
2016	203	5 (2.5)	141 (69.5)	35 (17.2)	6 (3.0)	16 (7.9)
2015	218	10 (4.6)	141 (64.7)	38 (17.4)	9 (4.1)	20 (9.2)
2014	223	9 (4.0)	152 (68.2)	33 (14.8)	13 (5.8)	16 (7.2)
2013	216	8 (3.7)	144 (66.7)	39 (18.1)	8 (3.7)	17 (7.9)
2012	242	10 (4.1)	171 (70.7)	36 (14.9)	12 (5.0)	13 (5.4)
2011	253	7 (2.8)	175 (69.2)	39 (15.4)	17 (6.7)	15 (5.9)
<b>CARVER: CARVER/CHANHASSEN/CHASKA</b>						
2019	213	3 (1.4)	161 (75.6)	32 (15.0)	4 (1.9)	13 (6.1)
2018	238	5 (2.1)	180 (75.6)	32 (13.4)	6 (2.5)	15 (6.3)
2017	275	8 (2.9)	215 (78.2)	28 (10.2)	9 (3.3)	15 (5.5)
2016	269	7 (2.6)	217 (80.7)	27 (10.0)	4 (1.5)	14 (5.2)
2015	271	12 (4.4)	206 (76.0)	35 (12.9)	8 (3.0)	10 (3.7)
2014	253	8 (3.2)	196 (77.5)	35 (13.8)	2 (<1)	12 (4.7)
2013	265	0	209 (78.9)	30 (11.3)	9 (3.4)	17 (6.4)
2012	282	4 (1.4)	199 (70.6)	54 (19.1)	8 (2.8)	17 (6.0)
2011	312	10 (3.2)	219 (70.2)	52 (16.7)	18 (5.8)	13 (4.2)
<b>CROW WING: BRAINERD</b>						
2019	380	13 (3.4)	243 (63.9)	62 (16.3)	29 (7.6)	33 (8.7)
2018	365	10 (2.7)	243 (66.6)	69 (18.9)	17 (4.7)	26 (7.1)
2017	409	8 (2.0)	268 (65.5)	75 (18.3)	28 (6.8)	30 (7.3)
2016	447	11 (2.5)	302 (67.6)	77 (17.2)	21 (4.7)	36 (8.1)
2015	452	19 (4.2)	310 (68.6)	80 (17.7)	16 (3.5)	27 (6.0)
2014	436	16 (3.7)	314 (72.0)	68 (15.6)	14 (3.2)	24 (5.5)
2013	480	13 (2.7)	333 (69.4)	78 (16.2)	30 (6.2)	26 (5.4)
2012	555	17 (3.1)	396 (71.4)	87 (15.7)	26 (4.7)	29 (5.2)
2011	573	22 (3.8)	400 (69.8)	91 (15.9)	28 (4.9)	32 (5.6)
<b>DAKOTA: APPLE VALLEY</b>						
2019	401	15 (3.7)	268 (66.8)	57 (14.2)	24 (6.0)	37 (9.2)
2018	408	14 (3.4)	280 (68.6)	57 (14.0)	23 (5.6)	34 (8.3)
2017	418	12 (2.9)	301 (72.0)	59 (14.1)	17 (4.1)	29 (6.9)
2016	424	11 (2.6)	302 (71.2)	57 (13.4)	19 (4.5)	35 (8.3)
2015	478	15 (3.1)	336 (70.3)	66 (13.8)	23 (4.8)	38 (7.9)
2014	425	13 (3.1)	308 (72.5)	51 (12.0)	14 (3.3)	39 (9.2)
2013	440	14 (3.2)	308 (70.0)	64 (14.5)	17 (3.9)	37 (8.4)
2012	478	15 (3.1)	335 (70.1)	74 (15.5)	24 (5.0)	30 (6.3)
2011	521	13 (2.5)	376 (72.2)	82 (15.7)	22 (4.2)	28 (5.4)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>DAKOTA: BURNSVILLE</b>						
2019	717	26 (3.6)	531 (74.1)	84 (11.7)	27 (3.8)	49 (6.8)
2018	841	32 (3.8)	590 (70.2)	135 (16.1)	27 (3.2)	57 (6.8)
2017	801	43 (5.4)	568 (70.9)	106 (13.2)	33 (4.1)	51 (6.4)
2016	844	53 (6.3)	606 (71.8)	111 (13.2)	25 (3.0)	49 (5.8)
2015	857	50 (5.8)	610 (71.2)	108 (12.6)	27 (3.2)	62 (7.2)
2014	888	46 (5.2)	614 (69.1)	119 (13.4)	38 (4.3)	71 (8.0)
2013	909	50 (5.5)	631 (69.4)	145 (16.0)	30 (3.3)	53 (5.8)
2012	941	41 (4.4)	669 (71.1)	129 (13.7)	37 (3.9)	65 (6.9)
2011	958	39 (4.1)	671 (70.0)	145 (15.1)	38 (4.0)	65 (6.8)
<b>DAKOTA: EAGAN</b>						
2019	375	14 (3.7)	276 (73.6)	46 (12.3)	15 (4.0)	24 (6.4)
2018	407	31 (7.6)	278 (68.3)	53 (13.0)	17 (4.2)	28 (6.9)
2017	397	21 (5.3)	284 (71.5)	58 (14.6)	15 (3.8)	19 (4.8)
2016	418	22 (5.3)	309 (73.9)	48 (11.5)	18 (4.3)	21 (5.0)
2015	433	18 (4.2)	308 (71.1)	58 (13.4)	18 (4.2)	31 (7.2)
2014	428	22 (5.1)	310 (72.4)	50 (11.7)	19 (4.4)	27 (6.3)
2013	439	19 (4.3)	307 (69.9)	74 (16.9)	18 (4.1)	21 (4.8)
2012	425	19 (4.5)	310 (72.9)	53 (12.5)	18 (4.2)	25 (5.9)
2011	437	13 (3.0)	319 (73.0)	62 (14.2)	21 (4.8)	22 (5.0)
<b>DAKOTA: FARMINGTON</b>						
2019	175	10 (5.7)	123 (70.3)	23 (13.1)	9 (5.1)	10 (5.7)
2018	175	10 (5.7)	125 (71.4)	20 (11.4)	10 (5.7)	10 (5.7)
2017	198	8 (4.0)	143 (72.2)	22 (11.1)	6 (3.0)	19 (9.6)
2016	177	7 (4.0)	125 (70.6)	28 (15.8)	8 (4.5)	9 (5.1)
2015	188	4 (2.1)	140 (74.5)	29 (15.4)	6 (3.2)	9 (4.8)
2014	169	9 (5.3)	116 (68.6)	25 (14.8)	7 (4.1)	12 (7.1)
2013	154	4 (2.6)	110 (71.4)	23 (14.9)	9 (5.8)	8 (5.2)
2012	197	8 (4.1)	133 (67.5)	37 (18.8)	7 (3.6)	12 (6.1)
2011	187	2 (1.1)	141 (75.4)	25 (13.4)	11 (5.9)	8 (4.3)
<b>DAKOTA: HASTINGS</b>						
2019	142	3 (2.1)	95 (66.9)	23 (16.2)	8 (5.6)	13 (9.2)
2018	132	3 (2.3)	93 (70.5)	20 (15.2)	8 (6.1)	8 (6.1)
2017	122	2 (1.6)	85 (69.7)	20 (16.4)	8 (6.6)	7 (5.7)
2016	132	4 (3.0)	95 (72.0)	23 (17.4)	2 (1.5)	8 (6.1)
2015	132	6 (4.5)	99 (75.0)	13 (9.8)	3 (2.3)	11 (8.3)
2014	147	4 (2.7)	98 (66.7)	23 (15.6)	10 (6.8)	12 (8.2)
2013	167	4 (2.4)	113 (67.7)	30 (18.0)	8 (4.8)	12 (7.2)
2012	205	7 (3.4)	140 (68.3)	34 (16.6)	9 (4.4)	15 (7.3)
2011	208	4 (1.9)	152 (73.1)	32 (15.4)	11 (5.3)	9 (4.3)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>DAKOTA: INVER GROVE HEIGHTS</b>						
2019	354	18 (5.1)	257 (72.6)	49 (13.8)	12 (3.4)	18 (5.1)
2018	410	16 (3.9)	294 (71.7)	59 (14.4)	16 (3.9)	25 (6.1)
2017	411	14 (3.4)	290 (70.6)	54 (13.1)	19 (4.6)	34 (8.3)
2016	461	27 (5.9)	309 (67.0)	65 (14.1)	19 (4.1)	41 (8.9)
2015	475	17 (3.6)	321 (67.6)	71 (14.9)	21 (4.4)	45 (9.5)
2014	436	18 (4.1)	320 (73.4)	53 (12.2)	20 (4.6)	25 (5.7)
2013	484	31 (6.4)	332 (68.6)	72 (14.9)	23 (4.8)	26 (5.4)
2012	535	14 (2.6)	387 (72.3)	76 (14.2)	20 (3.7)	38 (7.1)
2011	532	8 (1.5)	387 (72.7)	75 (14.1)	31 (5.8)	31 (5.8)
<b>DAKOTA: LAKEVILLE</b>						
2019	216	12 (5.6)	142 (65.7)	38 (17.6)	10 (4.6)	14 (6.5)
2018	229	14 (6.1)	156 (68.1)	36 (15.7)	10 (4.4)	13 (5.7)
2017	213	7 (3.3)	148 (69.5)	37 (17.4)	3 (1.4)	18 (8.5)
2016	199	2 (1.0)	144 (72.4)	36 (18.1)	8 (4.0)	9 (4.5)
2015	192	3 (1.6)	138 (71.9)	36 (18.8)	6 (3.1)	9 (4.7)
2014	208	9 (4.3)	145 (69.7)	33 (15.9)	6 (2.9)	15 (7.2)
2013	212	11 (5.2)	145 (68.4)	30 (14.2)	11 (5.2)	15 (7.1)
2012	216	5 (2.3)	153 (70.8)	30 (13.9)	13 (6.0)	15 (6.9)
2011	234	4 (1.7)	176 (75.2)	29 (12.4)	10 (4.3)	15 (6.4)
<b>DAKOTA: SOUTH ST. PAUL</b>						
2019	212	9 (4.2)	146 (68.9)	28 (13.2)	8 (3.8)	21 (9.9)
2018	235	10 (4.3)	158 (67.2)	33 (14.0)	9 (3.8)	25 (10.6)
2017	209	7 (3.3)	124 (59.3)	41 (19.6)	12 (5.7)	25 (12.0)
2016	247	7 (2.8)	162 (65.6)	39 (15.8)	13 (5.3)	26 (10.5)
2015	265	8 (3.0)	180 (67.9)	43 (16.2)	13 (4.9)	21 (7.9)
2014	256	15 (5.9)	173 (67.6)	38 (14.8)	7 (2.7)	23 (9.0)
2013	268	8 (3.0)	184 (68.7)	43 (16.0)	5 (1.9)	28 (10.4)
2012	283	5 (1.8)	195 (68.9)	48 (17.0)	11 (3.9)	24 (8.5)
2011	278	6 (2.2)	178 (64.0)	49 (17.6)	17 (6.1)	28 (10.1)
<b>DAKOTA: WEST ST. PAUL</b>						
2019	216	4 (1.9)	148 (68.5)	37 (17.1)	8 (3.7)	19 (8.8)
2018	243	8 (3.3)	159 (65.4)	42 (17.3)	14 (5.8)	20 (8.2)
2017	241	9 (3.7)	158 (65.6)	38 (15.8)	8 (3.3)	28 (11.6)
2016	277	11 (4.0)	188 (67.9)	47 (17.0)	9 (3.2)	22 (7.9)
2015	292	12 (4.1)	183 (62.7)	51 (17.5)	21 (7.2)	25 (8.6)
2014	311	15 (4.8)	202 (65.0)	52 (16.7)	12 (3.9)	30 (9.6)
2013	318	12 (3.8)	208 (65.4)	47 (14.8)	17 (5.3)	34 (10.7)
2012	336	7 (2.1)	224 (66.7)	63 (18.8)	13 (3.9)	29 (8.6)
2011	320	6 (1.9)	222 (69.4)	50 (15.6)	18 (5.6)	24 (7.5)



**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>EDINA: EDINA</b>						
2019	92	5 (5.4)	66 (71.7)	13 (14.1)	3 (3.3)	5 (5.4)
2018	91	2 (2.2)	62 (68.1)	20 (22.0)	4 (4.4)	3 (3.3)
2017	101	6 (5.9)	72 (71.3)	10 (9.9)	5 (5.0)	8 (7.9)
2016	108	7 (6.5)	73 (67.6)	12 (11.1)	4 (3.7)	12 (11.1)
2015	110	6 (5.5)	79 (71.8)	16 (14.5)	3 (2.7)	6 (5.5)
2014	122	4 (3.3)	82 (67.2)	17 (13.9)	7 (5.7)	12 (9.8)
2013	124	11 (8.9)	80 (64.5)	16 (12.9)	5 (4.0)	12 (9.7)
2012	120	6 (5.0)	85 (70.8)	14 (11.7)	8 (6.7)	7 (5.8)
2011	116	5 (4.3)	82 (70.7)	16 (13.8)	7 (6.0)	6 (5.2)
<b>FREEBORN: ALBERT LEA</b>						
2019	316	10 (3.2)	201 (63.6)	39 (12.3)	29 (9.2)	37 (11.7)
2018	329	10 (3.0)	205 (62.3)	57 (17.3)	18 (5.5)	39 (11.9)
2017	354	5 (1.4)	231 (65.3)	71 (20.1)	14 (4.0)	33 (9.3)
2016	374	14 (3.7)	241 (64.4)	61 (16.3)	17 (4.5)	41 (11.0)
2015	427	11 (2.6)	283 (66.3)	67 (15.7)	26 (6.1)	40 (9.4)
2014	401	20 (5.0)	261 (65.1)	64 (16.0)	28 (7.0)	28 (7.0)
2013	411	19 (4.6)	286 (69.6)	57 (13.9)	27 (6.6)	22 (5.4)
2012	429	14 (3.3)	303 (70.6)	59 (13.8)	22 (5.1)	31 (7.2)
2011	425	19 (4.5)	285 (67.1)	70 (16.5)	20 (4.7)	31 (7.3)
<b>GOODHUE: RED WING</b>						
2019	164	5 (3.0)	104 (63.4)	32 (19.5)	8 (4.9)	15 (9.1)
2018	174	10 (5.7)	109 (62.6)	36 (20.7)	5 (2.9)	14 (8.0)
2017	196	8 (4.1)	127 (64.8)	29 (14.8)	10 (5.1)	22 (11.2)
2016	190	7 (3.7)	127 (66.8)	29 (15.3)	11 (5.8)	16 (8.4)
2015	178	5 (2.8)	124 (69.7)	24 (13.5)	10 (5.6)	15 (8.4)
2014	190	3 (1.6)	124 (65.3)	38 (20.0)	9 (4.7)	16 (8.4)
2013	203	8 (3.9)	122 (60.1)	48 (23.6)	9 (4.4)	16 (7.9)
2012	217	4 (1.8)	135 (62.2)	41 (18.9)	13 (6.0)	24 (11.1)
2011	210	2 (1.0)	130 (61.9)	47 (22.4)	14 (6.7)	17 (8.1)
<b>HENNEPIN: BROOKLYN CENTER</b>						
2019	775	23 (3.0)	519 (67.0)	125 (16.1)	33 (4.3)	75 (9.7)
2018	866	24 (2.8)	575 (66.4)	149 (17.2)	38 (4.4)	80 (9.2)
2017	903	27 (3.0)	609 (67.4)	143 (15.8)	35 (3.9)	89 (9.9)
2016	955	31 (3.2)	628 (65.8)	161 (16.9)	46 (4.8)	89 (9.3)
2015	969	35 (3.6)	647 (66.8)	155 (16.0)	55 (5.7)	77 (7.9)
2014	942	45 (4.8)	661 (70.2)	133 (14.1)	30 (3.2)	73 (7.7)
2013	939	33 (3.5)	654 (69.6)	139 (14.8)	43 (4.6)	70 (7.5)
2012	1,015	26 (2.6)	701 (69.1)	160 (15.8)	52 (5.1)	76 (7.5)
2011	1,032	24 (2.3)	699 (67.7)	151 (14.6)	66 (6.4)	92 (8.9)



**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>HENNEPIN: BROOKLYN PARK</b>						
2019	1,250	54 (4.3)	870 (69.6)	163 (13.0)	50 (4.0)	113 (9.0)
2018	1,391	60 (4.3)	964 (69.3)	189 (13.6)	64 (4.6)	114 (8.2)
2017	1,603	53 (3.3)	1,095 (68.3)	243 (15.2)	75 (4.7)	137 (8.5)
2016	1,578	60 (3.8)	1,066 (67.6)	256 (16.2)	71 (4.5)	125 (7.9)
2015	1,653	59 (3.6)	1,124 (68.0)	273 (16.5)	77 (4.7)	120 (7.3)
2014	1,609	70 (4.4)	1,164 (72.3)	198 (12.3)	59 (3.7)	118 (7.3)
2013	1,599	70 (4.4)	1,152 (72.0)	199 (12.4)	51 (3.2)	127 (7.9)
2012	1,747	58 (3.3)	1,261 (72.2)	241 (13.8)	68 (3.9)	119 (6.8)
2011	1,799	65 (3.6)	1,252 (69.6)	284 (15.8)	68 (3.8)	130 (7.2)
<b>HENNEPIN: MAPLE GROVE</b>						
2019	339	10 (2.9)	242 (71.4)	52 (15.3)	12 (3.5)	23 (6.8)
2018	379	13 (3.4)	284 (74.9)	52 (13.7)	9 (2.4)	21 (5.5)
2017	395	15 (3.8)	289 (73.2)	57 (14.4)	14 (3.5)	20 (5.1)
2016	380	12 (3.2)	277 (72.9)	58 (15.3)	15 (3.9)	18 (4.7)
2015	367	14 (3.8)	259 (70.6)	56 (15.3)	11 (3.0)	27 (7.4)
2014	352	20 (5.7)	263 (74.7)	39 (11.1)	12 (3.4)	18 (5.1)
2013	371	7 (1.9)	278 (74.9)	40 (10.8)	23 (6.2)	23 (6.2)
2012	408	14 (3.4)	292 (71.6)	59 (14.5)	13 (3.2)	30 (7.4)
2011	459	15 (3.3)	328 (71.5)	74 (16.1)	17 (3.7)	25 (5.4)
<b>HENNEPIN: CRYSTAL</b>						
2019	199	7 (3.5)	133 (66.8)	32 (16.1)	8 (4.0)	19 (9.5)
2018	227	7 (3.1)	160 (70.5)	32 (14.1)	10 (4.4)	18 (7.9)
2017	219	3 (1.4)	150 (68.5)	34 (15.5)	11 (5.0)	21 (9.6)
2016	235	10 (4.3)	160 (68.1)	37 (15.7)	11 (4.7)	17 (7.2)
2015	249	8 (3.2)	179 (71.9)	29 (11.6)	16 (6.4)	17 (6.8)
2014	246	13 (5.3)	177 (72.0)	32 (13.0)	12 (4.9)	12 (4.9)
2013	257	13 (5.1)	177 (68.9)	45 (17.5)	11 (4.3)	11 (4.3)
2012	257	10 (3.9)	180 (70.0)	40 (15.6)	14 (5.4)	13 (5.1)
2011	268	7 (2.6)	191 (71.3)	40 (14.9)	8 (3.0)	22 (8.2)
<b>HENNEPIN: EDEN PRAIRIE</b>						
2019	208	13 (6.2)	147 (70.7)	25 (12.0)	8 (3.8)	15 (7.2)
2018	238	14 (5.9)	172 (72.3)	32 (13.4)	6 (2.5)	14 (5.9)
2017	255	24 (9.4)	177 (69.4)	34 (13.3)	9 (3.5)	11 (4.3)
2016	276	24 (8.7)	206 (74.6)	30 (10.9)	6 (2.2)	10 (3.6)
2015	296	37 (12.5)	203 (68.6)	42 (14.2)	10 (3.4)	4 (1.4)
2014	285	17 (6.0)	203 (71.2)	39 (13.7)	11 (3.9)	15 (5.3)
2013	291	16 (5.5)	218 (74.9)	39 (13.4)	4 (1.4)	14 (4.8)
2012	314	18 (5.7)	224 (71.3)	42 (13.4)	14 (4.5)	16 (5.1)
2011	322	13 (4.0)	229 (71.1)	44 (13.7)	15 (4.7)	21 (6.5)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>HENNEPIN: MINNETONKA/ MAPLE GROVE/OSSEO</b>						
2019	105	5 (4.8)	70 (66.7)	15 (14.3)	3 (2.9)	12 (11.4)
2018	151	5 (3.3)	104 (68.9)	18 (11.9)	11 (7.3)	13 (8.6)
2017	149	6 (4.0)	99 (66.4)	30 (20.1)	5 (3.4)	9 (6.0)
2016	155	6 (3.9)	112 (72.3)	21 (13.5)	7 (4.5)	9 (5.8)
2015	153	8 (5.2)	114 (74.5)	24 (15.7)	3 (2.0)	4 (2.6)
2014	170	7 (4.1)	129 (75.9)	25 (14.7)	1 (<1)	8 (4.7)
2013	194	12 (6.2)	141 (72.7)	24 (12.4)	6 (3.1)	11 (5.7)
2012	209	6 (2.9)	153 (73.2)	28 (13.4)	5 (2.4)	17 (8.1)
2011	214	3 (1.4)	146 (68.2)	33 (15.4)	12 (5.6)	20 (9.3)
<b>HENNEPIN: GOLDEN VALLEY/ROBBINSDALE</b>						
2019	167	8 (4.8)	120 (71.9)	23 (13.8)	4 (2.4)	12 (7.2)
2018	187	8 (4.3)	127 (67.9)	29 (15.5)	5 (2.7)	18 (9.6)
2017	190	4 (2.1)	138 (72.6)	25 (13.2)	8 (4.2)	15 (7.9)
2016	191	6 (3.1)	129 (67.5)	40 (20.9)	9 (4.7)	7 (3.7)
2015	219	6 (2.7)	162 (74.0)	32 (14.6)	9 (4.1)	10 (4.6)
2014	203	12 (5.9)	145 (71.4)	30 (14.8)	7 (3.4)	9 (4.4)
2013	209	19 (9.1)	150 (71.8)	21 (10.0)	9 (4.3)	10 (4.8)
2012	265	12 (4.5)	185 (69.8)	38 (14.3)	8 (3.0)	22 (8.3)
2011	275	9 (3.3)	191 (69.5)	44 (16.0)	10 (3.6)	21 (7.6)
<b>HENNEPIN:HOPKINS</b>						
2019	281	12 (4.3)	209 (74.4)	37 (13.2)	7 (2.5)	16 (5.7)
2018	333	12 (3.6)	238 (71.5)	53 (15.9)	11 (3.3)	19 (5.7)
2017	324	20 (6.2)	222 (68.5)	45 (13.9)	14 (4.3)	23 (7.1)
2016	329	18 (5.5)	237 (72.0)	41 (12.5)	20 (6.1)	13 (4.0)
2015	328	26 (7.9)	230 (70.1)	42 (12.8)	12 (3.7)	18 (5.5)
2014	319	15 (4.7)	234 (73.4)	45 (14.1)	9 (2.8)	16 (5.0)
2013	331	12 (3.6)	239 (72.2)	48 (14.5)	12 (3.6)	20 (6.0)
2012	349	7 (2.0)	252 (72.2)	56 (16.0)	13 (3.7)	21 (6.0)
2011	343	14 (4.1)	240 (70.0)	47 (13.7)	15 (4.4)	27 (7.9)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

<b>CHB</b>	<b>Total<sup>2</sup></b>	<b>Underweight<sup>3</sup></b>	<b>Normal<sup>3</sup></b>	<b>Overweight<sup>3</sup></b>	<b>Obese<sup>3</sup></b>	<b>Very Obese<sup>3</sup></b>
<b>HENNEPIN: NEW HOPE</b>						
2019	215	10 (4.7)	146 (67.9)	34 (15.8)	11 (5.1)	14 (6.5)
2018	233	6 (2.6)	156 (67.0)	39 (16.7)	15 (6.4)	17 (7.3)
2017	272	11 (4.0)	197 (72.4)	34 (12.5)	7 (2.6)	23 (8.5)
2016	269	7 (2.6)	187 (69.5)	42 (15.6)	13 (4.8)	20 (7.4)
2015	296	11 (3.7)	208 (70.3)	46 (15.5)	8 (2.7)	23 (7.8)
2014	265	13 (4.9)	189 (71.3)	34 (12.8)	11 (4.2)	18 (6.8)
2013	275	15 (5.5)	198 (72.0)	26 (9.5)	10 (3.6)	26 (9.5)
2012	307	5 (1.6)	226 (73.6)	38 (12.4)	13 (4.2)	25 (8.1)
2011	314	10 (3.2)	218 (69.4)	42 (13.4)	9 (2.9)	35 (11.1)
<b>HENNEPIN: PLYMOUTH</b>						
2019	222	6 (2.7)	158 (71.2)	32 (14.4)	11 (5.0)	15 (6.8)
2018	222	3 (1.4)	164 (73.9)	39 (17.6)	8 (3.6)	8 (3.6)
2017	236	5 (2.1)	165 (69.9)	48 (20.3)	9 (3.8)	9 (3.8)
2016	262	9 (3.4)	181 (69.1)	46 (17.6)	9 (3.4)	17 (6.5)
2015	309	8 (2.6)	218 (70.6)	51 (16.5)	19 (6.1)	13 (4.2)
2014	301	9 (3.0)	228 (75.7)	36 (12.0)	11 (3.7)	17 (5.6)
2013	292	15 (5.1)	216 (74.0)	37 (12.7)	11 (3.8)	13 (4.5)
2012	303	8 (2.6)	218 (71.9)	43 (14.2)	13 (4.3)	21 (6.9)
2011	295	13 (4.4)	212 (71.9)	41 (13.9)	8 (2.7)	21 (7.1)
<b>HENNEPIN: ST. LOUIS PARK</b>						
2019	240	11 (4.6)	177 (73.8)	29 (12.1)	11 (4.6)	12 (5.0)
2018	276	17 (6.2)	185 (67.0)	43 (15.6)	13 (4.7)	18 (6.5)
2017	305	14 (4.6)	187 (61.3)	62 (20.3)	11 (3.6)	31 (10.2)
2016	301	19 (6.3)	198 (65.8)	42 (14.0)	13 (4.3)	29 (9.6)
2015	327	9 (2.8)	240 (73.4)	44 (13.5)	10 (3.1)	24 (7.3)
2014	320	14 (4.4)	225 (70.3)	43 (13.4)	14 (4.4)	24 (7.5)
2013	270	11 (4.1)	182 (67.4)	44 (16.3)	13 (4.8)	20 (7.4)
2012	302	10 (3.3)	209 (69.2)	39 (12.9)	18 (6.0)	26 (8.6)
2011	298	11 (3.7)	199 (66.8)	53 (17.8)	17 (5.7)	18 (6.0)
<b>HORIZON: ALEXANDRIA</b>						
2019	214	8 (3.7)	148 (69.2)	33 (15.4)	13 (6.1)	12 (5.6)
2018	252	14 (5.6)	182 (72.2)	23 (9.1)	17 (6.7)	16 (6.3)
2017	262	12 (4.6)	170 (64.9)	46 (17.6)	13 (5.0)	21 (8.0)
2016	255	8 (3.1)	182 (71.4)	37 (14.5)	7 (2.7)	21 (8.2)
2015	289	9 (3.1)	204 (70.6)	55 (19.0)	5 (1.7)	16 (5.5)
2014	305	9 (3.0)	215 (70.5)	47 (15.4)	11 (3.6)	23 (7.5)
2013	310	13 (4.2)	213 (68.7)	58 (18.7)	10 (3.2)	16 (5.2)
2012	325	11 (3.4)	236 (72.6)	47 (14.5)	9 (2.8)	22 (6.8)
2011	323	19 (5.9)	226 (70.0)	39 (12.1)	19 (5.9)	20 (6.2)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>ISANTI: CAMBRIDGE</b>						
2019	172	11 (6.4)	112 (65.1)	27 (15.7)	6 (3.5)	16 (9.3)
2018	165	10 (6.1)	112 (67.9)	27 (16.4)	6 (3.6)	10 (6.1)
2017	200	3 (1.5)	146 (73.0)	37 (18.5)	2 (1.0)	12 (6.0)
2016	200	4 (2.0)	154 (77.0)	23 (11.5)	5 (2.5)	14 (7.0)
2015	230	11 (4.8)	164 (71.3)	29 (12.6)	11 (4.8)	15 (6.5)
2014	183	6 (3.3)	132 (72.1)	25 (13.7)	4 (2.2)	16 (8.7)
2013	208	8 (3.8)	145 (69.7)	27 (13.0)	10 (4.8)	18 (8.7)
2012	212	7 (3.3)	155 (73.1)	24 (11.3)	9 (4.2)	17 (8.0)
2011	237	3 (1.3)	175 (73.8)	40 (16.9)	6 (2.5)	13 (5.5)
<b>KANDIYOHI- RENVILLE: WILLMAR</b>						
2019	653	27 (4.1)	389 (59.6)	106 (16.2)	45 (6.9)	86 (13.2)
2018	683	31 (4.5)	420 (61.5)	123 (18.0)	35 (5.1)	74 (10.8)
2017	692	34 (4.9)	432 (62.4)	111 (16.0)	41 (5.9)	74 (10.7)
2016	664	42 (6.3)	419 (63.1)	105 (15.8)	35 (5.3)	63 (9.5)
2015	623	29 (4.7)	412 (66.1)	92 (14.8)	30 (4.8)	60 (9.6)
2014	594	35 (5.9)	392 (66.0)	86 (14.5)	23 (3.9)	58 (9.8)
2013	607	25 (4.1)	394 (64.9)	97 (16.0)	36 (5.9)	55 (9.1)
2012	583	16 (2.7)	373 (64.0)	116 (19.9)	22 (3.8)	56 (9.6)
2011	627	17 (2.7)	392 (62.5)	114 (18.2)	47 (7.5)	57 (9.1)
<b>MEEKER-MCLEOD-SIBLEY: HUTCHINSON</b>						
2019	<b>182</b>	<b>6 (3.3)</b>	<b>113 (62.1)</b>	<b>35 (19.2)</b>	<b>11 (6.0)</b>	<b>17 (9.3)</b>
2018	189	6 (3.2)	125 (66.1)	31 (16.4)	16 (8.5)	11 (5.8)
2017	189	3 (1.6)	135 (71.4)	25 (13.2)	11 (5.8)	15 (7.9)
2016	190	4 (2.1)	137 (72.1)	24 (12.6)	9 (4.7)	16 (8.4)
2015	212	4 (1.9)	155 (73.1)	23 (10.8)	8 (3.8)	22 (10.4)
2014	214	4 (1.9)	156 (72.9)	27 (12.6)	10 (4.7)	17 (7.9)
2013	210	6 (2.9)	135 (64.3)	38 (18.1)	8 (3.8)	23 (11.0)
2012	225	7 (3.1)	147 (65.3)	41 (18.2)	9 (4.0)	21 (9.3)
2011	240	5 (2.1)	172 (71.7)	40 (16.7)	11 (4.6)	12 (5.0)
<b>MINNEAPOLIS:MINNEAPOLIS</b>						
2019	4,993	227 (4.5)	3,397 (68.0)	746 (14.9)	211 (4.2)	412 (8.3)
2018	5,736	262 (4.6)	3,842 (67.0)	871 (15.2)	255 (4.4)	506 (8.8)
2017	6,321	225 (3.6)	4,315 (68.3)	924 (14.6)	306 (4.8)	551 (8.7)
2016	6,986	270 (3.9)	4,751 (68.0)	1,058 (15.1)	330 (4.7)	577 (8.3)
2015	7,317	292 (4.0)	4,990 (68.2)	1,127 (15.4)	318 (4.3)	590 (8.1)
2014	7,266	297 (4.1)	4,882 (67.2)	1,082 (14.9)	356 (4.9)	649 (8.9)
2013	7,481	288 (3.8)	4,970 (66.4)	1,160 (15.5)	374 (5.0)	689 (9.2)
2012	7,722	253 (3.3)	5,151 (66.7)	1,224 (15.9)	383 (5.0)	711 (9.2)
2011	7,939	211 (2.7)	5,268 (66.4)	1,270 (16.0)	484 (6.1)	706 (8.9)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>MORRISON-TODD-WADENA: LITTLE FALLS</b>						
2019	187	9 (4.8)	133 (71.1)	24 (12.8)	5 (2.7)	16 (8.6)
2018	237	12 (5.1)	165 (69.6)	33 (13.9)	11 (4.6)	16 (6.8)
2017	259	10 (3.9)	177 (68.3)	41 (15.8)	14 (5.4)	17 (6.6)
2016	251	16 (6.4)	172 (68.5)	38 (15.1)	14 (5.6)	11 (4.4)
2015	249	13 (5.2)	175 (70.3)	36 (14.5)	11 (4.4)	14 (5.6)
2014	220	8 (3.6)	146 (66.4)	45 (20.5)	10 (4.5)	11 (5.0)
2013	244	10 (4.1)	174 (71.3)	33 (13.5)	13 (5.3)	14 (5.7)
2012	254	11 (4.3)	195 (76.8)	30 (11.8)	7 (2.8)	11 (4.3)
2011	269	7 (2.6)	203 (75.5)	39 (14.5)	7 (2.6)	13 (4.8)
<b>MOWER: AUSTIN</b>						
2019	554	15 (2.7)	362 (65.3)	98 (17.7)	31 (5.6)	48 (8.7)
2018	554	17 (3.1)	347 (62.6)	93 (16.8)	32 (5.8)	65 (11.7)
2017	557	11 (2.0)	353 (63.4)	92 (16.5)	37 (6.6)	64 (11.5)
2016	550	13 (2.4)	335 (60.9)	98 (17.8)	35 (6.4)	69 (12.5)
2015	558	18 (3.2)	337 (60.4)	106 (19.0)	33 (5.9)	64 (11.5)
2014	596	13 (2.2)	387 (64.9)	109 (18.3)	43 (7.2)	44 (7.4)
2013	692	13 (1.9)	435 (62.9)	129 (18.6)	42 (6.1)	73 (10.5)
2012	748	17 (2.3)	465 (62.2)	151 (20.2)	47 (6.3)	68 (9.1)
2011	664	25 (3.8)	405 (61.0)	126 (19.0)	46 (6.9)	62 (9.3)
<b>NOBLES: WORTHINGTON</b>						
2019	476	11 (2.3)	290 (60.9)	86 (18.1)	23 (4.8)	66 (13.9)
2018	520	21 (4.0)	311 (59.8)	102 (19.6)	28 (5.4)	58 (11.2)
2017	476	6 (1.3)	297 (62.4)	89 (18.7)	34 (7.1)	50 (10.5)
2016	503	13 (2.6)	309 (61.4)	91 (18.1)	28 (5.6)	62 (12.3)
2015	452	7 (1.5)	277 (61.3)	97 (21.5)	25 (5.5)	46 (10.2)
2014	424	14 (3.3)	278 (65.6)	70 (16.5)	31 (7.3)	31 (7.3)
2013	452	10 (2.2)	291 (64.4)	80 (17.7)	26 (5.8)	45 (10.0)
2012	445	10 (2.2)	274 (61.6)	85 (19.1)	27 (6.1)	49 (11.0)
2011	444	15 (3.4)	255 (57.4)	82 (18.5)	34 (7.7)	58 (13.1)
<b>OLMSTED: ROCHESTER</b>						
2019	1,425	76 (5.3)	943 (66.2)	215 (15.1)	65 (4.6)	126 (8.8)
2018	1,462	55 (3.8)	1,002 (68.5)	216 (14.8)	65 (4.4)	124 (8.5)
2017	1,458	60 (4.1)	1,012 (69.4)	208 (14.3)	57 (3.9)	121 (8.3)
2016	1,547	62 (4.0)	1,068 (69.0)	242 (15.6)	69 (4.5)	106 (6.9)
2015	1,605	72 (4.5)	1,114 (69.4)	238 (14.8)	64 (4.0)	117 (7.3)
2014	1,588	82 (5.2)	1,097 (69.1)	233 (14.7)	67 (4.2)	109 (6.9)
2013	1,709	68 (4.0)	1,174 (68.7)	261 (15.3)	75 (4.4)	131 (7.7)
2012	1,810	58 (3.2)	1,292 (71.4)	278 (15.4)	69 (3.8)	113 (6.2)
2011	1,837	66 (3.6)	1,301 (70.8)	285 (15.5)	84 (4.6)	101 (5.5)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>PARTNERSHIP 4 HEALTH: DETROIT LAKES</b>						
2019	219	6 (2.7)	150 (68.5)	33 (15.1)	9 (4.1)	21 (9.6)
2018	241	8 (3.3)	151 (62.7)	44 (18.3)	15 (6.2)	23 (9.5)
2017	246	4 (1.6)	165 (67.1)	35 (14.2)	15 (6.1)	27 (11.0)
2016	265	6 (2.3)	177 (66.8)	45 (17.0)	18 (6.8)	19 (7.2)
2015	265	12 (4.5)	181 (68.3)	44 (16.6)	15 (5.7)	13 (4.9)
2014	272	10 (3.7)	183 (67.3)	49 (18.0)	12 (4.4)	18 (6.6)
2013	282	7 (2.5)	185 (65.6)	48 (17.0)	18 (6.4)	24 (8.5)
2012	304	10 (3.3)	216 (71.1)	49 (16.1)	13 (4.3)	16 (5.3)
2011	319	10 (3.1)	233 (73.0)	47 (14.7)	14 (4.4)	15 (4.7)
<b>PARTNERSHIP 4 HEALTH: FERGUS FALLS</b>						
2019	202	6 (3.0)	138 (68.3)	29 (14.4)	13 (6.4)	16 (7.9)
2018	206	5 (2.4)	144 (69.9)	30 (14.6)	12 (5.8)	15 (7.3)
2017	207	3 (1.4)	149 (72.0)	31 (15.0)	13 (6.3)	11 (5.3)
2016	229	10 (4.4)	163 (71.2)	31 (13.5)	13 (5.7)	12 (5.2)
2015	237	6 (2.5)	178 (75.1)	30 (12.7)	11 (4.6)	12 (5.1)
2014	240	5 (2.1)	167 (69.6)	44 (18.3)	9 (3.8)	15 (6.2)
2013	217	10 (4.6)	141 (65.0)	42 (19.4)	14 (6.5)	10 (4.6)
2012	268	9 (3.4)	200 (74.6)	40 (14.9)	8 (3.0)	11 (4.1)
2011	267	11 (4.1)	187 (70.0)	46 (17.2)	7 (2.6)	16 (6.0)
<b>PARTNERSHIP 4 HEALTH: MOORHEAD</b>						
2019	602	24 (4.0)	417 (69.3)	77 (12.8)	34 (5.6)	50 (8.3)
2018	673	31 (4.6)	452 (67.2)	97 (14.4)	30 (4.5)	63 (9.4)
2017	662	25 (3.8)	471 (71.1)	86 (13.0)	31 (4.7)	49 (7.4)
2016	700	27 (3.9)	474 (67.7)	114 (16.3)	34 (4.9)	51 (7.3)
2015	634	13 (2.1)	431 (68.0)	107 (16.9)	31 (4.9)	52 (8.2)
2014	601	19 (3.2)	417 (69.4)	85 (14.1)	23 (3.8)	57 (9.5)
2013	607	16 (2.6)	421 (69.4)	93 (15.3)	24 (4.0)	53 (8.7)
2012	624	13 (2.1)	450 (72.1)	105 (16.8)	21 (3.4)	35 (5.6)
2011	578	19 (3.3)	402 (69.6)	93 (16.1)	29 (5.0)	35 (6.1)
<b>QUIN: THIEF RIVER FALLS</b>						
2019	162	3 (1.9)	108 (66.7)	31 (19.1)	6 (3.7)	14 (8.6)
2018	165	9 (5.5)	112 (67.9)	18 (10.9)	13 (7.9)	13 (7.9)
2017	182	5 (2.7)	123 (67.6)	26 (14.3)	14 (7.7)	14 (7.7)
2016	206	3 (1.5)	140 (68.0)	32 (15.5)	12 (5.8)	19 (9.2)
2015	197	4 (2.0)	131 (66.5)	25 (12.7)	19 (9.6)	18 (9.1)
2014	186	9 (4.8)	115 (61.8)	36 (19.4)	10 (5.4)	16 (8.6)
2013	212	9 (4.2)	138 (65.1)	39 (18.4)	12 (5.7)	14 (6.6)
2012	223	4 (1.8)	155 (69.5)	39 (17.5)	8 (3.6)	17 (7.6)
2011	233	6 (2.6)	157 (67.4)	36 (15.5)	11 (4.7)	23 (9.9)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>RAMSEY: ARDEN HILLS /SHOREVIEW/VADNAIS HTS</b>						
2019	161	5 (3.1)	113 (70.2)	30 (18.6)	5 (3.1)	8 (5.0)
2018	162	6 (3.7)	109 (67.3)	32 (19.8)	5 (3.1)	10 (6.2)
2017	207	9 (4.3)	152 (73.4)	24 (11.6)	8 (3.9)	14 (6.8)
2016	202	7 (3.5)	147 (72.8)	24 (11.9)	10 (5.0)	14 (6.9)
2015	214	9 (4.2)	150 (70.1)	34 (15.9)	10 (4.7)	11 (5.1)
2014	193	10 (5.2)	142 (73.6)	21 (10.9)	9 (4.7)	11 (5.7)
2013	193	5 (2.6)	142 (73.6)	29 (15.0)	7 (3.6)	10 (5.2)
2012	204	2 (1.0)	143 (70.1)	36 (17.6)	9 (4.4)	14 (6.9)
2011	209	1 (<1)	145 (69.4)	30 (14.4)	15 (7.2)	18 (8.6)
<b>RAMSEY: LITTLE CANADA/ NORTH ST. PAUL</b>						
2019	253	8 (3.2)	174 (68.8)	35 (13.8)	9 (3.6)	27 (10.7)
2018	254	9 (3.5)	180 (70.9)	36 (14.2)	7 (2.8)	22 (8.7)
2017	266	9 (3.4)	182 (68.4)	51 (19.2)	7 (2.6)	17 (6.4)
2016	263	4 (1.5)	190 (72.2)	41 (15.6)	5 (1.9)	23 (8.7)
2015	276	11 (4.0)	191 (69.2)	40 (14.5)	13 (4.7)	21 (7.6)
2014	274	18 (6.6)	180 (65.7)	39 (14.2)	15 (5.5)	22 (8.0)
2013	249	8 (3.2)	174 (69.9)	29 (11.6)	15 (6.0)	23 (9.2)
2012	248	6 (2.4)	168 (67.7)	43 (17.3)	7 (2.8)	24 (9.7)
2011	242	4 (1.7)	156 (64.5)	48 (19.8)	7 (2.9)	27 (11.2)
<b>RAMSEY: MAPLEWOOD</b>						
2019	577	20 (3.5)	396 (68.6)	77 (13.3)	16 (2.8)	68 (11.8)
2018	562	14 (2.5)	377 (67.1)	89 (15.8)	27 (4.8)	55 (9.8)
2017	553	17 (3.1)	371 (67.1)	91 (16.5)	24 (4.3)	50 (9.0)
2016	542	12 (2.2)	381 (70.3)	89 (16.4)	25 (4.6)	35 (6.5)
2015	549	16 (2.9)	396 (72.1)	90 (16.4)	15 (2.7)	32 (5.8)
2014	527	15 (2.8)	391 (74.2)	64 (12.1)	18 (3.4)	39 (7.4)
2013	496	11 (2.2)	359 (72.4)	70 (14.1)	17 (3.4)	39 (7.9)
2012	547	6 (1.1)	390 (71.3)	87 (15.9)	24 (4.4)	40 (7.3)
2011	539	4 (<1)	372 (69.0)	92 (17.1)	29 (5.4)	42 (7.8)
<b>RAMSEY: MOUNDS VIEW</b>						
2019	116	6 (5.2)	76 (65.5)	18 (15.5)	6 (5.2)	10 (8.6)
2018	152	5 (3.3)	103 (67.8)	16 (10.5)	13 (8.6)	15 (9.9)
2017	178	4 (2.2)	114 (64.0)	30 (16.9)	12 (6.7)	18 (10.1)
2016	189	11 (5.8)	119 (63.0)	32 (16.9)	11 (5.8)	16 (8.5)
2015	175	7 (4.0)	113 (64.6)	36 (20.6)	8 (4.6)	11 (6.3)
2014	167	6 (3.6)	109 (65.3)	31 (18.6)	6 (3.6)	15 (9.0)
2013	180	3 (1.7)	119 (66.1)	25 (13.9)	11 (6.1)	22 (12.2)
2012	162	4 (2.5)	112 (69.1)	24 (14.8)	7 (4.3)	15 (9.3)
2011	159	2 (1.3)	104 (65.4)	37 (23.3)	5 (3.1)	11 (6.9)



**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>RAMSEY: NEW BRIGHTON</b>						
2019	223	10 (4.5)	153 (68.6)	32 (14.3)	10 (4.5)	18 (8.1)
2018	237	14 (5.9)	162 (68.4)	31 (13.1)	9 (3.8)	21 (8.9)
2017	261	15 (5.7)	176 (67.4)	37 (14.2)	17 (6.5)	16 (6.1)
2016	267	10 (3.7)	183 (68.5)	41 (15.4)	8 (3.0)	25 (9.4)
2015	270	12 (4.4)	193 (71.5)	38 (14.1)	8 (3.0)	19 (7.0)
2014	240	11 (4.6)	182 (75.8)	27 (11.2)	8 (3.3)	12 (5.0)
2013	260	10 (3.8)	191 (73.5)	28 (10.8)	12 (4.6)	19 (7.3)
2012	270	14 (5.2)	201 (74.4)	22 (8.1)	15 (5.6)	18 (6.7)
2011	257	3 (1.2)	192 (74.7)	33 (12.8)	19 (7.4)	10 (3.9)
<b>RAMSEY: ROSEVILLE</b>						
2019	294	23 (7.8)	204 (69.4)	41 (13.9)	12 (4.1)	14 (4.8)
2018	291	18 (6.2)	207 (71.1)	32 (11.0)	13 (4.5)	21 (7.2)
2017	315	12 (3.8)	228 (72.4)	38 (12.1)	16 (5.1)	21 (6.7)
2016	316	11 (3.5)	223 (70.6)	52 (16.5)	11 (3.5)	19 (6.0)
2015	291	22 (7.6)	197 (67.7)	45 (15.5)	10 (3.4)	17 (5.8)
2014	257	18 (7.0)	181 (70.4)	30 (11.7)	9 (3.5)	19 (7.4)
2013	303	15 (5.0)	221 (72.9)	36 (11.9)	10 (3.3)	21 (6.9)
2012	281	14 (5.0)	195 (69.4)	41 (14.6)	11 (3.9)	20 (7.1)
2011	250	8 (3.2)	182 (72.8)	28 (11.2)	18 (7.2)	14 (5.6)
<b>RAMSEY: ST. PAUL</b>						
2019	6,441	217 (3.4)	4,226 (65.6)	1,113 (17.3)	265 (4.1)	620 (9.6)
2018	7,078	270 (3.8)	4,709 (66.5)	1,157 (16.3)	301 (4.3)	641 (9.1)
2017	7,477	209 (2.8)	5,064 (67.7)	1,163 (15.6)	341 (4.6)	700 (9.4)
2016	8,080	308 (3.8)	5,393 (66.7)	1,295 (16.0)	351 (4.3)	733 (9.1)
2015	8,271	302 (3.7)	5,594 (67.6)	1,302 (15.7)	347 (4.2)	726 (8.8)
2014	7,985	290 (3.6)	5,421 (67.9)	1,137 (14.2)	392 (4.9)	745 (9.3)
2013	8,417	249 (3.0)	5,548 (65.9)	1,335 (15.9)	468 (5.6)	817 (9.7)
2012	8,486	192 (2.3)	5,614 (66.2)	1,418 (16.7)	482 (5.7)	780 (9.2)
2011	8,304	178 (2.1)	5,461 (65.8)	1,497 (18.0)	495 (6.0)	673 (8.1)
<b>RAMSEY: WHITE BEAR LAKE</b>						
2019	142	5 (3.5)	98 (69.0)	23 (16.2)	4 (2.8)	12 (8.5)
2018	146	5 (3.4)	100 (68.5)	23 (15.8)	7 (4.8)	11 (7.5)
2017	159	3 (1.9)	106 (66.7)	27 (17.0)	10 (6.3)	13 (8.2)
2016	166	6 (3.6)	113 (68.1)	24 (14.5)	7 (4.2)	16 (9.6)
2015	170	3 (1.8)	115 (67.6)	31 (18.2)	4 (2.4)	17 (10.0)
2014	195	10 (5.1)	128 (65.6)	27 (13.8)	8 (4.1)	22 (11.3)
2013	195	9 (4.6)	130 (66.7)	27 (13.8)	10 (5.1)	19 (9.7)
2012	217	6 (2.8)	145 (66.8)	32 (14.7)	15 (6.9)	19 (8.8)
2011	225	7 (3.1)	154 (68.4)	35 (15.6)	12 (5.3)	17 (7.6)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>RICE: FARIBAULT</b>						
2019	548	26 (4.7)	372 (67.9)	84 (15.3)	25 (4.6)	41 (7.5)
2018	588	29 (4.9)	391 (66.5)	102 (17.3)	25 (4.3)	41 (7.0)
2017	620	26 (4.2)	428 (69.0)	96 (15.5)	23 (3.7)	47 (7.6)
2016	604	34 (5.6)	408 (67.5)	94 (15.6)	23 (3.8)	45 (7.5)
2015	608	36 (5.9)	422 (69.4)	74 (12.2)	21 (3.5)	55 (9.0)
2014	607	34 (5.6)	410 (67.5)	80 (13.2)	22 (3.6)	61 (10.0)
2013	642	20 (3.1)	446 (69.5)	91 (14.2)	34 (5.3)	51 (7.9)
2012	638	22 (3.4)	434 (68.0)	102 (16.0)	33 (5.2)	47 (7.4)
2011	595	16 (2.7)	417 (70.1)	91 (15.3)	30 (5.0)	41 (6.9)
<b>RICE: NORTHFIELD</b>						
2019	100	1 (1.0)	58 (58.0)	17 (17.0)	5 (5.0)	19 (19.0)
2018	95	2 (2.1)	59 (62.1)	14 (14.7)	4 (4.2)	16 (16.8)
2017	132	1 (<1)	79 (59.8)	29 (22.0)	7 (5.3)	16 (12.1)
2016	156	2 (1.3)	100 (64.1)	29 (18.6)	8 (5.1)	17 (10.9)
2015	171	4 (2.3)	99 (57.9)	33 (19.3)	14 (8.2)	21 (12.3)
2014	159	5 (3.1)	102 (64.2)	25 (15.7)	12 (7.5)	15 (9.4)
2013	188	5 (2.7)	118 (62.8)	39 (20.7)	8 (4.3)	18 (9.6)
2012	206	2 (1.0)	132 (64.1)	34 (16.5)	12 (5.8)	26 (12.6)
2011	216	4 (1.9)	132 (61.1)	39 (18.1)	19 (8.8)	22 (10.2)
<b>RICHFIELD: RICHFIELD</b>						
2019	337	16 (4.7)	223 (66.2)	53 (15.7)	16 (4.7)	29 (8.6)
2018	384	14 (3.6)	261 (68.0)	53 (13.8)	22 (5.7)	34 (8.9)
2017	431	14 (3.2)	313 (72.6)	55 (12.8)	17 (3.9)	32 (7.4)
2016	467	19 (4.1)	335 (71.7)	51 (10.9)	33 (7.1)	29 (6.2)
2015	538	21 (3.9)	382 (71.0)	71 (13.2)	21 (3.9)	43 (8.0)
2014	506	25 (4.9)	347 (68.6)	71 (14.0)	17 (3.4)	46 (9.1)
2013	562	21 (3.7)	366 (65.1)	96 (17.1)	29 (5.2)	50 (8.9)
2012	587	11 (1.9)	401 (68.3)	109 (18.6)	22 (3.7)	44 (7.5)
2011	620	8 (1.3)	421 (67.9)	106 (17.1)	36 (5.8)	49 (7.9)
<b>SCOTT: PRIOR LAKE/SAVAGE</b>						
2019	357	9 (2.5)	277 (77.6)	39 (10.9)	13 (3.6)	19 (5.3)
2018	351	25 (7.1)	268 (76.4)	31 (8.8)	11 (3.1)	16 (4.6)
2017	317	21 (6.6)	234 (73.8)	35 (11.0)	9 (2.8)	18 (5.7)
2016	354	20 (5.6)	263 (74.3)	44 (12.4)	11 (3.1)	16 (4.5)
2015	355	18 (5.1)	263 (74.1)	39 (11.0)	13 (3.7)	22 (6.2)
2014	317	13 (4.1)	236 (74.4)	42 (13.2)	10 (3.2)	16 (5.0)
2013	325	10 (3.1)	245 (75.4)	43 (13.2)	8 (2.5)	19 (5.8)
2012	364	16 (4.4)	250 (68.7)	61 (16.8)	18 (4.9)	19 (5.2)
2011	392	12 (3.1)	295 (75.3)	53 (13.5)	11 (2.8)	21 (5.4)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>SCOTT: SHAKOPEE</b>						
2019	434	21 (4.8)	312 (71.9)	53 (12.2)	10 (2.3)	38 (8.8)
2018	454	18 (4.0)	328 (72.2)	69 (15.2)	15 (3.3)	24 (5.3)
2017	520	11 (2.1)	385 (74.0)	85 (16.3)	9 (1.7)	30 (5.8)
2016	502	22 (4.4)	351 (69.9)	82 (16.3)	17 (3.4)	30 (6.0)
2015	494	23 (4.7)	356 (72.1)	70 (14.2)	12 (2.4)	33 (6.7)
2014	499	31 (6.2)	357 (71.5)	59 (11.8)	18 (3.6)	34 (6.8)
2013	520	16 (3.1)	374 (71.9)	72 (13.8)	23 (4.4)	35 (6.7)
2012	543	12 (2.2)	387 (71.3)	84 (15.5)	21 (3.9)	39 (7.2)
2011	561	13 (2.3)	394 (70.2)	83 (14.8)	27 (4.8)	44 (7.8)
<b>SHERBURNE: BIG LAKE/CLEAR LAKE/BECKER</b>						
2019	243	7 (2.9)	173 (71.2)	35 (14.4)	7 (2.9)	21 (8.6)
2018	263	12 (4.6)	187 (71.1)	44 (16.7)	7 (2.7)	13 (4.9)
2017	259	5 (1.9)	189 (73.0)	41 (15.8)	10 (3.9)	14 (5.4)
2016	275	10 (3.6)	196 (71.3)	41 (14.9)	12 (4.4)	16 (5.8)
2015	278	10 (3.6)	191 (68.7)	54 (19.4)	7 (2.5)	16 (5.8)
2014	256	8 (3.1)	198 (77.3)	31 (12.1)	5 (2.0)	14 (5.5)
2013	278	4 (1.4)	200 (71.9)	45 (16.2)	9 (3.2)	20 (7.2)
2012	319	14 (4.4)	243 (76.2)	37 (11.6)	13 (4.1)	12 (3.8)
2011	321	15 (4.7)	243 (75.7)	39 (12.1)	11 (3.4)	13 (4.0)
<b>SHERBURNE: ELK RIVER/ ZIMMERMAN</b>						
2019	232	10 (4.3)	152 (65.5)	40 (17.2)	12 (5.2)	18 (7.8)
2018	292	6 (2.1)	212 (72.6)	50 (17.1)	11 (3.8)	13 (4.5)
2017	288	7 (2.4)	208 (72.2)	44 (15.3)	9 (3.1)	20 (6.9)
2016	327	12 (3.7)	255 (78.0)	34 (10.4)	9 (2.8)	17 (5.2)
2015	329	12 (3.6)	237 (72.0)	51 (15.5)	13 (4.0)	16 (4.9)
2014	297	14 (4.7)	222 (74.7)	40 (13.5)	10 (3.4)	11 (3.7)
2013	324	16 (4.9)	227 (70.1)	59 (18.2)	11 (3.4)	11 (3.4)
2012	382	14 (3.7)	280 (73.3)	68 (17.8)	7 (1.8)	13 (3.4)
2011	397	9 (2.3)	311 (78.3)	59 (14.9)	7 (1.8)	11 (2.8)
<b>STEARNS: ST. CLOUD</b>						
2019	1,489	86 (5.8)	1,026 (68.9)	205 (13.8)	62 (4.2)	110 (7.4)
2018	1,548	99 (6.4)	1,085 (70.1)	189 (12.2)	64 (4.1)	111 (7.2)
2017	1,466	87 (5.9)	1,024 (69.8)	195 (13.3)	56 (3.8)	104 (7.1)
2016	1,369	96 (7.0)	981 (71.7)	158 (11.5)	40 (2.9)	94 (6.9)
2015	1,245	93 (7.5)	856 (68.8)	174 (14.0)	50 (4.0)	72 (5.8)
2014	1,104	67 (6.1)	786 (71.2)	134 (12.1)	48 (4.3)	69 (6.2)
2013	1,062	42 (4.0)	822 (77.4)	118 (11.1)	28 (2.6)	52 (4.9)
2012	1,090	42 (3.9)	817 (75.0)	131 (12.0)	41 (3.8)	59 (5.4)
2011	1,051	41 (3.9)	737 (70.1)	170 (16.2)	42 (4.0)	61 (5.8)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>STEARNS: ST JOSEPH /WAITE PARK</b>						
2019	356	17 (4.8)	236 (66.3)	43 (12.1)	24 (6.7)	36 (10.1)
2018	323	24 (7.4)	211 (65.3)	39 (12.1)	18 (5.6)	31 (9.6)
2017	357	17 (4.8)	237 (66.4)	56 (15.7)	14 (3.9)	33 (9.2)
2016	333	21 (6.3)	219 (65.8)	55 (16.5)	14 (4.2)	24 (7.2)
2015	285	14 (4.9)	191 (67.0)	42 (14.7)	15 (5.3)	23 (8.1)
2014	358	15 (4.2)	235 (65.6)	71 (19.8)	13 (3.6)	24 (6.7)
2013	236	14 (5.9)	169 (71.6)	36 (15.3)	2 (<1)	15 (6.4)
2012	227	12 (5.3)	161 (70.9)	36 (15.9)	8 (3.5)	10 (4.4)
2011	440	19 (4.3)	301 (68.4)	75 (17.0)	24 (5.5)	21 (4.8)
<b>STEARNS: SARTELL/ SAUK RAPIDS/SAUK CTR</b>						
2019	266	7 (2.6)	190 (71.4)	46 (17.3)	10 (3.8)	13 (4.9)
2018	288	11 (3.8)	199 (69.1)	41 (14.2)	10 (3.5)	27 (9.4)
2017	312	12 (3.8)	213 (68.3)	47 (15.1)	11 (3.5)	29 (9.3)
2016	326	14 (4.3)	224 (68.7)	51 (15.6)	12 (3.7)	25 (7.7)
2015	358	16 (4.5)	258 (72.1)	50 (14.0)	9 (2.5)	25 (7.0)
2014	232	10 (4.3)	165 (71.1)	27 (11.6)	13 (5.6)	17 (7.3)
2013	355	11 (3.1)	258 (72.7)	56 (15.8)	12 (3.4)	18 (5.1)
2012	402	15 (3.7)	305 (75.9)	48 (11.9)	16 (4.0)	18 (4.5)
2011	217	9 (4.1)	146 (67.3)	35 (16.1)	8 (3.7)	19 (8.8)
<b>STEELE: OWATONNA</b>						
2019	350	11 (3.1)	229 (65.4)	55 (15.7)	16 (4.6)	39 (11.1)
2018	373	11 (2.9)	248 (66.5)	62 (16.6)	14 (3.8)	38 (10.2)
2017	399	17 (4.3)	252 (63.2)	84 (21.1)	16 (4.0)	30 (7.5)
2016	428	9 (2.1)	277 (64.7)	82 (19.2)	23 (5.4)	37 (8.6)
2015	439	21 (4.8)	302 (68.8)	64 (14.6)	15 (3.4)	37 (8.4)
2014	432	15 (3.5)	301 (69.7)	68 (15.7)	15 (3.5)	33 (7.6)
2013	490	18 (3.7)	339 (69.2)	69 (14.1)	29 (5.9)	35 (7.1)
2012	520	14 (2.7)	357 (68.7)	91 (17.5)	22 (4.2)	36 (6.9)
2011	576	15 (2.6)	412 (71.5)	79 (13.7)	26 (4.5)	44 (7.6)
<b>SOUTHWEST: MARSHALL</b>						
2019	367	13 (3.5)	244 (66.5)	55 (15.0)	15 (4.1)	40 (10.9)
2018	386	12 (3.1)	258 (66.8)	59 (15.3)	27 (7.0)	30 (7.8)
2017	361	10 (2.8)	254 (70.4)	51 (14.1)	12 (3.3)	34 (9.4)
2016	380	11 (2.9)	262 (68.9)	65 (17.1)	18 (4.7)	24 (6.3)
2015	359	16 (4.5)	243 (67.7)	60 (16.7)	14 (3.9)	26 (7.2)
2014	268	5 (1.9)	189 (70.5)	32 (11.9)	12 (4.5)	30 (11.2)
2013	309	6 (1.9)	210 (68.0)	49 (15.9)	20 (6.5)	24 (7.8)
2012	305	2 (<1)	209 (68.5)	50 (16.4)	19 (6.2)	25 (8.2)
2011	318	12 (3.8)	208 (65.4)	50 (15.7)	13 (4.1)	35 (11.0)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>WASHINGTON: COTTAGE GROVE/ST. PAUL PARK</b>						
2019	280	11 (3.9)	182 (65.0)	54 (19.3)	18 (6.4)	15 (5.4)
2018	306	8 (2.6)	208 (68.0)	52 (17.0)	16 (5.2)	22 (7.2)
2017	325	7 (2.2)	225 (69.2)	49 (15.1)	20 (6.2)	24 (7.4)
2016	337	10 (3.0)	238 (70.6)	59 (17.5)	13 (3.9)	17 (5.0)
2015	351	5 (1.4)	266 (75.8)	48 (13.7)	13 (3.7)	19 (5.4)
2014	333	12 (3.6)	226 (67.9)	58 (17.4)	15 (4.5)	22 (6.6)
2013	372	7 (1.9)	261 (70.2)	60 (16.1)	18 (4.8)	26 (7.0)
2012	414	10 (2.4)	286 (69.1)	65 (15.7)	22 (5.3)	31 (7.5)
2011	388	7 (1.8)	274 (70.6)	60 (15.5)	18 (4.6)	29 (7.5)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>WASHINGTON: FOREST LAKE/HUGO</b>						
2019	160	8 (5.0)	109 (68.1)	23 (14.4)	7 (4.4)	13 (8.1)
2018	158	7 (4.4)	115 (72.8)	17 (10.8)	10 (6.3)	9 (5.7)
2017	159	5 (3.1)	103 (64.8)	26 (16.4)	11 (6.9)	14 (8.8)
2016	194	12 (6.2)	131 (67.5)	26 (13.4)	14 (7.2)	11 (5.7)
2015	226	11 (4.9)	157 (69.5)	36 (15.9)	7 (3.1)	15 (6.6)
2014	221	8 (3.6)	158 (71.5)	33 (14.9)	8 (3.6)	14 (6.3)
2013	222	5 (2.3)	142 (64.0)	40 (18.0)	16 (7.2)	19 (8.6)
2012	273	4 (1.5)	176 (64.5)	57 (20.9)	19 (7.0)	17 (6.2)
2011	280	4 (1.4)	179 (63.9)	63 (22.5)	16 (5.7)	18 (6.4)
<b>WASHINGTON: LAKE ELMO /MAHTOMEDI/STILLWATER</b>						
2019	135	3 (2.2)	90 (66.7)	22 (16.3)	3 (2.2)	17 (12.6)
2018	131	3 (2.3)	89 (67.9)	23 (17.6)	7 (5.3)	9 (6.9)
2017	151	1 (<1)	100 (66.2)	24 (15.9)	14 (9.3)	12 (7.9)
2016	168	7 (4.2)	117 (69.6)	22 (13.1)	8 (4.8)	14 (8.3)
2015	187	10 (5.3)	125 (66.8)	32 (17.1)	10 (5.3)	10 (5.3)
2014	296	11 (3.7)	201 (67.9)	42 (14.2)	19 (6.4)	23 (7.8)
2013	193	4 (2.1)	135 (69.9)	36 (18.7)	7 (3.6)	11 (5.7)
2012	229	5 (2.2)	155 (67.7)	42 (18.3)	12 (5.2)	15 (6.6)
2011	356	10 (2.8)	237 (66.6)	75 (21.1)	15 (4.2)	19 (5.3)
<b>WASHINGTON: OAKDALE</b>						
2019	283	7 (2.5)	183 (64.7)	61 (21.6)	11 (3.9)	21 (7.4)
2018	282	8 (2.8)	186 (66.0)	57 (20.2)	7 (2.5)	24 (8.5)
2017	280	7 (2.5)	183 (65.4)	44 (15.7)	16 (5.7)	30 (10.7)
2016	295	8 (2.7)	202 (68.5)	48 (16.3)	11 (3.7)	26 (8.8)
2015	329	13 (4.0)	241 (73.3)	39 (11.9)	21 (6.4)	15 (4.6)
2014	161	9 (5.6)	107 (66.5)	26 (16.1)	6 (3.7)	13 (8.1)
2013	304	5 (1.6)	207 (68.1)	56 (18.4)	15 (4.9)	21 (6.9)
2012	364	10 (2.7)	241 (66.2)	72 (19.8)	15 (4.1)	26 (7.1)
2011	216	6 (2.8)	143 (66.2)	44 (20.4)	14 (6.5)	9 (4.2)
<b>WASHINGTON: NEWPORT.WOODBURY</b>						
2019	277	5 (1.8)	191 (69.0)	43 (15.5)	7 (2.5)	31 (11.2)
2018	301	6 (2.0)	220 (73.1)	43 (14.3)	7 (2.3)	25 (8.3)
2017	346	8 (2.3)	253 (73.1)	52 (15.0)	9 (2.6)	24 (6.9)
2016	332	11 (3.3)	241 (72.6)	47 (14.2)	10 (3.0)	23 (6.9)
2015	358	19 (5.3)	238 (66.5)	58 (16.2)	20 (5.6)	23 (6.4)
2014	366	17 (4.6)	246 (67.2)	65 (17.8)	8 (2.2)	30 (8.2)
2013	382	15 (3.9)	266 (69.6)	54 (14.1)	18 (4.7)	29 (7.6)
2012	426	15 (3.5)	297 (69.7)	71 (16.7)	15 (3.5)	28 (6.6)
2011	429	6 (1.4)	307 (71.6)	71 (16.6)	20 (4.7)	25 (5.8)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC  
by City of Residence and Calendar Year  
Minnesota WIC Information System**

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
<b>WINONA: WINONA</b>						
2019	176	5 (2.8)	115 (65.3)	28 (15.9)	9 (5.1)	19 (10.8)
2018	189	1 (<1)	125 (66.1)	33 (17.5)	7 (3.7)	23 (12.2)
2017	211	4 (1.9)	124 (58.8)	42 (19.9)	9 (4.3)	32 (15.2)
2016	242	6 (2.5)	155 (64.0)	42 (17.4)	10 (4.1)	29 (12.0)
2015	239	8 (3.3)	149 (62.3)	42 (17.6)	12 (5.0)	28 (11.7)
2014	247	10 (4.0)	169 (68.4)	39 (15.8)	7 (2.8)	22 (8.9)
2013	277	11 (4.0)	191 (69.0)	45 (16.2)	11 (4.0)	19 (6.9)
2012	310	8 (2.6)	223 (71.9)	40 (12.9)	14 (4.5)	25 (8.1)
2011	312	10 (3.2)	213 (68.3)	55 (17.6)	15 (4.8)	19 (6.1)
<b>WRIGHT: BUFFALO/ ST. MICHAELS</b>						
2019	212	2 (<1)	154 (72.6)	36 (17.0)	9 (4.2)	11 (5.2)
2018	224	5 (2.2)	160 (71.4)	40 (17.9)	6 (2.7)	13 (5.8)
2017	214	2 (<1)	155 (72.4)	37 (17.3)	9 (4.2)	11 (5.1)
2016	232	5 (2.2)	153 (65.9)	52 (22.4)	10 (4.3)	12 (5.2)
2015	249	4 (1.6)	166 (66.7)	47 (18.9)	14 (5.6)	18 (7.2)
2014	272	9 (3.3)	187 (68.8)	54 (19.9)	7 (2.6)	15 (5.5)
2013	282	8 (2.8)	189 (67.0)	57 (20.2)	16 (5.7)	12 (4.3)
2012	331	8 (2.4)	239 (72.2)	56 (16.9)	11 (3.3)	17 (5.1)
2011	355	8 (2.3)	254 (71.5)	67 (18.9)	14 (3.9)	12 (3.4)
<b>WRIGHT: MONTICELLO/ OTSEGO</b>						
2019	256	10 (3.9)	169 (66.0)	52 (20.3)	8 (3.1)	17 (6.6)
2018	266	9 (3.4)	179 (67.3)	52 (19.5)	10 (3.8)	16 (6.0)
2017	261	8 (3.1)	183 (70.1)	52 (19.9)	6 (2.3)	12 (4.6)
2016	295	10 (3.4)	202 (68.5)	50 (16.9)	23 (7.8)	10 (3.4)
2015	290	10 (3.4)	214 (73.8)	45 (15.5)	13 (4.5)	8 (2.8)
2014	296	7 (2.4)	204 (68.9)	61 (20.6)	15 (5.1)	9 (3.0)
2013	306	11 (3.6)	202 (66.0)	60 (19.6)	15 (4.9)	18 (5.9)
2012	323	6 (1.9)	219 (67.8)	56 (17.3)	14 (4.3)	28 (8.7)
2011	344	4 (1.2)	241 (70.1)	60 (17.4)	14 (4.1)	25 (7.3)

\*\*\*\* percentages suppressed if denominator <30

Suggested Citation: Minnesota WIC Information System. Weight Status in Minnesota WIC Children Ages 2 to 5 Years by City of Residence by Calendar Year. Minnesota WIC Program. 2020.

For more information contact: Minnesota WIC Program 1 (800) 657-3942

<sup>1</sup> Last reported City where children resided as of January of subsequent calendar year.

<sup>2</sup>Total children ages 2 to 5 years with weight status information. Analyses based on one randomly selected record per child. Excludes records with unknown data or errors. Biologically implausible values (BIV) for weight, height and BMI at a z score +5 were removed, which is consistent with previous MN WIC reports for years 2011 to 2016. For 2017 and later, BIV was defined for weight-for-age z score as <-5 or >8; height-for-age z score as <-5 or >4; and BMI z score as <-4 or >8.

<https://www.cdc.gov/nccdphp/dnpao/growthcharts/resources/sas.htm>

<sup>3</sup>Total number in weight category (Percentage of total children). Based on 2000 CDC growth chart percentiles for children 2 years of age and older; underweight is defined as BMI-for-age



# Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC by City of Residence and Calendar Year Minnesota WIC Information System

CHB	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>3</sup>	Overweight <sup>3</sup>	Obese <sup>3</sup>	Very Obese <sup>3</sup>
-----	--------------------	--------------------------	---------------------	-------------------------	--------------------	-------------------------

< 5th percentile, overweight is defined as BMI-for-age  $\geq$  85th to < 95th percentile,

obese is defined as  $\geq$  95th percentile to <97.5 percentile, and

very obese is defined as  $\geq$ 97.5 percentile.