

**Pre-pregnancy Weight Status by Calendar Year of Delivery and  
Community Health Board of Residence in Minnesota WIC  
Minnesota WIC Information System**

<b>CHB OF RESIDENCE<sup>1</sup></b>	<b>Total<sup>2</sup></b>	<b>Underweight<sup>3</sup></b>	<b>Normal<sup>4</sup></b>	<b>Overweight<sup>5</sup></b>	<b>Obese<sup>6</sup></b>	<b>Very Obese<sup>7</sup></b>
<b>MINNESOTA</b>						
2021	21,891	498 (2.3)	5,945 (27.2)	6,548 (29.9)	4,386 (20.0)	4,514 (20.6)
2020	23,026	573 (2.5)	6,476 (28.1)	6,821 (29.6)	4,511 (19.6)	4,645 (20.2)
2019	22,560	576 (2.6)	6,703 (29.7)	6,560 (29.1)	4,453 (19.7)	4,268 (18.9)
2018	21,950	713 (3.2)	7,577 (34.5)	6,108 (27.8)	3,910 (17.8)	3,642 (16.6)
2017	23,990	754 (3.1)	8,641 (36.0)	6,717 (28.0)	4,113 (17.1)	3,765 (15.7)
2016	26,620	853 (3.2)	8,340 (31.3)	7,918 (29.7)	4,950 (18.6)	4,559 (17.1)
2015	25,289	858 (3.4)	9,629 (38.1)	7,068 (27.9)	4,159 (16.4)	3,575 (14.1)
2014	23,940	770 (3.2)	9,149 (38.2)	6,637 (27.7)	3,990 (16.7)	3,394 (14.2)
2013	24,510	790 (3.2)	9,555 (39.0)	6,646 (27.1)	3,999 (16.3)	3,520 (14.4)
2012	25,727	878 (3.4)	9,876 (38.4)	7,226 (28.1)	4,108 (16.0)	3,639 (14.1)
2011	25,084	744 (3.0)	9,611 (38.3)	6,982 (27.8)	4,140 (16.5)	3,607 (14.4)
<b>AITKIN ITASCA KOOCHICHING</b>						
2021	272	4 (1.5)	79 (29.0)	59 (21.7)	56 (20.6)	74 (27.2)
2020	260	5 (1.9)	77 (29.6)	68 (26.2)	48 (18.5)	62 (23.8)
2019	293	4 (1.4)	91 (31.1)	75 (25.6)	55 (18.8)	68 (23.2)
2018	284	9 (3.2)	88 (31.0)	80 (28.2)	50 (17.6)	57 (20.1)
2017	306	12 (3.9)	113 (36.9)	65 (21.2)	53 (17.3)	63 (20.6)
2016	350	4 (1.1)	117 (33.4)	85 (24.3)	63 (18.0)	81 (23.1)
2015	307	13 (4.2)	103 (33.6)	82 (26.7)	57 (18.6)	52 (16.9)
2014	327	8 (2.4)	114 (34.9)	78 (23.9)	56 (17.1)	71 (21.7)
2013	334	9 (2.7)	106 (31.7)	93 (27.8)	52 (15.6)	74 (22.2)
2012	356	12 (3.4)	115 (32.3)	87 (24.4)	59 (16.6)	83 (23.3)
2011	349	7 (2.0)	112 (32.1)	101 (28.9)	61 (17.5)	68 (19.5)
<b>ANOKA</b>						
2021	1,303	34 (2.6)	356 (27.3)	419 (32.2)	262 (20.1)	232 (17.8)
2020	1,376	33 (2.4)	392 (28.5)	448 (32.6)	266 (19.3)	237 (17.2)
2019	1,336	27 (2.0)	387 (29.0)	375 (28.1)	294 (22.0)	253 (18.9)
2018	991	34 (3.4)	324 (32.7)	294 (29.7)	179 (18.1)	160 (16.1)
2017	1,051	30 (2.9)	397 (37.8)	286 (27.2)	197 (18.7)	141 (13.4)
2016	1,288	29 (2.3)	405 (31.4)	396 (30.7)	243 (18.9)	215 (16.7)
2015	1,120	33 (2.9)	427 (38.1)	319 (28.5)	189 (16.9)	152 (13.6)
2014	1,124	41 (3.6)	453 (40.3)	314 (27.9)	188 (16.7)	128 (11.4)
2013	1,160	48 (4.1)	483 (41.6)	281 (24.2)	175 (15.1)	173 (14.9)
2012	1,166	41 (3.5)	464 (39.8)	350 (30.0)	169 (14.5)	142 (12.2)
2011	1,246	42 (3.4)	495 (39.7)	344 (27.6)	190 (15.2)	175 (14.0)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and  
Community Health Board of Residence in Minnesota WIC  
Minnesota WIC Information System**

<b>CHB OF RESIDENCE<sup>1</sup></b>	<b>Total<sup>2</sup></b>	<b>Underweight<sup>3</sup></b>	<b>Normal<sup>4</sup></b>	<b>Overweight<sup>5</sup></b>	<b>Obese<sup>6</sup></b>	<b>Very Obese<sup>7</sup></b>
<b>BELTRAMI</b>						
2021	307	3 (1.0)	67 (21.8)	88 (28.7)	66 (21.5)	83 (27.0)
2020	341	1 (<1)	90 (26.4)	84 (24.6)	75 (22.0)	91 (26.7)
2019	376	3 (<1)	104 (27.7)	103 (27.4)	80 (21.3)	86 (22.9)
2018	317	<5 (****)	112 (35.3)	68 (21.5)	66 (20.8)	67 (21.1)
2017	338	13 (3.8)	106 (31.4)	84 (24.9)	64 (18.9)	71 (21.0)
2016	351	13 (3.7)	105 (29.9)	100 (28.5)	57 (16.2)	76 (21.7)
2015	351	9 (2.6)	111 (31.6)	112 (31.9)	57 (16.2)	62 (17.7)
2014	384	13 (3.4)	130 (33.9)	99 (25.8)	76 (19.8)	66 (17.2)
2013	426	9 (2.1)	140 (32.9)	113 (26.5)	73 (17.1)	91 (21.4)
2012	447	15 (3.4)	162 (36.2)	111 (24.8)	70 (15.7)	89 (19.9)
2011	466	16 (3.4)	165 (35.4)	119 (25.5)	78 (16.7)	88 (18.9)
<b>BENTON</b>						
2021	197	10 (5.1)	63 (32.0)	52 (26.4)	29 (14.7)	43 (21.8)
2020	185	6 (3.2)	45 (24.3)	63 (34.1)	30 (16.2)	41 (22.2)
2019	215	13 (6.0)	54 (25.1)	56 (26.0)	43 (20.0)	49 (22.8)
2018	143	5 (3.5)	47 (32.9)	41 (28.7)	26 (18.2)	24 (16.8)
2017	163	9 (5.5)	60 (36.8)	48 (29.4)	21 (12.9)	25 (15.3)
2016	233	15 (6.4)	69 (29.6)	59 (25.3)	40 (17.2)	50 (21.5)
2015	184	7 (3.8)	54 (29.3)	49 (26.6)	36 (19.6)	38 (20.7)
2014	167	5 (3.0)	55 (32.9)	44 (26.3)	32 (19.2)	31 (18.6)
2013	172	5 (2.9)	71 (41.3)	37 (21.5)	28 (16.3)	31 (18.0)
2012	204	7 (3.4)	74 (36.3)	59 (28.9)	38 (18.6)	26 (12.7)
2011	175	<5 (****)	57 (32.6)	54 (30.9)	23 (13.1)	37 (21.1)
<b>BLUE EARTH</b>						
2021	253	4 (1.6)	70 (27.7)	77 (30.4)	48 (19.0)	54 (21.3)
2020	273	6 (2.2)	78 (28.6)	70 (25.6)	53 (19.4)	66 (24.2)
2019	260	9 (3.5)	83 (31.9)	61 (23.5)	56 (21.5)	51 (19.6)
2018	238	9 (3.8)	85 (35.7)	67 (28.2)	39 (16.4)	38 (16.0)
2017	231	5 (2.2)	74 (32.0)	66 (28.6)	50 (21.6)	36 (15.6)
2016	284	8 (2.8)	76 (26.8)	85 (29.9)	58 (20.4)	57 (20.1)
2015	263	7 (2.7)	115 (43.7)	59 (22.4)	40 (15.2)	42 (16.0)
2014	241	5 (2.1)	99 (41.1)	64 (26.6)	41 (17.0)	32 (13.3)
2013	232	9 (3.9)	91 (39.2)	62 (26.7)	36 (15.5)	34 (14.7)
2012	263	14 (5.3)	109 (41.4)	59 (22.4)	47 (17.9)	34 (12.9)
2011	234	8 (3.4)	103 (44.0)	47 (20.1)	35 (15.0)	41 (17.5)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and  
Community Health Board of Residence in Minnesota WIC  
Minnesota WIC Information System**

CHB OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>BROWN NICOLLET</b>						
2021	188	5 (2.7)	52 (27.7)	43 (22.9)	30 (16.0)	58 (30.9)
2020	231	6 (2.6)	51 (22.1)	70 (30.3)	42 (18.2)	62 (26.8)
2019	209	6 (2.9)	57 (27.3)	67 (32.1)	37 (17.7)	42 (20.1)
2018	201	4 (2.0)	63 (31.3)	53 (26.4)	40 (19.9)	41 (20.4)
2017	222	8 (3.6)	87 (39.2)	53 (23.9)	37 (16.7)	37 (16.7)
2016	249	3 (1.2)	79 (31.7)	71 (28.5)	40 (16.1)	56 (22.5)
2015	250	10 (4.0)	96 (38.4)	52 (20.8)	45 (18.0)	47 (18.8)
2014	240	7 (2.9)	94 (39.2)	62 (25.8)	39 (16.2)	38 (15.8)
2013	261	8 (3.1)	121 (46.4)	51 (19.5)	45 (17.2)	36 (13.8)
2012	238	9 (3.8)	96 (40.3)	55 (23.1)	39 (16.4)	39 (16.4)
2011	242	8 (3.3)	103 (42.6)	58 (24.0)	35 (14.5)	38 (15.7)
<b>CARLTON-COOK-LAKE ST. LOUIS</b>						
2021	852	25 (2.9)	251 (29.5)	236 (27.7)	137 (16.1)	203 (23.8)
2020	922	15 (1.6)	278 (30.2)	249 (27.0)	177 (19.2)	203 (22.0)
2019	870	19 (2.2)	264 (30.3)	244 (28.0)	122 (14.0)	221 (25.4)
2018	807	23 (2.9)	287 (35.6)	211 (26.1)	141 (17.5)	145 (18.0)
2017	969	32 (3.3)	343 (35.4)	259 (26.7)	160 (16.5)	175 (18.1)
2016	1,008	25 (2.5)	346 (34.3)	275 (27.3)	175 (17.4)	187 (18.6)
2015	976	37 (3.8)	395 (40.5)	243 (24.9)	157 (16.1)	144 (14.8)
2014	995	38 (3.8)	394 (39.6)	255 (25.6)	164 (16.5)	144 (14.5)
2013	1,007	41 (4.1)	414 (41.1)	238 (23.6)	156 (15.5)	158 (15.7)
2012	1,081	41 (3.8)	461 (42.6)	266 (24.6)	169 (15.6)	144 (13.3)
2011	1,067	39 (3.7)	424 (39.7)	280 (26.2)	167 (15.7)	157 (14.7)
<b>CARVER</b>						
2021	141	6 (4.3)	43 (30.5)	47 (33.3)	23 (16.3)	22 (15.6)
2020	167	8 (4.8)	52 (31.1)	45 (26.9)	28 (16.8)	34 (20.4)
2019	138	3 (2.2)	40 (29.0)	36 (26.1)	29 (21.0)	30 (21.7)
2018	121	7 (5.8)	36 (29.8)	39 (32.2)	15 (12.4)	24 (19.8)
2017	174	5 (2.9)	59 (33.9)	55 (31.6)	31 (17.8)	24 (13.8)
2016	167	<5 (***)	60 (35.9)	44 (26.3)	28 (16.8)	31 (18.6)
2015	167	5 (3.0)	65 (38.9)	46 (27.5)	29 (17.4)	22 (13.2)
2014	142	<5 (***)	42 (29.6)	46 (32.4)	32 (22.5)	18 (12.7)
2013	169	6 (3.6)	72 (42.6)	33 (19.5)	34 (20.1)	24 (14.2)
2012	155	7 (4.5)	65 (41.9)	35 (22.6)	31 (20.0)	17 (11.0)
2011	153	5 (3.3)	68 (44.4)	41 (26.8)	24 (15.7)	15 (9.8)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and  
Community Health Board of Residence in Minnesota WIC  
Minnesota WIC Information System**

CHB OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>CASS</b>						
2021	144	4 (2.8)	36 (25.0)	44 (30.6)	25 (17.4)	35 (24.3)
2020	157	0	37 (23.6)	44 (28.0)	36 (22.9)	40 (25.5)
2019	158	2 (1.3)	44 (27.8)	46 (29.1)	30 (19.0)	36 (22.8)
2018	156	6 (3.8)	49 (31.4)	39 (25.0)	36 (23.1)	26 (16.7)
2017	148	<5 (****)	53 (35.8)	35 (23.6)	29 (19.6)	29 (19.6)
2016	204	5 (2.5)	78 (38.2)	52 (25.5)	36 (17.6)	33 (16.2)
2015	176	9 (5.1)	55 (31.2)	52 (29.5)	30 (17.0)	30 (17.0)
2014	211	<5 (****)	90 (42.7)	46 (21.8)	39 (18.5)	34 (16.1)
2013	203	6 (3.0)	78 (38.4)	55 (27.1)	36 (17.7)	28 (13.8)
2012	216	7 (3.2)	85 (39.4)	51 (23.6)	38 (17.6)	35 (16.2)
2011	221	7 (3.2)	92 (41.6)	62 (28.1)	26 (11.8)	34 (15.4)
<b>CHISAGO</b>						
2021	140	1 (<1)	41 (29.3)	46 (32.9)	22 (15.7)	30 (21.4)
2020	143	7 (4.9)	38 (26.6)	42 (29.4)	30 (21.0)	26 (18.2)
2019	148	3 (2.0)	47 (31.8)	39 (26.4)	29 (19.6)	30 (20.3)
2018	115	8 (7.0)	44 (38.3)	26 (22.6)	18 (15.7)	19 (16.5)
2017	129	<5 (****)	41 (31.8)	35 (27.1)	24 (18.6)	25 (19.4)
2016	180	7 (3.9)	59 (32.8)	51 (28.3)	24 (13.3)	39 (21.7)
2015	150	<5 (****)	62 (41.3)	33 (22.0)	24 (16.0)	28 (18.7)
2014	140	<5 (****)	56 (40.0)	38 (27.1)	23 (16.4)	21 (15.0)
2013	149	9 (6.0)	56 (37.6)	30 (20.1)	23 (15.4)	31 (20.8)
2012	178	<5 (****)	76 (42.7)	54 (30.3)	23 (12.9)	23 (12.9)
2011	163	7 (4.3)	46 (28.2)	48 (29.4)	24 (14.7)	38 (23.3)
<b>COUNTRYSIDE</b>						
2021	241	8 (3.3)	51 (21.2)	74 (30.7)	49 (20.3)	59 (24.5)
2020	228	11 (4.8)	44 (19.3)	58 (25.4)	47 (20.6)	68 (29.8)
2019	203	3 (1.5)	54 (26.6)	56 (27.6)	35 (17.2)	55 (27.1)
2018	221	5 (2.3)	75 (33.9)	53 (24.0)	37 (16.7)	51 (23.1)
2017	255	11 (4.3)	76 (29.8)	58 (22.7)	39 (15.3)	71 (27.8)
2016	258	3 (1.2)	63 (24.4)	79 (30.6)	56 (21.7)	57 (22.1)
2015	272	7 (2.6)	92 (33.8)	70 (25.7)	50 (18.4)	53 (19.5)
2014	244	7 (2.9)	87 (35.7)	48 (19.7)	54 (22.1)	48 (19.7)
2013	254	7 (2.8)	92 (36.2)	55 (21.7)	46 (18.1)	54 (21.3)
2012	304	5 (1.6)	98 (32.2)	83 (27.3)	58 (19.1)	60 (19.7)
2011	271	6 (2.2)	84 (31.0)	78 (28.8)	53 (19.6)	50 (18.5)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and  
Community Health Board of Residence in Minnesota WIC  
Minnesota WIC Information System**

<b>CHB OF RESIDENCE<sup>1</sup></b>	<b>Total<sup>2</sup></b>	<b>Underweight<sup>3</sup></b>	<b>Normal<sup>4</sup></b>	<b>Overweight<sup>5</sup></b>	<b>Obese<sup>6</sup></b>	<b>Very Obese<sup>7</sup></b>
<b>CROW WING</b>						
2021	261	1 (<1)	81 (31.0)	56 (21.5)	56 (21.5)	67 (25.7)
2020	265	9 (3.4)	85 (32.1)	56 (21.1)	53 (20.0)	62 (23.4)
2019	279	5 (1.8)	84 (30.1)	76 (27.2)	54 (19.4)	60 (21.5)
2018	224	14 (6.2)	78 (34.8)	49 (21.9)	29 (12.9)	54 (24.1)
2017	293	8 (2.7)	111 (37.9)	78 (26.6)	38 (13.0)	58 (19.8)
2016	322	11 (3.4)	111 (34.5)	79 (24.5)	53 (16.5)	68 (21.1)
2015	324	12 (3.7)	117 (36.1)	90 (27.8)	58 (17.9)	47 (14.5)
2014	306	9 (2.9)	124 (40.5)	83 (27.1)	40 (13.1)	50 (16.3)
2013	329	14 (4.3)	122 (37.1)	85 (25.8)	54 (16.4)	54 (16.4)
2012	386	18 (4.7)	152 (39.4)	97 (25.1)	57 (14.8)	62 (16.1)
2011	368	14 (3.8)	137 (37.2)	84 (22.8)	75 (20.4)	58 (15.8)
<b>DAKOTA</b>						
2021	1,395	28 (2.0)	382 (27.4)	443 (31.8)	273 (19.6)	269 (19.3)
2020	1,435	29 (2.0)	409 (28.5)	420 (29.3)	285 (19.9)	292 (20.3)
2019	1,268	33 (2.6)	370 (29.2)	381 (30.0)	269 (21.2)	215 (17.0)
2018	1,203	32 (2.7)	414 (34.4)	374 (31.1)	232 (19.3)	151 (12.6)
2017	1,255	35 (2.8)	471 (37.5)	349 (27.8)	199 (15.9)	201 (16.0)
2016	1,495	49 (3.3)	465 (31.1)	466 (31.2)	280 (18.7)	235 (15.7)
2015	1,306	51 (3.9)	488 (37.4)	375 (28.7)	212 (16.2)	180 (13.8)
2014	1,237	40 (3.2)	497 (40.2)	342 (27.6)	201 (16.2)	157 (12.7)
2013	1,262	41 (3.2)	478 (37.9)	351 (27.8)	211 (16.7)	181 (14.3)
2012	1,444	41 (2.8)	554 (38.4)	426 (29.5)	226 (15.7)	197 (13.6)
2011	1,409	39 (2.8)	535 (38.0)	394 (28.0)	252 (17.9)	189 (13.4)
<b>DES MOINES VALLEY</b>						
2021	105	2 (1.9)	29 (27.6)	24 (22.9)	25 (23.8)	25 (23.8)
2020	102	3 (2.9)	28 (27.5)	34 (33.3)	19 (18.6)	18 (17.6)
2019	112	5 (4.5)	28 (25.0)	32 (28.6)	20 (17.9)	27 (24.1)
2018	83	1 (1.2)	28 (33.7)	18 (21.7)	16 (19.3)	20 (24.1)
2017	109	3 (2.8)	41 (37.6)	31 (28.4)	18 (16.5)	16 (14.7)
2016	111	1 (<1)	27 (24.3)	35 (31.5)	25 (22.5)	23 (20.7)
2015	101	3 (3.0)	39 (38.6)	29 (28.7)	16 (15.8)	14 (13.9)
2014	105	3 (2.9)	44 (41.9)	30 (28.6)	12 (11.4)	16 (15.2)
2013	96	1 (1.0)	40 (41.7)	20 (20.8)	16 (16.7)	19 (19.8)
2012	118	5 (4.2)	49 (41.5)	33 (28.0)	20 (16.9)	11 (9.3)
2011	133	4 (3.0)	55 (41.4)	32 (24.1)	22 (16.5)	20 (15.0)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and  
Community Health Board of Residence in Minnesota WIC  
Minnesota WIC Information System**

<b>CHB OF RESIDENCE<sup>1</sup></b>	<b>Total<sup>2</sup></b>	<b>Underweight<sup>3</sup></b>	<b>Normal<sup>4</sup></b>	<b>Overweight<sup>5</sup></b>	<b>Obese<sup>6</sup></b>	<b>Very Obese<sup>7</sup></b>
<b>DODGE-STEELE</b>						
2021	224	4 (1.8)	52 (23.2)	66 (29.5)	39 (17.4)	63 (28.1)
2020	241	4 (1.7)	60 (24.9)	74 (30.7)	48 (19.9)	55 (22.8)
2019	250	10 (4.0)	74 (29.6)	73 (29.2)	50 (20.0)	43 (17.2)
2018	227	10 (4.4)	71 (31.3)	54 (23.8)	41 (18.1)	51 (22.5)
2017	245	10 (4.1)	76 (31.0)	76 (31.0)	43 (17.6)	40 (16.3)
2016	293	6 (2.0)	84 (28.7)	89 (30.4)	45 (15.4)	69 (23.5)
2015	324	11 (3.4)	121 (37.3)	80 (24.7)	64 (19.8)	48 (14.8)
2014	326	15 (4.6)	112 (34.4)	95 (29.1)	54 (16.6)	50 (15.3)
2013	303	8 (2.6)	112 (37.0)	75 (24.8)	49 (16.2)	59 (19.5)
2012	302	14 (4.6)	109 (36.1)	71 (23.5)	55 (18.2)	53 (17.5)
2011	322	7 (2.2)	120 (37.3)	89 (27.6)	53 (16.5)	53 (16.5)
<b>FARIBAULT-MARTIN</b>						
2021	166	7 (4.2)	37 (22.3)	44 (26.5)	36 (21.7)	42 (25.3)
2020	153	4 (2.6)	39 (25.5)	43 (28.1)	24 (15.7)	43 (28.1)
2019	174	4 (2.3)	57 (32.8)	39 (22.4)	28 (16.1)	46 (26.4)
2018	179	3 (1.7)	59 (33.0)	32 (17.9)	40 (22.3)	45 (25.1)
2017	164	6 (3.7)	47 (28.7)	38 (23.2)	29 (17.7)	44 (26.8)
2016	196	6 (3.1)	57 (29.1)	52 (26.5)	31 (15.8)	50 (25.5)
2015	194	6 (3.1)	66 (34.0)	52 (26.8)	31 (16.0)	39 (20.1)
2014	178	7 (3.9)	61 (34.3)	40 (22.5)	32 (18.0)	38 (21.3)
2013	178	5 (2.8)	60 (33.7)	45 (25.3)	29 (16.3)	39 (21.9)
2012	188	4 (2.1)	69 (36.7)	55 (29.3)	27 (14.4)	33 (17.6)
2011	178	4 (2.2)	61 (34.3)	53 (29.8)	23 (12.9)	37 (20.8)
<b>FILLMORE HOUSTON</b>						
2021	91	3 (3.3)	28 (30.8)	26 (28.6)	11 (12.1)	23 (25.3)
2020	100	6 (6.0)	17 (17.0)	34 (34.0)	15 (15.0)	28 (28.0)
2019	118	3 (2.5)	42 (35.6)	37 (31.4)	19 (16.1)	17 (14.4)
2018	105	5 (4.8)	23 (21.9)	34 (32.4)	27 (25.7)	16 (15.2)
2017	144	6 (4.2)	47 (32.6)	36 (25.0)	23 (16.0)	32 (22.2)
2016	137	7 (5.1)	47 (34.3)	37 (27.0)	18 (13.1)	28 (20.4)
2015	137	5 (3.6)	52 (38.0)	42 (30.7)	15 (10.9)	23 (16.8)
2014	152	4 (2.6)	53 (34.9)	36 (23.7)	26 (17.1)	33 (21.7)
2013	122	8 (6.6)	45 (36.9)	32 (26.2)	16 (13.1)	21 (17.2)
2012	131	4 (3.1)	49 (37.4)	30 (22.9)	21 (16.0)	27 (20.6)
2011	134	10 (7.5)	38 (28.4)	40 (29.9)	30 (22.4)	16 (11.9)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and  
Community Health Board of Residence in Minnesota WIC  
Minnesota WIC Information System**

CHB OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>FREEBORN</b>						
2021	164	2 (1.2)	35 (21.3)	47 (28.7)	34 (20.7)	46 (28.0)
2020	175	5 (2.9)	45 (25.7)	55 (31.4)	23 (13.1)	47 (26.9)
2019	182	1 (<1)	49 (26.9)	51 (28.0)	40 (22.0)	41 (22.5)
2018	143	3 (2.1)	44 (30.8)	34 (23.8)	27 (18.9)	35 (24.5)
2017	181	<5 (****)	62 (34.3)	42 (23.2)	42 (23.2)	34 (18.8)
2016	172	7 (4.1)	43 (25.0)	43 (25.0)	45 (26.2)	34 (19.8)
2015	179	6 (3.4)	69 (38.5)	44 (24.6)	27 (15.1)	33 (18.4)
2014	189	7 (3.7)	68 (36.0)	55 (29.1)	28 (14.8)	31 (16.4)
2013	214	8 (3.7)	79 (36.9)	57 (26.6)	32 (15.0)	38 (17.8)
2012	230	11 (4.8)	65 (28.3)	60 (26.1)	40 (17.4)	54 (23.5)
2011	219	10 (4.6)	91 (41.6)	49 (22.4)	33 (15.1)	36 (16.4)
<b>GOODHUE</b>						
2021	131	5 (3.8)	39 (29.8)	29 (22.1)	26 (19.8)	32 (24.4)
2020	146	5 (3.4)	41 (28.1)	38 (26.0)	26 (17.8)	36 (24.7)
2019	146	1 (<1)	39 (26.7)	38 (26.0)	29 (19.9)	39 (26.7)
2018	139	3 (2.2)	48 (34.5)	33 (23.7)	22 (15.8)	33 (23.7)
2017	142	5 (3.5)	39 (27.5)	39 (27.5)	19 (13.4)	40 (28.2)
2016	176	<5 (****)	55 (31.2)	41 (23.3)	26 (14.8)	51 (29.0)
2015	146	5 (3.4)	54 (37.0)	37 (25.3)	29 (19.9)	21 (14.4)
2014	159	7 (4.4)	54 (34.0)	42 (26.4)	23 (14.5)	33 (20.8)
2013	135	<5 (****)	48 (35.6)	32 (23.7)	23 (17.0)	28 (20.7)
2012	158	<5 (****)	60 (38.0)	50 (31.6)	21 (13.3)	24 (15.2)
2011	183	<5 (****)	59 (32.2)	54 (29.5)	28 (15.3)	40 (21.9)
<b>HENNEPIN- BLOOMINGTON</b>						
2021	311	4 (1.3)	82 (26.4)	103 (33.1)	72 (23.2)	50 (16.1)
2020	339	8 (2.4)	83 (24.5)	116 (34.2)	76 (22.4)	56 (16.5)
2019	285	10 (3.5)	102 (35.8)	76 (26.7)	53 (18.6)	44 (15.4)
2018	271	10 (3.7)	111 (41.0)	64 (23.6)	47 (17.3)	39 (14.4)
2017	354	9 (2.5)	124 (35.0)	121 (34.2)	60 (16.9)	40 (11.3)
2016	348	7 (2.0)	112 (32.2)	110 (31.6)	63 (18.1)	56 (16.1)
2015	325	10 (3.1)	140 (43.1)	89 (27.4)	48 (14.8)	38 (11.7)
2014	294	6 (2.0)	112 (38.1)	104 (35.4)	41 (13.9)	31 (10.5)
2013	316	16 (5.1)	112 (35.4)	101 (32.0)	46 (14.6)	41 (13.0)
2012	320	14 (4.4)	123 (38.4)	106 (33.1)	36 (11.2)	41 (12.8)
2011	322	11 (3.4)	125 (38.8)	106 (32.9)	45 (14.0)	35 (10.9)



**Pre-pregnancy Weight Status by Calendar Year of Delivery and  
Community Health Board of Residence in Minnesota WIC  
Minnesota WIC Information System**

<b>CHB OF RESIDENCE<sup>1</sup></b>	<b>Total<sup>2</sup></b>	<b>Underweight<sup>3</sup></b>	<b>Normal<sup>4</sup></b>	<b>Overweight<sup>5</sup></b>	<b>Obese<sup>6</sup></b>	<b>Very Obese<sup>7</sup></b>
<b>HENNEPIN-EDINA</b>						
2021	45	2 (4.4)	12 (26.7)	10 (22.2)	11 (24.4)	10 (22.2)
2020	50	0	19 (38.0)	13 (26.0)	8 (16.0)	10 (20.0)
2019	35	0	13 (37.1)	8 (22.9)	11 (31.4)	3 (8.6)
2018	40	0	12 (30.0)	16 (40.0)	7 (17.5)	5 (12.5)
2017	36	2 (5.6)	15 (41.7)	11 (30.6)	6 (16.7)	2 (5.6)
2016	43	1 (2.3)	16 (37.2)	15 (34.9)	7 (16.3)	4 (9.3)
2015	47	0	23 (48.9)	14 (29.8)	7 (14.9)	3 (6.4)
2014	39	0	14 (35.9)	10 (25.6)	9 (23.1)	6 (15.4)
2013	35	0	15 (42.9)	11 (31.4)	7 (20.0)	2 (5.7)
2012	46	1 (2.2)	22 (47.8)	14 (30.4)	3 (6.5)	6 (13.0)
2011	42	1 (2.4)	13 (31.0)	12 (28.6)	11 (26.2)	5 (11.9)
<b>HENNEPIN-MINNEAPOLIS</b>						
2021	1,908	41 (2.1)	500 (26.2)	610 (32.0)	401 (21.0)	356 (18.7)
2020	2,178	47 (2.2)	588 (27.0)	636 (29.2)	479 (22.0)	428 (19.7)
2019	2,169	51 (2.4)	638 (29.4)	672 (31.0)	431 (19.9)	377 (17.4)
2018	2,186	65 (3.0)	722 (33.0)	654 (29.9)	436 (19.9)	309 (14.1)
2017	2,572	73 (2.8)	970 (37.7)	767 (29.8)	420 (16.3)	342 (13.3)
2016	2,755	103 (3.7)	809 (29.4)	879 (31.9)	537 (19.5)	427 (15.5)
2015	2,887	81 (2.8)	1,036 (35.9)	956 (33.1)	463 (16.0)	351 (12.2)
2014	2,650	85 (3.2)	998 (37.7)	774 (29.2)	460 (17.4)	333 (12.6)
2013	2,580	83 (3.2)	959 (37.2)	778 (30.2)	437 (16.9)	323 (12.5)
2012	2,692	85 (3.2)	953 (35.4)	850 (31.6)	449 (16.7)	355 (13.2)
2011	2,597	73 (2.8)	950 (36.6)	808 (31.1)	429 (16.5)	337 (13.0)
<b>HENNEPIN RICHFIELD</b>						
2021	126	5 (4.0)	31 (24.6)	45 (35.7)	29 (23.0)	16 (12.7)
2020	136	7 (5.1)	29 (21.3)	44 (32.4)	29 (21.3)	27 (19.9)
2019	144	2 (1.4)	43 (29.9)	53 (36.8)	27 (18.8)	19 (13.2)
2018	167	3 (1.8)	65 (38.9)	46 (27.5)	29 (17.4)	24 (14.4)
2017	206	5 (2.4)	77 (37.4)	51 (24.8)	41 (19.9)	32 (15.5)
2016	190	6 (3.2)	66 (34.7)	56 (29.5)	30 (15.8)	32 (16.8)
2015	224	5 (2.2)	81 (36.2)	71 (31.7)	38 (17.0)	29 (12.9)
2014	180	3 (1.7)	64 (35.6)	61 (33.9)	33 (18.3)	19 (10.6)
2013	187	4 (2.1)	70 (37.4)	63 (33.7)	29 (15.5)	21 (11.2)
2012	229	7 (3.1)	92 (40.2)	74 (32.3)	31 (13.5)	25 (10.9)
2011	193	4 (2.1)	86 (44.6)	54 (28.0)	31 (16.1)	18 (9.3)



**Pre-pregnancy Weight Status by Calendar Year of Delivery and  
Community Health Board of Residence in Minnesota WIC  
Minnesota WIC Information System**

<b>CHB OF RESIDENCE<sup>1</sup></b>	<b>Total<sup>2</sup></b>	<b>Underweight<sup>3</sup></b>	<b>Normal<sup>4</sup></b>	<b>Overweight<sup>5</sup></b>	<b>Obese<sup>6</sup></b>	<b>Very Obese<sup>7</sup></b>
<b>HENNEPIN SUBURBAN</b>						
2021	2,127	48 (2.3)	543 (25.5)	648 (30.5)	479 (22.5)	409 (19.2)
2020	2,143	52 (2.4)	604 (28.2)	658 (30.7)	435 (20.3)	394 (18.4)
2019	1,913	53 (2.8)	566 (29.6)	567 (29.6)	416 (21.7)	311 (16.3)
2018	1,863	75 (4.0)	676 (36.3)	565 (30.3)	303 (16.3)	244 (13.1)
2017	2,150	77 (3.6)	796 (37.0)	621 (28.9)	359 (16.7)	297 (13.8)
2016	2,538	78 (3.1)	798 (31.4)	787 (31.0)	504 (19.9)	371 (14.6)
2015	2,336	74 (3.2)	923 (39.5)	656 (28.1)	378 (16.2)	305 (13.1)
2014	2,131	61 (2.9)	860 (40.4)	599 (28.1)	344 (16.1)	267 (12.5)
2013	2,063	66 (3.2)	844 (40.9)	574 (27.8)	340 (16.5)	239 (11.6)
2012	2,172	64 (2.9)	868 (40.0)	647 (29.8)	348 (16.0)	245 (11.3)
2011	2,103	61 (2.9)	872 (41.5)	556 (26.4)	348 (16.5)	266 (12.6)
<b>HORIZON</b>						
2021	246	4 (1.6)	64 (26.0)	62 (25.2)	42 (17.1)	74 (30.1)
2020	249	4 (1.6)	62 (24.9)	61 (24.5)	47 (18.9)	75 (30.1)
2019	237	7 (3.0)	55 (23.2)	62 (26.2)	46 (19.4)	67 (28.3)
2018	266	7 (2.6)	88 (33.1)	64 (24.1)	44 (16.5)	63 (23.7)
2017	257	10 (3.9)	89 (34.6)	51 (19.8)	47 (18.3)	60 (23.3)
2016	278	7 (2.5)	83 (29.9)	78 (28.1)	53 (19.1)	57 (20.5)
2015	285	9 (3.2)	107 (37.5)	74 (26.0)	39 (13.7)	56 (19.6)
2014	296	9 (3.0)	106 (35.8)	68 (23.0)	52 (17.6)	61 (20.6)
2013	343	7 (2.0)	120 (35.0)	86 (25.1)	66 (19.2)	64 (18.7)
2012	320	10 (3.1)	130 (40.6)	72 (22.5)	58 (18.1)	50 (15.6)
2011	329	6 (1.8)	137 (41.6)	78 (23.7)	56 (17.0)	52 (15.8)
<b>ISANTI</b>						
2021	183	3 (1.6)	50 (27.3)	54 (29.5)	36 (19.7)	40 (21.9)
2020	171	5 (2.9)	49 (28.7)	48 (28.1)	32 (18.7)	37 (21.6)
2019	176	3 (1.7)	43 (24.4)	52 (29.5)	42 (23.9)	36 (20.5)
2018	173	0	64 (37.0)	44 (25.4)	33 (19.1)	32 (18.5)
2017	159	8 (5.0)	54 (34.0)	49 (30.8)	24 (15.1)	24 (15.1)
2016	175	5 (2.9)	50 (28.6)	53 (30.3)	36 (20.6)	31 (17.7)
2015	190	8 (4.2)	83 (43.7)	49 (25.8)	25 (13.2)	25 (13.2)
2014	173	6 (3.5)	65 (37.6)	51 (29.5)	25 (14.5)	26 (15.0)
2013	194	<5 (***)	85 (43.8)	50 (25.8)	28 (14.4)	27 (13.9)
2012	205	9 (4.4)	92 (44.9)	43 (21.0)	27 (13.2)	34 (16.6)
2011	202	9 (4.5)	93 (46.0)	54 (26.7)	19 (9.4)	27 (13.4)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and  
Community Health Board of Residence in Minnesota WIC  
Minnesota WIC Information System**

CHB OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>KANABEC</b>						
2021	80	0	23 (28.7)	23 (28.7)	12 (15.0)	22 (27.5)
2020	68	2 (2.9)	16 (23.5)	16 (23.5)	18 (26.5)	16 (23.5)
2019	55	1 (1.8)	14 (25.5)	23 (41.8)	9 (16.4)	8 (14.5)
2018	90	<5 (****)	32 (35.6)	20 (22.2)	20 (22.2)	14 (15.6)
2017	79	<5 (****)	31 (39.2)	17 (21.5)	17 (21.5)	13 (16.5)
2016	68	<5 (****)	22 (32.4)	20 (29.4)	9 (13.2)	16 (23.5)
2015	75	<5 (****)	31 (41.3)	17 (22.7)	15 (20.0)	9 (12.0)
2014	67	<5 (****)	20 (29.9)	14 (20.9)	18 (26.9)	11 (16.4)
2013	87	<5 (****)	33 (37.9)	19 (21.8)	17 (19.5)	15 (17.2)
2012	89	<5 (****)	36 (40.4)	16 (18.0)	21 (23.6)	12 (13.5)
2011	57	0	26 (45.6)	18 (31.6)	7 (12.3)	6 (10.5)
<b>KANDIYOHI RENVILLE</b>						
2021	348	4 (1.1)	80 (23.0)	103 (29.6)	65 (18.7)	96 (27.6)
2020	413	10 (2.4)	95 (23.0)	118 (28.6)	98 (23.7)	92 (22.3)
2019	395	10 (2.5)	92 (23.3)	116 (29.4)	97 (24.6)	80 (20.3)
2018	391	11 (2.8)	110 (28.1)	114 (29.2)	78 (19.9)	78 (19.9)
2017	450	6 (1.3)	149 (33.1)	131 (29.1)	87 (19.3)	77 (17.1)
2016	459	11 (2.4)	132 (28.8)	145 (31.6)	85 (18.5)	86 (18.7)
2015	445	14 (3.1)	155 (34.8)	121 (27.2)	80 (18.0)	75 (16.9)
2014	381	9 (2.4)	148 (38.8)	96 (25.2)	70 (18.4)	58 (15.2)
2013	424	7 (1.7)	157 (37.0)	123 (29.0)	71 (16.7)	66 (15.6)
2012	402	17 (4.2)	139 (34.6)	105 (26.1)	77 (19.2)	64 (15.9)
2011	416	11 (2.6)	133 (32.0)	115 (27.6)	81 (19.5)	76 (18.3)
<b>LE SUEUR WASECA</b>						
2021	180	5 (2.8)	42 (23.3)	51 (28.3)	35 (19.4)	47 (26.1)
2020	170	5 (2.9)	53 (31.2)	40 (23.5)	23 (13.5)	49 (28.8)
2019	173	3 (1.7)	47 (27.2)	44 (25.4)	44 (25.4)	35 (20.2)
2018	193	10 (5.2)	65 (33.7)	43 (22.3)	31 (16.1)	44 (22.8)
2017	212	6 (2.8)	65 (30.7)	48 (22.6)	46 (21.7)	47 (22.2)
2016	193	6 (3.1)	60 (31.1)	48 (24.9)	39 (20.2)	40 (20.7)
2015	239	7 (2.9)	86 (36.0)	55 (23.0)	43 (18.0)	48 (20.1)
2014	191	4 (2.1)	61 (31.9)	57 (29.8)	35 (18.3)	34 (17.8)
2013	171	4 (2.3)	58 (33.9)	34 (19.9)	41 (24.0)	34 (19.9)
2012	189	4 (2.1)	63 (33.3)	51 (27.0)	27 (14.3)	44 (23.3)
2011	234	8 (3.4)	76 (32.5)	66 (28.2)	35 (15.0)	49 (20.9)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and  
Community Health Board of Residence in Minnesota WIC  
Minnesota WIC Information System**

CHB OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>MEEKER MCLEOD SIBLEY</b>						
2021	305	0	80 (26.2)	71 (23.3)	59 (19.3)	95 (31.1)
2020	317	3 (<1)	81 (25.6)	91 (28.7)	70 (22.1)	72 (22.7)
2019	299	7 (2.3)	81 (27.1)	88 (29.4)	52 (17.4)	71 (23.7)
2018	310	3 (1.0)	105 (33.9)	67 (21.6)	69 (22.3)	66 (21.3)
2017	312	7 (2.2)	100 (32.1)	77 (24.7)	71 (22.8)	57 (18.3)
2016	401	4 (1.0)	118 (29.4)	122 (30.4)	72 (18.0)	85 (21.2)
2015	330	6 (1.8)	118 (35.8)	85 (25.8)	54 (16.4)	67 (20.3)
2014	358	11 (3.1)	124 (34.6)	103 (28.8)	56 (15.6)	64 (17.9)
2013	353	5 (1.4)	130 (36.8)	86 (24.4)	59 (16.7)	73 (20.7)
2012	352	11 (3.1)	123 (34.9)	80 (22.7)	62 (17.6)	76 (21.6)
2011	386	11 (2.8)	136 (35.2)	93 (24.1)	70 (18.1)	76 (19.7)
<b>MILLE LACS COUNTY</b>						
2021	108	4 (3.7)	26 (24.1)	33 (30.6)	28 (25.9)	17 (15.7)
2020	130	2 (1.5)	30 (23.1)	39 (30.0)	23 (17.7)	36 (27.7)
2019	138	6 (4.3)	42 (30.4)	42 (30.4)	29 (21.0)	19 (13.8)
2018	120	<5 (****)	47 (39.2)	16 (13.3)	27 (22.5)	27 (22.5)
2017	172	6 (3.5)	61 (35.5)	43 (25.0)	39 (22.7)	23 (13.4)
2016	169	<5 (****)	53 (31.4)	51 (30.2)	32 (18.9)	31 (18.3)
2015	149	7 (4.7)	55 (36.9)	36 (24.2)	31 (20.8)	20 (13.4)
2014	149	7 (4.7)	58 (38.9)	33 (22.1)	23 (15.4)	28 (18.8)
2013	153	5 (3.3)	64 (41.8)	35 (22.9)	29 (19.0)	20 (13.1)
2012	198	6 (3.0)	81 (40.9)	45 (22.7)	32 (16.2)	34 (17.2)
2011	158	<5 (****)	52 (32.9)	46 (29.1)	25 (15.8)	32 (20.3)
<b>MORRISON TODD WADENA</b>						
2021	351	6 (1.7)	86 (24.5)	82 (23.4)	69 (19.7)	108 (30.8)
2020	358	10 (2.8)	97 (27.1)	102 (28.5)	75 (20.9)	74 (20.7)
2019	351	6 (1.7)	93 (26.5)	92 (26.2)	79 (22.5)	81 (23.1)
2018	344	9 (2.6)	100 (29.1)	81 (23.5)	56 (16.3)	98 (28.5)
2017	354	7 (2.0)	121 (34.2)	90 (25.4)	61 (17.2)	75 (21.2)
2016	470	13 (2.8)	135 (28.7)	137 (29.1)	69 (14.7)	116 (24.7)
2015	377	9 (2.4)	121 (32.1)	101 (26.8)	68 (18.0)	78 (20.7)
2014	349	11 (3.2)	114 (32.7)	82 (23.5)	60 (17.2)	82 (23.5)
2013	403	10 (2.5)	156 (38.7)	97 (24.1)	60 (14.9)	80 (19.9)
2012	423	7 (1.7)	145 (34.3)	111 (26.2)	67 (15.8)	93 (22.0)
2011	383	3 (<1)	128 (33.4)	104 (27.2)	72 (18.8)	76 (19.8)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and  
Community Health Board of Residence in Minnesota WIC  
Minnesota WIC Information System**

CHB OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>MOWER</b>						
2021	268	6 (2.2)	60 (22.4)	81 (30.2)	62 (23.1)	59 (22.0)
2020	283	6 (2.1)	69 (24.4)	89 (31.4)	59 (20.8)	60 (21.2)
2019	302	6 (2.0)	93 (30.8)	88 (29.1)	52 (17.2)	63 (20.9)
2018	256	18 (7.0)	90 (35.2)	64 (25.0)	50 (19.5)	34 (13.3)
2017	265	13 (4.9)	89 (33.6)	64 (24.2)	44 (16.6)	55 (20.8)
2016	288	8 (2.8)	106 (36.8)	83 (28.8)	50 (17.4)	41 (14.2)
2015	260	9 (3.5)	102 (39.2)	72 (27.7)	39 (15.0)	38 (14.6)
2014	272	11 (4.0)	99 (36.4)	78 (28.7)	49 (18.0)	35 (12.9)
2013	264	6 (2.3)	109 (41.3)	61 (23.1)	50 (18.9)	38 (14.4)
2012	267	20 (7.5)	91 (34.1)	67 (25.1)	47 (17.6)	42 (15.7)
2011	252	8 (3.2)	111 (44.0)	75 (29.8)	33 (13.1)	25 (9.9)
<b>NOBLES</b>						
2021	220	0	85 (38.6)	71 (32.3)	47 (21.4)	17 (7.7)
2020	228	2 (<1)	71 (31.1)	94 (41.2)	37 (16.2)	24 (10.5)
2019	225	3 (1.3)	67 (29.8)	74 (32.9)	44 (19.6)	37 (16.4)
2018	261	<5 (****)	106 (40.6)	85 (32.6)	44 (16.9)	23 (8.8)
2017	245	<5 (****)	99 (40.4)	83 (33.9)	39 (15.9)	21 (8.6)
2016	280	13 (4.6)	86 (30.7)	108 (38.6)	52 (18.6)	21 (7.5)
2015	243	5 (2.1)	84 (34.6)	86 (35.4)	44 (18.1)	24 (9.9)
2014	220	5 (2.3)	72 (32.7)	94 (42.7)	30 (13.6)	19 (8.6)
2013	239	7 (2.9)	83 (34.7)	79 (33.1)	44 (18.4)	26 (10.9)
2012	212	6 (2.8)	66 (31.1)	74 (34.9)	37 (17.5)	29 (13.7)
2011	194	7 (3.6)	56 (28.9)	74 (38.1)	35 (18.0)	22 (11.3)
<b>NORTH COUNTRY</b>						
2021	172	<5 (****)	51 (26.7)	49 (28.5)	33 (19.2)	37 (21.5)
2020	175	<5 (****)	64 (36.6)	38 (21.7)	34 (19.4)	37 (21.1)
2019	169	<5 (****)	52 (30.8)	37 (21.9)	36 (21.3)	42 (24.9)
2018	154	<5 (****)	44 (28.6)	44 (28.6)	31 (20.1)	33 (21.4)
2017	174	6 (3.4)	63 (36.2)	48 (27.6)	20 (11.5)	37 (21.3)
2016	192	6 (3.1)	54 (28.1)	53 (27.6)	35 (18.2)	44 (22.9)
2015	181	3 (1.7)	72 (39.8)	49 (27.1)	27 (14.9)	30 (16.6)
2014	181	2 (1.1)	81 (44.8)	42 (23.2)	27 (14.9)	29 (16.0)
2013	204	3 (1.4)	82 (40.2)	45 (22.1)	38 (18.6)	36 (17.6)
2012	180	7 (3.9)	66 (36.7)	53 (29.4)	27 (15.0)	27 (15.0)
2011	175	8 (4.6)	58 (33.1)	50 (28.6)	27 (15.4)	32 (18.3)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and  
Community Health Board of Residence in Minnesota WIC  
Minnesota WIC Information System**

<b>CHB OF RESIDENCE<sup>1</sup></b>	<b>Total<sup>2</sup></b>	<b>Underweight<sup>3</sup></b>	<b>Normal<sup>4</sup></b>	<b>Overweight<sup>5</sup></b>	<b>Obese<sup>6</sup></b>	<b>Very Obese<sup>7</sup></b>
<b>OLMSTED</b>						
2021	597	12 (2.0)	174 (29.1)	185 (31.0)	109 (18.3)	117 (19.6)
2020	618	20 (3.2)	203 (32.8)	168 (27.2)	111 (18.0)	116 (18.8)
2019	613	24 (3.9)	184 (30.0)	174 (28.4)	119 (19.4)	112 (18.3)
2018	603	23 (3.8)	220 (36.5)	162 (26.9)	104 (17.2)	94 (15.6)
2017	708	34 (4.8)	254 (35.9)	202 (28.5)	103 (14.5)	115 (16.2)
2016	703	29 (4.1)	217 (30.9)	200 (28.4)	141 (20.1)	116 (16.5)
2015	742	35 (4.7)	284 (38.3)	205 (27.6)	116 (15.6)	102 (13.7)
2014	694	25 (3.6)	269 (38.8)	196 (28.2)	108 (15.6)	96 (13.8)
2013	699	26 (3.7)	292 (41.8)	183 (26.2)	106 (15.2)	92 (13.2)
2012	719	21 (2.9)	279 (38.8)	207 (28.8)	110 (15.3)	102 (14.2)
2011	707	23 (3.3)	279 (39.5)	181 (25.6)	127 (18.0)	97 (13.7)
<b>PARTNERSHIP 4 HEALTH</b>						
2021	580	16 (2.8)	157 (27.1)	179 (30.9)	100 (17.2)	128 (22.1)
2020	597	7 (1.2)	166 (27.8)	188 (31.5)	117 (19.6)	119 (19.9)
2019	712	15 (2.1)	215 (30.2)	193 (27.1)	145 (20.4)	144 (20.2)
2018	676	27 (4.0)	230 (34.0)	172 (25.4)	117 (17.3)	130 (19.2)
2017	731	19 (2.6)	236 (32.3)	203 (27.8)	134 (18.3)	139 (19.0)
2016	750	16 (2.1)	263 (35.1)	193 (25.7)	141 (18.8)	137 (18.3)
2015	735	18 (2.4)	269 (36.6)	187 (25.4)	135 (18.4)	126 (17.1)
2014	729	20 (2.7)	255 (35.0)	201 (27.6)	124 (17.0)	129 (17.7)
2013	766	18 (2.3)	267 (34.9)	212 (27.7)	144 (18.8)	125 (16.3)
2012	825	31 (3.8)	305 (37.0)	226 (27.4)	121 (14.7)	142 (17.2)
2011	833	24 (2.9)	309 (37.1)	216 (25.9)	149 (17.9)	135 (16.2)
<b>PINE</b>						
2021	147	3 (2.0)	34 (23.1)	42 (28.6)	34 (23.1)	34 (23.1)
2020	130	6 (4.6)	34 (26.2)	24 (18.5)	24 (18.5)	42 (32.3)
2019	122	3 (2.5)	22 (18.0)	40 (32.8)	22 (18.0)	35 (28.7)
2018	106	<5 (****)	36 (34.0)	22 (20.8)	20 (18.9)	26 (24.5)
2017	140	0	48 (34.3)	38 (27.1)	34 (24.3)	20 (14.3)
2016	147	<5 (****)	49 (33.3)	41 (27.9)	32 (21.8)	23 (15.6)
2015	127	<5 (****)	39 (30.7)	33 (26.0)	27 (21.3)	24 (18.9)
2014	158	<5 (****)	55 (34.8)	39 (24.7)	27 (17.1)	33 (20.9)
2013	145	<5 (****)	51 (35.2)	41 (28.3)	21 (14.5)	28 (19.3)
2012	131	<5 (****)	42 (32.1)	37 (28.2)	18 (13.7)	31 (23.7)
2011	145	<5 (****)	55 (37.9)	31 (21.4)	22 (15.2)	34 (23.4)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and  
Community Health Board of Residence in Minnesota WIC  
Minnesota WIC Information System**

<b>CHB OF RESIDENCE<sup>1</sup></b>	<b>Total<sup>2</sup></b>	<b>Underweight<sup>3</sup></b>	<b>Normal<sup>4</sup></b>	<b>Overweight<sup>5</sup></b>	<b>Obese<sup>6</sup></b>	<b>Very Obese<sup>7</sup></b>
<b>POLK NORMAN MAHNOMEN</b>						
2021	159	2 (1.3)	37 (23.3)	45 (28.3)	30 (18.9)	45 (28.3)
2020	194	3 (1.5)	42 (21.6)	48 (24.7)	46 (23.7)	55 (28.4)
2019	259	7 (2.7)	73 (28.2)	83 (32.0)	41 (15.8)	55 (21.2)
2018	272	4 (1.5)	91 (33.5)	78 (28.7)	46 (16.9)	53 (19.5)
2017	295	8 (2.7)	99 (33.6)	80 (27.1)	61 (20.7)	47 (15.9)
2016	280	6 (2.1)	75 (26.8)	86 (30.7)	50 (17.9)	63 (22.5)
2015	261	10 (3.8)	92 (35.2)	66 (25.3)	38 (14.6)	55 (21.1)
2014	272	9 (3.3)	98 (36.0)	66 (24.3)	51 (18.8)	48 (17.6)
2013	263	6 (2.3)	90 (34.2)	66 (25.1)	56 (21.3)	45 (17.1)
2012	295	7 (2.4)	106 (35.9)	76 (25.8)	55 (18.6)	51 (17.3)
2011	282	7 (2.5)	95 (33.7)	68 (24.1)	52 (18.4)	60 (21.3)
<b>QUIN</b>						
2021	209	2 (1.0)	51 (24.4)	70 (33.5)	45 (21.5)	41 (19.6)
2020	179	2 (1.1)	59 (33.0)	47 (26.3)	30 (16.8)	41 (22.9)
2019	227	2 (<1)	67 (29.5)	68 (30.0)	46 (20.3)	44 (19.4)
2018	219	9 (4.1)	62 (28.3)	58 (26.5)	33 (15.1)	57 (26.0)
2017	251	8 (3.2)	96 (38.2)	57 (22.7)	39 (15.5)	51 (20.3)
2016	247	8 (3.2)	82 (33.2)	68 (27.5)	43 (17.4)	46 (18.6)
2015	265	8 (3.0)	101 (38.1)	70 (26.4)	52 (19.6)	34 (12.8)
2014	248	12 (4.8)	80 (32.3)	66 (26.6)	47 (19.0)	43 (17.3)
2013	302	9 (3.0)	118 (39.1)	67 (22.2)	66 (21.9)	42 (13.9)
2012	305	12 (3.9)	117 (38.4)	86 (28.2)	43 (14.1)	47 (15.4)
2011	287	9 (3.1)	95 (33.1)	103 (35.9)	38 (13.2)	42 (14.6)
<b>RAMSEY</b>						
2021	3,278	74 (2.3)	1,016 (31.0)	1,000 (30.5)	637 (19.4)	551 (16.8)
2020	3,469	105 (3.0)	1,080 (31.1)	1,077 (31.0)	625 (18.0)	582 (16.8)
2019	3,505	105 (3.0)	1,145 (32.7)	1,068 (30.5)	644 (18.4)	543 (15.5)
2018	3,803	126 (3.3)	1,377 (36.2)	1,119 (29.4)	636 (16.7)	545 (14.3)
2017	3,872	144 (3.7)	1,519 (39.2)	1,085 (28.0)	631 (16.3)	493 (12.7)
2016	4,181	167 (4.0)	1,357 (32.5)	1,285 (30.7)	750 (17.9)	622 (14.9)
2015	4,142	170 (4.1)	1,726 (41.7)	1,147 (27.7)	627 (15.1)	472 (11.4)
2014	3,874	135 (3.5)	1,549 (40.0)	1,139 (29.4)	623 (16.1)	428 (11.0)
2013	3,903	123 (3.2)	1,572 (40.3)	1,189 (30.5)	591 (15.1)	428 (11.0)
2012	3,968	144 (3.6)	1,601 (40.3)	1,150 (29.0)	622 (15.7)	451 (11.4)
2011	3,713	103 (2.8)	1,493 (40.2)	1,072 (28.9)	609 (16.4)	436 (11.7)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and  
Community Health Board of Residence in Minnesota WIC  
Minnesota WIC Information System**

<b>CHB OF RESIDENCE<sup>1</sup></b>	<b>Total<sup>2</sup></b>	<b>Underweight<sup>3</sup></b>	<b>Normal<sup>4</sup></b>	<b>Overweight<sup>5</sup></b>	<b>Obese<sup>6</sup></b>	<b>Very Obese<sup>7</sup></b>
<b>RICE</b>						
2021	3,278	74 (2.3)	1,016 (31.0)	1,000 (30.5)	637 (19.4)	551 (16.8)
2020	3,469	105 (3.0)	1,080 (31.1)	1,077 (31.0)	625 (18.0)	582 (16.8)
2019	3,505	105 (3.0)	1,145 (32.7)	1,068 (30.5)	644 (18.4)	543 (15.5)
2018	310	8 (2.6)	100 (32.3)	101 (32.6)	60 (19.4)	41 (13.2)
2017	319	5 (1.6)	88 (27.6)	98 (30.7)	72 (22.6)	56 (17.6)
2016	354	12 (3.4)	114 (32.2)	109 (30.8)	64 (18.1)	55 (15.5)
2015	301	8 (2.7)	107 (35.5)	92 (30.6)	60 (19.9)	34 (11.3)
2014	288	10 (3.5)	107 (37.2)	75 (26.0)	49 (17.0)	47 (16.3)
2013	300	9 (3.0)	107 (35.7)	88 (29.3)	41 (13.7)	55 (18.3)
2012	362	8 (2.2)	131 (36.2)	108 (29.8)	70 (19.3)	45 (12.4)
2011	339	9 (2.7)	114 (33.6)	109 (32.2)	63 (18.6)	44 (13.0)
<b>SCOTT</b>						
2021	376	10 (2.7)	96 (25.5)	120 (31.9)	69 (18.4)	81 (21.5)
2020	422	11 (2.6)	128 (30.3)	131 (31.0)	85 (20.1)	67 (15.9)
2019	368	6 (1.6)	105 (28.5)	109 (29.6)	75 (20.4)	73 (19.8)
2018	352	16 (4.5)	133 (37.8)	96 (27.3)	58 (16.5)	49 (13.9)
2017	382	14 (3.7)	134 (35.1)	114 (29.8)	72 (18.8)	48 (12.6)
2016	447	15 (3.4)	142 (31.8)	132 (29.5)	100 (22.4)	58 (13.0)
2015	399	15 (3.8)	150 (37.6)	125 (31.3)	60 (15.0)	49 (12.3)
2014	370	11 (3.0)	152 (41.1)	109 (29.5)	52 (14.1)	46 (12.4)
2013	360	13 (3.6)	152 (42.2)	83 (23.1)	59 (16.4)	53 (14.7)
2012	418	15 (3.6)	162 (38.8)	121 (28.9)	68 (16.3)	52 (12.4)
2011	383	16 (4.2)	145 (37.9)	121 (31.6)	63 (16.4)	38 (9.9)
<b>SHERBURNE</b>						
2021	320	11 (3.4)	79 (24.7)	94 (29.4)	73 (22.8)	63 (19.7)
2020	312	10 (3.2)	90 (28.8)	95 (30.4)	60 (19.2)	57 (18.3)
2019	316	7 (2.2)	101 (32.0)	87 (27.5)	65 (20.6)	56 (17.7)
2018	279	7 (2.5)	107 (38.4)	60 (21.5)	57 (20.4)	48 (17.2)
2017	285	15 (5.3)	103 (36.1)	88 (30.9)	47 (16.5)	32 (11.2)
2016	366	13 (3.6)	128 (35.0)	93 (25.4)	70 (19.1)	62 (16.9)
2015	339	19 (5.6)	126 (37.2)	87 (25.7)	63 (18.6)	44 (13.0)
2014	276	14 (5.1)	102 (37.0)	80 (29.0)	43 (15.6)	37 (13.4)
2013	307	17 (5.5)	124 (40.4)	84 (27.4)	47 (15.3)	35 (11.4)
2012	312	14 (4.5)	144 (46.2)	82 (26.3)	37 (11.9)	35 (11.2)
2011	336	7 (2.1)	154 (45.8)	73 (21.7)	62 (18.5)	40 (11.9)



**Pre-pregnancy Weight Status by Calendar Year of Delivery and  
Community Health Board of Residence in Minnesota WIC  
Minnesota WIC Information System**

CHB OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>SOUTHWEST</b>						
2021	332	11 (3.3)	95 (28.6)	97 (29.2)	62 (18.7)	67 (20.2)
2020	370	9 (2.4)	108 (29.2)	107 (28.9)	71 (19.2)	75 (20.3)
2019	388	11 (2.8)	121 (31.2)	98 (25.3)	81 (20.9)	77 (19.8)
2018	417	14 (3.4)	152 (36.5)	110 (26.4)	68 (16.3)	73 (17.5)
2017	433	12 (2.8)	146 (33.7)	137 (31.6)	68 (15.7)	70 (16.2)
2016	467	21 (4.5)	135 (28.9)	130 (27.8)	95 (20.3)	86 (18.4)
2015	431	11 (2.6)	160 (37.1)	107 (24.8)	78 (18.1)	75 (17.4)
2014	395	15 (3.8)	139 (35.2)	93 (23.5)	77 (19.5)	71 (18.0)
2013	436	19 (4.4)	174 (39.9)	110 (25.2)	74 (17.0)	59 (13.5)
2012	440	16 (3.6)	164 (37.3)	115 (26.1)	75 (17.0)	70 (15.9)
2011	411	14 (3.4)	146 (35.5)	113 (27.5)	64 (15.6)	74 (18.0)
<b>STEARNS</b>						
2021	822	26 (3.2)	193 (23.5)	257 (31.3)	186 (22.6)	160 (19.5)
2020	860	25 (2.9)	230 (26.7)	289 (33.6)	160 (18.6)	156 (18.1)
2019	770	27 (3.5)	235 (30.5)	209 (27.1)	165 (21.4)	134 (17.4)
2018	756	23 (3.0)	265 (35.1)	230 (30.4)	135 (17.9)	103 (13.6)
2017	822	21 (2.6)	285 (34.7)	247 (30.0)	153 (18.6)	116 (14.1)
2016	900	40 (4.4)	299 (33.2)	275 (30.6)	178 (19.8)	108 (12.0)
2015	706	24 (3.4)	278 (39.4)	209 (29.6)	103 (14.6)	92 (13.0)
2014	647	14 (2.2)	244 (37.7)	193 (29.8)	112 (17.3)	84 (13.0)
2013	664	24 (3.6)	280 (42.2)	195 (29.4)	88 (13.3)	77 (11.6)
2012	679	18 (2.7)	276 (40.6)	186 (27.4)	120 (17.7)	79 (11.6)
2011	624	16 (2.6)	237 (38.0)	196 (31.4)	104 (16.7)	71 (11.4)
<b>WABASHA</b>						
2021	62	0	15 (24.2)	16 (25.8)	12 (19.4)	19 (30.6)
2020	75	3 (4.0)	21 (28.0)	18 (24.0)	12 (16.0)	21 (28.0)
2019	63	0	13 (20.6)	20 (31.7)	15 (23.8)	15 (23.8)
2018	57	<5 (****)	23 (40.4)	14 (24.6)	11 (19.3)	6 (10.5)
2017	94	<5 (****)	29 (30.9)	26 (27.7)	15 (16.0)	23 (24.5)
2016	94	<5 (****)	26 (27.7)	28 (29.8)	19 (20.2)	17 (18.1)
2015	87	<5 (****)	37 (42.5)	20 (23.0)	14 (16.1)	14 (16.1)
2014	71	<5 (****)	23 (32.4)	16 (22.5)	15 (21.1)	15 (21.1)
2013	96	<5 (****)	43 (44.8)	16 (16.7)	20 (20.8)	14 (14.6)
2012	82	<5 (****)	27 (32.9)	22 (26.8)	13 (15.9)	18 (22.0)
2011	81	<5 (****)	38 (46.9)	15 (18.5)	15 (18.5)	11 (13.6)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and  
Community Health Board of Residence in Minnesota WIC  
Minnesota WIC Information System**

CHB OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>WASHINGTON</b>						
2021	606	19 (3.1)	165 (27.2)	173 (28.5)	141 (23.3)	108 (17.8)
2020	632	21 (3.3)	177 (28.0)	179 (28.3)	119 (18.8)	136 (21.5)
2019	530	21 (4.0)	155 (29.2)	159 (30.0)	101 (19.1)	94 (17.7)
2018	550	19 (3.5)	195 (35.5)	148 (26.9)	86 (15.6)	102 (18.5)
2017	557	16 (2.9)	202 (36.3)	173 (31.1)	80 (14.4)	86 (15.4)
2016	672	24 (3.6)	193 (28.7)	197 (29.3)	129 (19.2)	129 (19.2)
2015	582	22 (3.8)	211 (36.3)	169 (29.0)	100 (17.2)	80 (13.7)
2014	527	21 (4.0)	208 (39.5)	144 (27.3)	90 (17.1)	64 (12.1)
2013	601	19 (3.2)	251 (41.8)	148 (24.6)	102 (17.0)	81 (13.5)
2012	648	32 (4.9)	233 (36.0)	195 (30.1)	110 (17.0)	78 (12.0)
2011	643	22 (3.4)	262 (40.7)	166 (25.8)	103 (16.0)	90 (14.0)
<b>WATONWAN</b>						
2021	107	0	22 (20.6)	37 (34.6)	23 (21.5)	25 (23.4)
2020	94	0	27 (28.7)	28 (29.8)	19 (20.2)	20 (21.3)
2019	108	3 (2.8)	36 (33.3)	32 (29.6)	19 (17.6)	18 (16.7)
2018	108	6 (5.6)	22 (20.4)	40 (37.0)	18 (16.7)	22 (20.4)
2017	107	<5 (****)	34 (31.8)	39 (36.4)	20 (18.7)	13 (12.1)
2016	101	<5 (****)	31 (30.7)	37 (36.6)	15 (14.9)	17 (16.8)
2015	101	0	41 (40.6)	21 (20.8)	21 (20.8)	18 (17.8)
2014	94	<5 (****)	40 (42.6)	27 (28.7)	14 (14.9)	12 (12.8)
2013	75	<5 (****)	28 (37.3)	27 (36.0)	12 (16.0)	7 (9.3)
2012	99	<5 (****)	37 (37.4)	34 (34.3)	12 (12.1)	15 (15.2)
2011	91	<5 (****)	39 (42.9)	18 (19.8)	20 (22.0)	12 (13.2)
<b>WINONA</b>						
2021	99	6 (6.1)	33 (33.3)	29 (29.3)	13 (13.1)	18 (18.2)
2020	129	8 (6.2)	28 (21.7)	31 (24.0)	26 (20.2)	36 (27.9)
2019	137	2 (1.5)	34 (24.8)	35 (25.5)	21 (15.3)	45 (32.8)
2018	132	6 (4.5)	41 (31.1)	25 (18.9)	28 (21.2)	32 (24.2)
2017	122	<5 (****)	41 (33.6)	27 (22.1)	24 (19.7)	28 (23.0)
2016	177	<5 (****)	59 (33.3)	52 (29.4)	27 (15.3)	38 (21.5)
2015	151	<5 (****)	56 (37.1)	37 (24.5)	28 (18.5)	26 (17.2)
2014	155	6 (3.9)	51 (32.9)	33 (21.3)	30 (19.4)	35 (22.6)
2013	178	<5 (****)	66 (37.1)	54 (30.3)	26 (14.6)	29 (16.3)
2012	177	8 (4.5)	70 (39.5)	49 (27.7)	25 (14.1)	25 (14.1)
2011	190	<5 (****)	72 (37.9)	50 (26.3)	29 (15.3)	35 (18.4)

**Pre-pregnancy Weight Status by Calendar Year of Delivery and  
Community Health Board of Residence in Minnesota WIC  
Minnesota WIC Information System**

CHB OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>WRIGHT</b>						
<b>2021</b>	<b>369</b>	<b>8 (2.2)</b>	<b>99 (26.8)</b>	<b>113 (30.6)</b>	<b>70 (19.0)</b>	<b>79 (21.4)</b>
<b>2020</b>	<b>363</b>	<b>10 (2.8)</b>	<b>96 (26.4)</b>	<b>111 (30.6)</b>	<b>79 (21.8)</b>	<b>67 (18.5)</b>
<b>2019</b>	<b>351</b>	<b>12 (3.4)</b>	<b>103 (29.3)</b>	<b>109 (31.1)</b>	<b>47 (13.4)</b>	<b>80 (22.8)</b>
<b>2018</b>	<b>328</b>	<b>12 (3.7)</b>	<b>111 (33.8)</b>	<b>87 (26.5)</b>	<b>47 (14.3)</b>	<b>71 (21.6)</b>
<b>2017</b>	<b>356</b>	<b>10 (2.8)</b>	<b>121 (34.0)</b>	<b>98 (27.5)</b>	<b>63 (17.7)</b>	<b>64 (18.0)</b>
<b>2016</b>	<b>413</b>	<b>17 (4.1)</b>	<b>124 (30.0)</b>	<b>108 (26.2)</b>	<b>80 (19.4)</b>	<b>84 (20.3)</b>
<b>2015</b>	<b>400</b>	<b>19 (4.8)</b>	<b>154 (38.5)</b>	<b>96 (24.0)</b>	<b>72 (18.0)</b>	<b>59 (14.8)</b>
<b>2014</b>	<b>344</b>	<b>13 (3.8)</b>	<b>154 (44.8)</b>	<b>77 (22.4)</b>	<b>36 (10.5)</b>	<b>64 (18.6)</b>
<b>2013</b>	<b>393</b>	<b>20 (5.1)</b>	<b>155 (39.4)</b>	<b>96 (24.4)</b>	<b>50 (12.7)</b>	<b>72 (18.3)</b>
<b>2012</b>	<b>406</b>	<b>14 (3.4)</b>	<b>180 (44.3)</b>	<b>92 (22.7)</b>	<b>52 (12.8)</b>	<b>68 (16.7)</b>
<b>2011</b>	<b>443</b>	<b>20 (4.5)</b>	<b>181 (40.9)</b>	<b>114 (25.7)</b>	<b>64 (14.4)</b>	<b>64 (14.4)</b>

Number in weight status group (percentage of total)

\*\*\*\* percentages suppressed for denominators <30

Suggested Citation: Minnesota WIC Information System. *Pre-pregnancy weight status by calendar year of delivery and Community Health Board of residence in Minnesota WIC*. Minnesota WIC Program: 2022.

For more information contact: Minnesota WIC Program 1 (800) 657-3942

<sup>1</sup> County of residence as of March of the subsequent calendar year.

<sup>2</sup> Total number of participants delivering during calendar year with valid pre-pregnancy weight status information.

<sup>3</sup> BMI <18.5

<sup>4</sup> BMI 18.5 to <25

<sup>5</sup> BMI 25 to <30

<sup>6</sup> BMI 30 to <35

<sup>7</sup> BMI ≥35