

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>MINNESOTA</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>2,952</b>	<b>6,222</b>	<b>16,418</b>	<b>22,545</b>	<b>1,156</b>	<b>877</b>	<b>7,949</b>
<b>Overweight<sup>5</sup></b>	<b>584 (19.8)</b>	<b>1,055 (17.0)</b>	<b>2,295 (14.0)</b>	<b>3,511 (15.6)</b>	<b>187 (16.2)</b>	<b>135 (15.4)</b>	<b>1,385 (17.4)</b>
<b>Obese<sup>5</sup></b>	<b>187 (6.3)</b>	<b>256 (4.1)</b>	<b>684 (4.2)</b>	<b>944 (4.2)</b>	<b>52 (4.5)</b>	<b>29 (3.3)</b>	<b>428 (5.4)</b>
<b>Very Obese<sup>5</sup></b>	<b>506 (17.1)</b>	<b>606 (9.7)</b>	<b>1,251 (7.6)</b>	<b>1,521 (6.7)</b>	<b>159 (13.8)</b>	<b>93 (10.6)</b>	<b>960 (12.1)</b>
<b>2018 Total</b>	<b>3,155</b>	<b>6,764</b>	<b>17,499</b>	<b>24,123</b>	<b>1,370</b>	<b>912</b>	<b>8,632</b>
<b>Overweight</b>	<b>655 (20.8)</b>	<b>1,078 (15.9)</b>	<b>2,470 (14.1)</b>	<b>3,828 (15.9)</b>	<b>241 (17.6)</b>	<b>169 (18.5)</b>	<b>1,517 (17.6)</b>
<b>Obese</b>	<b>218 (6.9)</b>	<b>286 (4.2)</b>	<b>708 (4.0)</b>	<b>978 (4.1)</b>	<b>82 (6.0)</b>	<b>30 (3.3)</b>	<b>487 (5.6)</b>
<b>Very Obese</b>	<b>508 (16.1)</b>	<b>636 (9.4)</b>	<b>1,274 (7.3)</b>	<b>1,572 (6.5)</b>	<b>161 (11.8)</b>	<b>87 (9.5)</b>	<b>1,030 (11.9)</b>
<b>2017 Total</b>	<b>3,284</b>	<b>7,000</b>	<b>17,868</b>	<b>25,788</b>	<b>1,686</b>	<b>1,006</b>	<b>9,206</b>
<b>Overweight</b>	<b>631 (19.2)</b>	<b>1,081 (15.4)</b>	<b>2,546 (14.2)</b>	<b>4,158 (16.1)</b>	<b>268 (15.9)</b>	<b>149 (14.8)</b>	<b>1,596 (17.3)</b>
<b>Obese</b>	<b>237 (7.2)</b>	<b>292 (4.2)</b>	<b>741 (4.1)</b>	<b>1,113 (4.3)</b>	<b>113 (6.7)</b>	<b>48 (4.8)</b>	<b>473 (5.1)</b>
<b>Very Obese</b>	<b>515 (15.7)</b>	<b>695 (9.9)</b>	<b>1,274 (7.1)</b>	<b>1,677 (6.5)</b>	<b>216 (12.8)</b>	<b>89 (8.8)</b>	<b>1,093 (11.9)</b>
<b>2016 Total</b>	<b>3,536</b>	<b>7,297</b>	<b>17,927</b>	<b>27,669</b>	<b>2,114</b>	<b>1,034</b>	<b>9,530</b>
<b>Overweight</b>	<b>717 (20.3)</b>	<b>1,137 (15.6)</b>	<b>2,564 (14.3)</b>	<b>4,424 (16.0)</b>	<b>393 (18.6)</b>	<b>189 (18.3)</b>	<b>1,658 (17.4)</b>
<b>Obese</b>	<b>283 (8.0)</b>	<b>289 (4.0)</b>	<b>739 (4.1)</b>	<b>1,166 (4.2)</b>	<b>120 (5.7)</b>	<b>48 (4.6)</b>	<b>517 (5.4)</b>
<b>Very Obese</b>	<b>552 (15.6)</b>	<b>687 (9.4)</b>	<b>1,172 (6.5)</b>	<b>1,790 (6.5)</b>	<b>277 (13.1)</b>	<b>71 (6.9)</b>	<b>1,101 (11.6)</b>
<b>2015 Total</b>	<b>3,816</b>	<b>7,277</b>	<b>18,063</b>	<b>29,154</b>	<b>2,520</b>	<b>1,055</b>	<b>10,060</b>
<b>Overweight</b>	<b>799 (20.9)</b>	<b>1,154 (15.9)</b>	<b>2,576 (14.3)</b>	<b>4,500 (15.4)</b>	<b>457 (18.1)</b>	<b>188 (17.8)</b>	<b>1,752 (17.4)</b>
<b>Obese</b>	<b>262 (6.9)</b>	<b>300 (4.1)</b>	<b>726 (4.0)</b>	<b>1,252 (4.3)</b>	<b>109 (4.3)</b>	<b>49 (4.6)</b>	<b>523 (5.2)</b>
<b>Very Obese</b>	<b>600 (15.7)</b>	<b>625 (8.6)</b>	<b>1,203 (6.7)</b>	<b>1,747 (6.0)</b>	<b>290 (11.5)</b>	<b>73 (6.9)</b>	<b>1,058 (10.5)</b>
<b>2014 Total</b>	<b>3,717</b>	<b>6,635</b>	<b>16,847</b>	<b>28,914</b>	<b>2,878</b>	<b>965</b>	<b>9,774</b>
<b>Overweight</b>	<b>739 (19.9)</b>	<b>916 (13.8)</b>	<b>2,219 (13.2)</b>	<b>4,320 (14.9)</b>	<b>469 (16.3)</b>	<b>152 (15.8)</b>	<b>1,643 (16.8)</b>
<b>Obese</b>	<b>292 (7.9)</b>	<b>275 (4.1)</b>	<b>715 (4.2)</b>	<b>1,144 (4.0)</b>	<b>164 (5.7)</b>	<b>41 (4.2)</b>	<b>521 (5.3)</b>
<b>Very Obese</b>	<b>582 (15.7)</b>	<b>628 (9.5)</b>	<b>1,180 (7.0)</b>	<b>1,823 (6.3)</b>	<b>330 (11.5)</b>	<b>80 (8.3)</b>	<b>1,071 (11.0)</b>
<b>2013 Total</b>	<b>3,909</b>	<b>6,855</b>	<b>16,663</b>	<b>31,147</b>	<b>3,461</b>	<b>1,017</b>	<b>10,450</b>
<b>Overweight</b>	<b>809 (20.7)</b>	<b>1,045 (15.2)</b>	<b>2,337 (14.0)</b>	<b>4,910 (15.8)</b>	<b>622 (18.0)</b>	<b>162 (15.9)</b>	<b>1,817 (17.4)</b>
<b>Obese</b>	<b>314 (8.0)</b>	<b>334 (4.9)</b>	<b>686 (4.1)</b>	<b>1,344 (4.3)</b>	<b>200 (5.8)</b>	<b>54 (5.3)</b>	<b>612 (5.9)</b>
<b>Very Obese</b>	<b>628 (16.1)</b>	<b>684 (10.0)</b>	<b>1,268 (7.6)</b>	<b>1,992 (6.4)</b>	<b>372 (10.7)</b>	<b>99 (9.7)</b>	<b>1,109 (10.6)</b>
<b>2012 Total</b>	<b>4,053</b>	<b>6,770</b>	<b>16,972</b>	<b>34,270</b>	<b>4,086</b>	<b>1,045</b>	<b>11,159</b>
<b>Overweight</b>	<b>858 (21.2)</b>	<b>1,102 (16.3)</b>	<b>2,503 (14.7)</b>	<b>5,326 (15.5)</b>	<b>732 (17.9)</b>	<b>166 (15.9)</b>	<b>1,960 (17.6)</b>
<b>Obese</b>	<b>289 (7.1)</b>	<b>315 (4.7)</b>	<b>770 (4.5)</b>	<b>1,443 (4.2)</b>	<b>243 (5.9)</b>	<b>45 (4.3)</b>	<b>651 (5.8)</b>
<b>Very Obese</b>	<b>664 (16.4)</b>	<b>666 (9.8)</b>	<b>1,208 (7.1)</b>	<b>2,071 (6.0)</b>	<b>488 (11.9)</b>	<b>107 (10.2)</b>	<b>1,112 (10.0)</b>
<b>2011 Total</b>	<b>4,165</b>	<b>6,620</b>	<b>16,543</b>	<b>35,837</b>	<b>4,591</b>	<b>1,043</b>	<b>11,612</b>
<b>Overweight</b>	<b>863 (20.7)</b>	<b>1,117 (16.9)</b>	<b>2,545 (15.4)</b>	<b>5,568 (15.5)</b>	<b>849 (18.5)</b>	<b>178 (17.1)</b>	<b>2,080 (17.9)</b>
<b>Obese</b>	<b>381 (9.1)</b>	<b>370 (5.6)</b>	<b>818 (4.9)</b>	<b>1,640 (4.6)</b>	<b>306 (6.7)</b>	<b>55 (5.3)</b>	<b>736 (6.3)</b>
<b>Very Obese</b>	<b>636 (15.3)</b>	<b>586 (8.9)</b>	<b>1,151 (7.0)</b>	<b>1,974 (5.5)</b>	<b>516 (11.2)</b>	<b>87 (8.3)</b>	<b>1,150 (9.9)</b>

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>AITKIN-ITASCA- KOOCHICHING</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>99</b>	<b>7</b>	<b>28</b>	<b>549</b>	<b>&lt;5</b>	<b>0</b>	<b>19</b>
<b>Overweight<sup>5</sup></b>	<b>25 (25.3)</b>	<b>1 (****)</b>	<b>5 (****)</b>	<b>77 (14.0)</b>	<b>0</b>	<b>0</b>	<b>2 (****)</b>
<b>Obese<sup>5</sup></b>	<b>5 (5.1)</b>	<b>3 (****)</b>	<b>2 (****)</b>	<b>24 (4.4)</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Very Obese<sup>5</sup></b>	<b>12 (12.1)</b>	<b>0</b>	<b>2 (****)</b>	<b>31 (5.6)</b>	<b>0</b>	<b>0</b>	<b>2 (****)</b>
<b>2018 Total</b>	<b>120</b>	<b>11</b>	<b>36</b>	<b>623</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>22</b>
<b>Overweight</b>	<b>19 (15.8)</b>	<b>1 (****)</b>	<b>7 (19.4)</b>	<b>84 (13.5)</b>	<b>****</b>	<b>0</b>	<b>2 (****)</b>
<b>Obese</b>	<b>6 (5.0)</b>	<b>1 (****)</b>	<b>2 (5.6)</b>	<b>29 (4.7)</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Very Obese</b>	<b>22 (18.3)</b>	<b>0</b>	<b>2 (5.6)</b>	<b>41 (6.6)</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>2017 Total</b>	<b>127</b>	<b>14</b>	<b>32</b>	<b>629</b>	<b>&lt;5</b>	<b>6</b>	<b>27</b>
<b>Overweight</b>	<b>18 (14.2)</b>	<b>1 (****)</b>	<b>5 (15.6)</b>	<b>101 (16.1)</b>	<b>****</b>	<b>0</b>	<b>2 (****)</b>
<b>Obese</b>	<b>9 (7.1)</b>	<b>1 (****)</b>	<b>0</b>	<b>27 (4.3)</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Very Obese</b>	<b>17 (13.4)</b>	<b>1 (****)</b>	<b>3 (9.4)</b>	<b>41 (6.5)</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>2016 Total</b>	<b>136</b>	<b>18</b>	<b>30</b>	<b>663</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>23</b>
<b>Overweight</b>	<b>21 (15.4)</b>	<b>2 (****)</b>	<b>11 (36.7)</b>	<b>111 (16.7)</b>	<b>****</b>	<b>0</b>	<b>2 (****)</b>
<b>Obese</b>	<b>11 (8.1)</b>	<b>0</b>	<b>2 (6.7)</b>	<b>26 (3.9)</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Very Obese</b>	<b>21 (15.4)</b>	<b>2 (****)</b>	<b>2 (6.7)</b>	<b>40 (6.0)</b>	<b>****</b>	<b>0</b>	<b>0</b>
<b>2015 Total</b>	<b>151</b>	<b>10</b>	<b>28</b>	<b>702</b>	<b>7</b>	<b>&lt;5</b>	<b>25</b>
<b>Overweight</b>	<b>40 (26.5)</b>	<b>4 (****)</b>	<b>2 (****)</b>	<b>122 (17.4)</b>	<b>3 (****)</b>	<b>****</b>	<b>4 (****)</b>
<b>Obese</b>	<b>10 (6.6)</b>	<b>0</b>	<b>4 (****)</b>	<b>34 (4.8)</b>	<b>0</b>	<b>0</b>	<b>1 (****)</b>
<b>Very Obese</b>	<b>22 (14.6)</b>	<b>0</b>	<b>3 (****)</b>	<b>38 (5.4)</b>	<b>2 (****)</b>	<b>0</b>	<b>2 (****)</b>
<b>2014 Total</b>	<b>149</b>	<b>7</b>	<b>18</b>	<b>714</b>	<b>10</b>	<b>6</b>	<b>26</b>
<b>Overweight</b>	<b>34 (22.8)</b>	<b>3 (****)</b>	<b>6 (****)</b>	<b>115 (16.1)</b>	<b>3 (****)</b>	<b>3 (****)</b>	<b>6 (****)</b>
<b>Obese</b>	<b>12 (8.1)</b>	<b>0</b>	<b>0</b>	<b>34 (4.8)</b>	<b>1 (****)</b>	<b>0</b>	<b>1 (****)</b>
<b>Very Obese</b>	<b>25 (16.8)</b>	<b>0</b>	<b>1 (****)</b>	<b>46 (6.4)</b>	<b>3 (****)</b>	<b>2 (****)</b>	<b>3 (****)</b>
<b>2013 Total</b>	<b>162</b>	<b>8</b>	<b>13</b>	<b>729</b>	<b>11</b>	<b>5</b>	<b>36</b>
<b>Overweight</b>	<b>32 (19.8)</b>	<b>3 (****)</b>	<b>2 (****)</b>	<b>126 (17.3)</b>	<b>2 (****)</b>	<b>1 (****)</b>	<b>3 (8.3)</b>
<b>Obese</b>	<b>20 (12.3)</b>	<b>1 (****)</b>	<b>1 (****)</b>	<b>30 (4.1)</b>	<b>0</b>	<b>0</b>	<b>1 (2.8)</b>
<b>Very Obese</b>	<b>27 (16.7)</b>	<b>0</b>	<b>1 (****)</b>	<b>50 (6.9)</b>	<b>0</b>	<b>0</b>	<b>3 (8.3)</b>
<b>2012 Total</b>	<b>159</b>	<b>7</b>	<b>30</b>	<b>806</b>	<b>10</b>	<b>8</b>	<b>31</b>
<b>Overweight</b>	<b>32 (20.1)</b>	<b>1 (****)</b>	<b>5 (16.7)</b>	<b>116 (14.4)</b>	<b>0</b>	<b>1 (****)</b>	<b>2 (6.5)</b>
<b>Obese</b>	<b>9 (5.7)</b>	<b>0</b>	<b>1 (3.3)</b>	<b>45 (5.6)</b>	<b>2 (****)</b>	<b>0</b>	<b>3 (9.7)</b>
<b>Very Obese</b>	<b>31 (19.5)</b>	<b>1 (****)</b>	<b>1 (3.3)</b>	<b>57 (7.1)</b>	<b>1 (****)</b>	<b>0</b>	<b>1 (3.2)</b>
<b>2011 Total</b>	<b>169</b>	<b>7</b>	<b>29</b>	<b>847</b>	<b>15</b>	<b>8</b>	<b>32</b>
<b>Overweight</b>	<b>38 (22.5)</b>	<b>0</b>	<b>4 (****)</b>	<b>152 (17.9)</b>	<b>4 (****)</b>	<b>2 (****)</b>	<b>4 (12.5)</b>
<b>Obese</b>	<b>10 (5.9)</b>	<b>0</b>	<b>1 (****)</b>	<b>34 (4.0)</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Very Obese</b>	<b>30 (17.8)</b>	<b>1 (****)</b>	<b>4 (****)</b>	<b>51 (6.0)</b>	<b>1 (****)</b>	<b>0</b>	<b>3 (9.4)</b>

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

ANOKA	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>69</b>	<b>284</b>	<b>932</b>	<b>1,231</b>	<b>22</b>	<b>36</b>	<b>326</b>
Overweight <sup>5</sup>	14 (20.3)	53 (18.7)	143 (15.3)	192 (15.6)	2 (****)	6 (16.7)	58 (17.8)
Obese <sup>5</sup>	2 (2.9)	14 (4.9)	40 (4.3)	41 (3.3)	1 (****)	0	11 (3.4)
Very Obese <sup>5</sup>	9 (13.0)	22 (7.7)	61 (6.5)	85 (6.9)	6 (****)	4 (11.1)	42 (12.9)
<b>2018 Total</b>	<b>73</b>	<b>266</b>	<b>955</b>	<b>1,288</b>	<b>33</b>	<b>44</b>	<b>354</b>
Overweight	13 (17.8)	43 (16.2)	145 (15.2)	210 (16.3)	5 (15.2)	8 (18.2)	63 (17.8)
Obese	2 (2.7)	14 (5.3)	35 (3.7)	38 (3.0)	1 (3.0)	1 (2.3)	14 (4.0)
Very Obese	8 (11.0)	18 (6.8)	66 (6.9)	87 (6.8)	4 (12.1)	3 (6.8)	34 (9.6)
<b>2017 Total</b>	<b>59</b>	<b>245</b>	<b>900</b>	<b>1,363</b>	<b>33</b>	<b>38</b>	<b>385</b>
Overweight	13 (22.0)	41 (16.7)	151 (16.8)	226 (16.6)	4 (12.1)	7 (18.4)	56 (14.5)
Obese	2 (3.4)	2 (<1)	29 (3.2)	55 (4.0)	1 (3.0)	1 (2.6)	8 (2.1)
Very Obese	5 (8.5)	32 (13.1)	58 (6.4)	83 (6.1)	2 (6.1)	2 (5.3)	39 (10.1)
<b>2016 Total</b>	<b>66</b>	<b>211</b>	<b>832</b>	<b>1,408</b>	<b>44</b>	<b>40</b>	<b>377</b>
Overweight	11 (16.7)	28 (13.3)	125 (15.0)	231 (16.4)	9 (20.5)	9 (22.5)	56 (14.9)
Obese	3 (4.5)	6 (2.8)	42 (5.0)	60 (4.3)	1 (2.3)	0	20 (5.3)
Very Obese	8 (12.1)	22 (10.4)	52 (6.2)	76 (5.4)	2 (4.5)	2 (5.0)	29 (7.7)
<b>2015 Total</b>	<b>86</b>	<b>209</b>	<b>863</b>	<b>1,702</b>	<b>40</b>	<b>43</b>	<b>382</b>
Overweight	18 (20.9)	27 (12.9)	154 (17.8)	278 (16.3)	7 (17.5)	7 (16.3)	58 (15.2)
Obese	4 (4.7)	6 (2.9)	30 (3.5)	65 (3.8)	1 (2.5)	1 (2.3)	25 (6.5)
Very Obese	10 (11.6)	23 (11.0)	56 (6.5)	93 (5.5)	3 (7.5)	1 (2.3)	27 (7.1)
<b>2014 Total</b>	<b>79</b>	<b>208</b>	<b>827</b>	<b>1,616</b>	<b>45</b>	<b>37</b>	<b>364</b>
Overweight	17 (21.5)	35 (16.8)	134 (16.2)	272 (16.8)	9 (20.0)	3 (8.1)	51 (14.0)
Obese	5 (6.3)	8 (3.8)	22 (2.7)	55 (3.4)	0	1 (2.7)	14 (3.8)
Very Obese	6 (7.6)	23 (11.1)	58 (7.0)	105 (6.5)	5 (11.1)	2 (5.4)	48 (13.2)
<b>2013 Total</b>	<b>77</b>	<b>205</b>	<b>843</b>	<b>1,575</b>	<b>71</b>	<b>47</b>	<b>388</b>
Overweight	10 (13.0)	25 (12.2)	133 (15.8)	238 (15.1)	16 (22.5)	6 (12.8)	59 (15.2)
Obese	4 (5.2)	12 (5.9)	28 (3.3)	70 (4.4)	7 (9.9)	6 (12.8)	32 (8.2)
Very Obese	10 (13.0)	23 (11.2)	66 (7.8)	111 (7.0)	6 (8.5)	6 (12.8)	44 (11.3)
<b>2012 Total</b>	<b>71</b>	<b>179</b>	<b>843</b>	<b>1,679</b>	<b>75</b>	<b>50</b>	<b>425</b>
Overweight	13 (18.3)	33 (18.4)	150 (17.8)	273 (16.3)	20 (26.7)	9 (18.0)	75 (17.6)
Obese	1 (1.4)	10 (5.6)	48 (5.7)	68 (4.1)	3 (4.0)	1 (2.0)	16 (3.8)
Very Obese	10 (14.1)	16 (8.9)	60 (7.1)	95 (5.7)	10 (13.3)	6 (12.0)	45 (10.6)
<b>2011 Total</b>	<b>78</b>	<b>194</b>	<b>861</b>	<b>1,781</b>	<b>91</b>	<b>50</b>	<b>432</b>
Overweight	13 (16.7)	38 (19.6)	132 (15.3)	276 (15.5)	18 (19.8)	8 (16.0)	72 (16.7)
Obese	5 (6.4)	14 (7.2)	41 (4.8)	79 (4.4)	6 (6.6)	5 (10.0)	16 (3.7)
Very Obese	13 (16.7)	16 (8.2)	47 (5.5)	107 (6.0)	6 (6.6)	2 (4.0)	37 (8.6)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>BELTRAMI</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>538</b>	<b>&lt;5</b>	<b>22</b>	<b>389</b>	<b>9</b>	<b>&lt;5</b>	<b>13</b>
Overweight <sup>5</sup>	112 (20.8)	0	3 (****)	55 (14.1)	0	0	1 (****)
Obese <sup>5</sup>	40 (7.4)	1 (****)	0	21 (5.4)	1 (****)	0	2 (****)
Very Obese <sup>5</sup>	148 (27.5)	0	3 (****)	25 (6.4)	0	0	2 (****)
<b>2018 Total</b>	<b>563</b>	<b>8</b>	<b>22</b>	<b>415</b>	<b>8</b>	<b>&lt;5</b>	<b>16</b>
Overweight	130 (23.1)	0	6 (****)	69 (16.6)	1 (****)	1 (****)	6 (****)
Obese	57 (10.1)	0	0	17 (4.1)	0	0	1 (****)
Very Obese	122 (21.7)	1 (****)	2 (****)	28 (6.7)	1 (****)	1 (****)	1 (****)
<b>2017 Total</b>	<b>636</b>	<b>9</b>	<b>29</b>	<b>442</b>	<b>16</b>	<b>&lt;5</b>	<b>19</b>
Overweight	156 (24.5)	0	4 (****)	80 (18.1)	3 (****)	0	5 (****)
Obese	56 (8.8)	0	0	22 (5.0)	3 (****)	0	1 (****)
Very Obese	144 (22.6)	3 (****)	0	38 (8.6)	1 (****)	0	1 (****)
<b>2016 Total</b>	<b>675</b>	<b>12</b>	<b>40</b>	<b>469</b>	<b>13</b>	<b>6</b>	<b>21</b>
Overweight	169 (25.0)	2 (****)	4 (10.0)	81 (17.3)	7 (****)	0	7 (****)
Obese	61 (9.0)	0	3 (7.5)	26 (5.5)	0	0	0
Very Obese	152 (22.5)	2 (****)	2 (5.0)	29 (6.2)	1 (****)	2 (****)	2 (****)
<b>2015 Total</b>	<b>754</b>	<b>12</b>	<b>44</b>	<b>491</b>	<b>19</b>	<b>6</b>	<b>27</b>
Overweight	181 (24.0)	1 (****)	8 (18.2)	83 (16.9)	3 (****)	2 (****)	5 (****)
Obese	53 (7.0)	0	3 (6.8)	30 (6.1)	1 (****)	1 (****)	2 (****)
Very Obese	180 (23.9)	3 (****)	1 (2.3)	26 (5.3)	3 (****)	1 (****)	1 (****)
<b>2014 Total</b>	<b>734</b>	<b>10</b>	<b>44</b>	<b>542</b>	<b>27</b>	<b>&lt;5</b>	<b>18</b>
Overweight	163 (22.2)	1 (****)	10 (22.7)	72 (13.3)	7 (****)	1 (****)	3 (****)
Obese	72 (9.8)	1 (****)	2 (4.5)	20 (3.7)	3 (****)	1 (****)	0
Very Obese	158 (21.5)	2 (****)	5 (11.4)	30 (5.5)	3 (****)	0	1 (****)
<b>2013 Total</b>	<b>816</b>	<b>13</b>	<b>52</b>	<b>567</b>	<b>31</b>	<b>&lt;5</b>	<b>17</b>
Overweight	209 (25.6)	4 (****)	9 (17.3)	89 (15.7)	7 (22.6)	1 (****)	1 (****)
Obese	80 (9.8)	1 (****)	1 (1.9)	22 (3.9)	1 (3.2)	0	0
Very Obese	179 (21.9)	1 (****)	5 (9.6)	26 (4.6)	4 (12.9)	1 (****)	1 (****)
<b>2012 Total</b>	<b>802</b>	<b>15</b>	<b>43</b>	<b>615</b>	<b>26</b>	<b>&lt;5</b>	<b>19</b>
Overweight	189 (23.6)	3 (****)	6 (14.0)	98 (15.9)	4 (****)	****	3 (****)
Obese	78 (9.7)	0	2 (4.7)	27 (4.4)	0	****	0
Very Obese	195 (24.3)	4 (****)	3 (7.0)	26 (4.2)	5 (****)	****	1 (****)
<b>2011 Total</b>	<b>789</b>	<b>13</b>	<b>46</b>	<b>651</b>	<b>30</b>	<b>0</b>	<b>15</b>
Overweight	189 (24.0)	1 (****)	7 (15.2)	100 (15.4)	2 (6.7)	0	1 (****)
Obese	112 (14.2)	0	3 (6.5)	18 (2.8)	4 (13.3)	0	0
Very Obese	190 (24.1)	5 (****)	8 (17.4)	44 (6.8)	1 (3.3)	0	2 (****)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>BENTON</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>15</b>	<b>10</b>	<b>131</b>	<b>273</b>	<b>&lt;5</b>	<b>5</b>	<b>27</b>
Overweight <sup>5</sup>	4 (****)	3 (****)	17 (13.0)	44 (16.1)	1 (****)	2 (****)	7 (****)
Obese <sup>5</sup>	2 (****)	0	5 (3.8)	11 (4.0)	0	0	2 (****)
Very Obese <sup>5</sup>	0	0	9 (6.9)	18 (6.6)	1 (****)	0	0
<b>2018 Total</b>	<b>20</b>	<b>11</b>	<b>135</b>	<b>295</b>	<b>5</b>	<b>5</b>	<b>28</b>
Overweight	4 (****)	2 (****)	14 (10.4)	36 (12.2)	0	0	7 (****)
Obese	2 (****)	0	5 (3.7)	14 (4.7)	2 (****)	1 (****)	3 (****)
Very Obese	2 (****)	1 (****)	12 (8.9)	23 (7.8)	1 (****)	0	3 (****)
<b>2017 Total</b>	<b>22</b>	<b>11</b>	<b>136</b>	<b>307</b>	<b>7</b>	<b>6</b>	<b>28</b>
Overweight	4 (****)	1 (****)	24 (17.6)	52 (16.9)	2 (****)	2 (****)	7 (****)
Obese	3 (****)	0	5 (3.7)	17 (5.5)	1 (****)	0	1 (****)
Very Obese	3 (****)	1 (****)	7 (5.1)	29 (9.4)	1 (****)	0	0
<b>2016 Total</b>	<b>20</b>	<b>12</b>	<b>145</b>	<b>313</b>	<b>&lt;5</b>	<b>6</b>	<b>28</b>
Overweight	4 (****)	2 (****)	19 (13.1)	51 (16.3)	2 (****)	2 (****)	7 (****)
Obese	1 (****)	0	5 (3.4)	13 (4.2)	0	0	0
Very Obese	6 (****)	0	11 (7.6)	32 (10.2)	0	0	2 (****)
<b>2015 Total</b>	<b>20</b>	<b>9</b>	<b>121</b>	<b>327</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>25</b>
Overweight	3 (****)	0	19 (15.7)	57 (17.4)	1 (****)	0	7 (****)
Obese	1 (****)	0	4 (3.3)	15 (4.6)	1 (****)	0	2 (****)
Very Obese	4 (****)	0	7 (5.8)	16 (4.9)	0	0	2 (****)
<b>2014 Total</b>	<b>12</b>	<b>12</b>	<b>82</b>	<b>315</b>	<b>&lt;5</b>	<b>6</b>	<b>37</b>
Overweight	3 (****)	0	10 (12.2)	59 (18.7)	1 (****)	3 (****)	7 (18.9)
Obese	0	0	2 (2.4)	14 (4.4)	0	1 (****)	3 (8.1)
Very Obese	2 (****)	2 (****)	8 (9.8)	22 (7.0)	0	0	7 (18.9)
<b>2013 Total</b>	<b>10</b>	<b>13</b>	<b>70</b>	<b>338</b>	<b>5</b>	<b>&lt;5</b>	<b>27</b>
Overweight	2 (****)	1 (****)	6 (8.6)	53 (15.7)	2 (****)	1 (****)	4 (****)
Obese	0	0	2 (2.9)	11 (3.3)	0	0	3 (****)
Very Obese	1 (****)	1 (****)	8 (11.4)	21 (6.2)	1 (****)	0	3 (****)
<b>2012 Total</b>	<b>7</b>	<b>12</b>	<b>68</b>	<b>388</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>13</b>
Overweight	0	0	11 (16.2)	51 (13.1)	****	****	1 (****)
Obese	0	0	2 (2.9)	16 (4.1)	****	****	2 (****)
Very Obese	2 (****)	2 (****)	4 (5.9)	20 (5.2)	****	****	2 (****)
<b>2011 Total</b>	<b>17</b>	<b>11</b>	<b>72</b>	<b>429</b>	<b>6</b>	<b>0</b>	<b>21</b>
Overweight	4 (****)	2 (****)	10 (13.9)	64 (14.9)	1 (****)	0	8 (****)
Obese	0	0	10 (13.9)	24 (5.6)	0	0	0
Very Obese	3 (****)	1 (****)	3 (4.2)	18 (4.2)	0	0	2 (****)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

BLUE EARTH	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>12</b>	<b>17</b>	<b>175</b>	<b>322</b>	<b>5</b>	<b>9</b>	<b>57</b>
Overweight <sup>5</sup>	1 (****)	3 (****)	26 (14.9)	44 (13.7)	0	0	8 (14.0)
Obese <sup>5</sup>	0	0	11 (6.3)	10 (3.1)	0	0	2 (3.5)
Very Obese <sup>5</sup>	0	0	10 (5.7)	34 (10.6)	0	3 (****)	2 (3.5)
<b>2018 Total</b>	<b>6</b>	<b>19</b>	<b>155</b>	<b>363</b>	<b>6</b>	<b>7</b>	<b>54</b>
Overweight	0	3 (****)	20 (12.9)	58 (16.0)	1 (****)	1 (****)	9 (16.7)
Obese	0	0	9 (5.8)	21 (5.8)	0	0	2 (3.7)
Very Obese	1 (****)	0	7 (4.5)	28 (7.7)	0	1 (****)	10 (18.5)
<b>2017 Total</b>	<b>13</b>	<b>17</b>	<b>161</b>	<b>378</b>	<b>&lt;5</b>	<b>6</b>	<b>49</b>
Overweight	4 (****)	2 (****)	14 (8.7)	62 (16.4)	0	1 (****)	11 (22.4)
Obese	0	1 (****)	5 (3.1)	18 (4.8)	0	0	1 (2.0)
Very Obese	1 (****)	1 (****)	7 (4.3)	31 (8.2)	0	0	6 (12.2)
<b>2016 Total</b>	<b>13</b>	<b>16</b>	<b>151</b>	<b>395</b>	<b>&lt;5</b>	<b>8</b>	<b>45</b>
Overweight	3 (****)	2 (****)	27 (17.9)	69 (17.5)	0	0	4 (8.9)
Obese	1 (****)	1 (****)	4 (2.6)	19 (4.8)	0	1 (****)	2 (4.4)
Very Obese	1 (****)	0	5 (3.3)	22 (5.6)	0	0	6 (13.3)
<b>2015 Total</b>	<b>5</b>	<b>19</b>	<b>166</b>	<b>446</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>34</b>
Overweight	2 (****)	4 (****)	16 (9.6)	81 (18.2)	1 (****)	0	4 (11.8)
Obese	0	0	5 (3.0)	13 (2.9)	0	0	0
Very Obese	0	0	6 (3.6)	18 (4.0)	0	0	3 (8.8)
<b>2014 Total</b>	<b>&lt;5</b>	<b>15</b>	<b>133</b>	<b>438</b>	<b>&lt;5</b>	<b>6</b>	<b>37</b>
Overweight	1 (****)	1 (****)	21 (15.8)	57 (13.0)	1 (****)	0	5 (13.5)
Obese	1 (****)	1 (****)	7 (5.3)	18 (4.1)	0	0	0
Very Obese	0	1 (****)	8 (6.0)	22 (5.0)	0	2 (****)	3 (8.1)
<b>2013 Total</b>	<b>5</b>	<b>16</b>	<b>147</b>	<b>456</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>34</b>
Overweight	0	6 (****)	27 (18.4)	70 (15.4)	3 (****)	1 (****)	3 (8.8)
Obese	0	0	6 (4.1)	14 (3.1)	0	1 (****)	0
Very Obese	2 (****)	1 (****)	11 (7.5)	28 (6.1)	0	0	5 (14.7)
<b>2012 Total</b>	<b>9</b>	<b>13</b>	<b>166</b>	<b>515</b>	<b>5</b>	<b>&lt;5</b>	<b>47</b>
Overweight	1 (****)	0	25 (15.1)	77 (15.0)	1 (****)	****	7 (14.9)
Obese	1 (****)	1 (****)	5 (3.0)	23 (4.5)	2 (****)	****	2 (4.3)
Very Obese	1 (****)	0	14 (8.4)	30 (5.8)	0	****	6 (12.8)
<b>2011 Total</b>	<b>10</b>	<b>25</b>	<b>158</b>	<b>541</b>	<b>7</b>	<b>&lt;5</b>	<b>62</b>
Overweight	4 (****)	3 (****)	23 (14.6)	75 (13.9)	0	****	12 (19.4)
Obese	0	0	7 (4.4)	22 (4.1)	2 (****)	****	5 (8.1)
Very Obese	2 (****)	2 (****)	16 (10.1)	24 (4.4)	1 (****)	****	6 (9.7)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>BROWN-NICOLLET</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>10</b>	<b>8</b>	<b>91</b>	<b>365</b>	<b>5</b>	<b>5</b>	<b>90</b>
Overweight <sup>5</sup>	1 (****)	2 (****)	11 (12.1)	57 (15.6)	0	0	24 (26.7)
Obese <sup>5</sup>	0	0	9 (9.9)	21 (5.8)	2 (****)	0	5 (5.6)
Very Obese <sup>5</sup>	1 (****)	0	9 (9.9)	25 (6.8)	1 (****)	3 (****)	12 (13.3)
<b>2018 Total</b>	<b>8</b>	<b>6</b>	<b>93</b>	<b>371</b>	<b>11</b>	<b>6</b>	<b>111</b>
Overweight	1 (****)	1 (****)	17 (18.3)	68 (18.3)	2 (****)	0	21 (18.9)
Obese	2 (****)	0	6 (6.5)	20 (5.4)	0	0	7 (6.3)
Very Obese	1 (****)	0	5 (5.4)	27 (7.3)	2 (****)	3 (****)	10 (9.0)
<b>2017 Total</b>	<b>&lt;5</b>	<b>9</b>	<b>94</b>	<b>355</b>	<b>9</b>	<b>5</b>	<b>104</b>
Overweight	****	0	10 (10.6)	58 (16.3)	0	0	22 (21.2)
Obese	****	0	11 (11.7)	21 (5.9)	1 (****)	0	3 (2.9)
Very Obese	0	2 (****)	4 (4.3)	28 (7.9)	1 (****)	2 (****)	18 (17.3)
<b>2016 Total</b>	<b>5</b>	<b>8</b>	<b>100</b>	<b>407</b>	<b>14</b>	<b>&lt;5</b>	<b>101</b>
Overweight	0	1 (****)	9 (9.0)	73 (17.9)	4 (****)	0	13 (12.9)
Obese	0	0	4 (4.0)	20 (4.9)	3 (****)	0	9 (8.9)
Very Obese	0	0	3 (3.0)	38 (9.3)	2 (****)	0	8 (7.9)
<b>2015 Total</b>	<b>5</b>	<b>9</b>	<b>107</b>	<b>409</b>	<b>13</b>	<b>7</b>	<b>113</b>
Overweight	1 (****)	1 (****)	15 (14.0)	62 (15.2)	1 (****)	0	18 (15.9)
Obese	0	0	2 (1.9)	23 (5.6)	1 (****)	0	7 (6.2)
Very Obese	0	0	3 (2.8)	28 (6.8)	3 (****)	1 (****)	11 (9.7)
<b>2014 Total</b>	<b>&lt;5</b>	<b>6</b>	<b>99</b>	<b>379</b>	<b>12</b>	<b>8</b>	<b>111</b>
Overweight	0	0	16 (16.2)	63 (16.6)	1 (****)	1 (****)	10 (9.0)
Obese	0	0	4 (4.0)	12 (3.2)	2 (****)	0	11 (9.9)
Very Obese	0	0	5 (5.1)	31 (8.2)	2 (****)	1 (****)	13 (11.7)
<b>2013 Total</b>	<b>&lt;5</b>	<b>7</b>	<b>72</b>	<b>432</b>	<b>15</b>	<b>7</b>	<b>122</b>
Overweight	****	2 (****)	14 (19.4)	66 (15.3)	3 (****)	2 (****)	21 (17.2)
Obese	0	0	3 (4.2)	24 (5.6)	1 (****)	1 (****)	7 (5.7)
Very Obese	0	0	2 (2.8)	29 (6.7)	3 (****)	1 (****)	15 (12.3)
<b>2012 Total</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>67</b>	<b>447</b>	<b>15</b>	<b>6</b>	<b>130</b>
Overweight	****	****	12 (17.9)	80 (17.9)	2 (****)	1 (****)	23 (17.7)
Obese	****	****	4 (6.0)	19 (4.3)	0	1 (****)	8 (6.2)
Very Obese	****	****	4 (6.0)	25 (5.6)	2 (****)	2 (****)	18 (13.8)
<b>2011 Total</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>59</b>	<b>468</b>	<b>12</b>	<b>&lt;5</b>	<b>125</b>
Overweight	****	****	10 (16.9)	72 (15.4)	0	0	21 (16.8)
Obese	****	0	4 (6.8)	25 (5.3)	3 (****)	****	8 (6.4)
Very Obese	****	0	4 (6.8)	26 (5.6)	1 (****)	0	16 (12.8)



**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>CARLTON-COOK-LAKE-ST. LOUIS</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>354</b>	<b>37</b>	<b>197</b>	<b>1,509</b>	<b>15</b>	<b>26</b>	<b>85</b>
Overweight <sup>5</sup>	70 (19.8)	5 (13.5)	39 (19.8)	247 (16.4)	1 (****)	1 (****)	11 (12.9)
Obese <sup>5</sup>	31 (8.8)	2 (5.4)	8 (4.1)	66 (4.4)	3 (****)	2 (****)	6 (7.1)
Very Obese <sup>5</sup>	34 (9.6)	3 (8.1)	15 (7.6)	109 (7.2)	1 (****)	2 (****)	3 (3.5)
<b>2018 Total</b>	<b>351</b>	<b>30</b>	<b>209</b>	<b>1,541</b>	<b>27</b>	<b>24</b>	<b>87</b>
Overweight	76 (21.7)	4 (13.3)	37 (17.7)	256 (16.6)	3 (****)	4 (****)	10 (11.5)
Obese	27 (7.7)	2 (6.7)	3 (1.4)	54 (3.5)	2 (****)	0	4 (4.6)
Very Obese	33 (9.4)	2 (6.7)	24 (11.5)	106 (6.9)	4 (****)	1 (****)	7 (8.0)
<b>2017 Total</b>	<b>385</b>	<b>36</b>	<b>235</b>	<b>1,771</b>	<b>28</b>	<b>30</b>	<b>92</b>
Overweight	73 (19.0)	9 (25.0)	38 (16.2)	304 (17.2)	7 (****)	7 (23.3)	19 (20.7)
Obese	20 (5.2)	0	6 (2.6)	71 (4.0)	1 (****)	0	3 (3.3)
Very Obese	46 (11.9)	1 (2.8)	24 (10.2)	113 (6.4)	5 (****)	2 (6.7)	6 (6.5)
<b>2016 Total</b>	<b>366</b>	<b>35</b>	<b>213</b>	<b>1,795</b>	<b>32</b>	<b>18</b>	<b>89</b>
Overweight	70 (19.1)	9 (25.7)	47 (22.1)	301 (16.8)	8 (25.0)	7 (****)	14 (15.7)
Obese	25 (6.8)	3 (8.6)	15 (7.0)	77 (4.3)	3 (9.4)	2 (****)	3 (3.4)
Very Obese	42 (11.5)	2 (5.7)	19 (8.9)	114 (6.4)	6 (18.8)	2 (****)	7 (7.9)
<b>2015 Total</b>	<b>361</b>	<b>42</b>	<b>211</b>	<b>1,873</b>	<b>37</b>	<b>19</b>	<b>100</b>
Overweight	82 (22.7)	8 (19.0)	42 (19.9)	283 (15.1)	10 (27.0)	2 (****)	19 (19.0)
Obese	28 (7.8)	2 (4.8)	16 (7.6)	76 (4.1)	2 (5.4)	4 (****)	7 (7.0)
Very Obese	33 (9.1)	1 (2.4)	10 (4.7)	112 (6.0)	6 (16.2)	3 (****)	12 (12.0)
<b>2014 Total</b>	<b>373</b>	<b>47</b>	<b>243</b>	<b>1,900</b>	<b>38</b>	<b>13</b>	<b>83</b>
Overweight	87 (23.3)	3 (6.4)	48 (19.8)	287 (15.1)	10 (26.3)	4 (****)	12 (14.5)
Obese	17 (4.6)	0	13 (5.3)	71 (3.7)	2 (5.3)	2 (****)	6 (7.2)
Very Obese	42 (11.3)	2 (4.3)	14 (5.8)	136 (7.2)	5 (13.2)	2 (****)	8 (9.6)
<b>2013 Total</b>	<b>422</b>	<b>49</b>	<b>244</b>	<b>2,077</b>	<b>45</b>	<b>15</b>	<b>87</b>
Overweight	84 (19.9)	10 (20.4)	54 (22.1)	329 (15.8)	10 (22.2)	1 (****)	18 (20.7)
Obese	33 (7.8)	0	9 (3.7)	92 (4.4)	5 (11.1)	0	3 (3.4)
Very Obese	53 (12.6)	4 (8.2)	23 (9.4)	150 (7.2)	7 (15.6)	4 (****)	8 (9.2)
<b>2012 Total</b>	<b>469</b>	<b>53</b>	<b>248</b>	<b>2,335</b>	<b>48</b>	<b>24</b>	<b>109</b>
Overweight	93 (19.8)	10 (18.9)	45 (18.1)	368 (15.8)	13 (27.1)	4 (****)	19 (17.4)
Obese	25 (5.3)	1 (1.9)	13 (5.2)	105 (4.5)	3 (6.2)	0	5 (4.6)
Very Obese	54 (11.5)	1 (1.9)	30 (12.1)	165 (7.1)	7 (14.6)	4 (****)	12 (11.0)
<b>2011 Total</b>	<b>472</b>	<b>52</b>	<b>285</b>	<b>2,525</b>	<b>44</b>	<b>20</b>	<b>120</b>
Overweight	85 (18.0)	4 (7.7)	59 (20.7)	388 (15.4)	10 (22.7)	4 (****)	24 (20.0)
Obese	39 (8.3)	2 (3.8)	16 (5.6)	122 (4.8)	5 (11.4)	1 (****)	8 (6.7)
Very Obese	57 (12.1)	3 (5.8)	21 (7.4)	139 (5.5)	6 (13.6)	2 (****)	14 (11.7)



**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

CARVER	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>5</b>	<b>20</b>	<b>86</b>	<b>167</b>	<b>&lt;5</b>	<b>8</b>	<b>84</b>
Overweight <sup>5</sup>	0	1 (****)	13 (15.1)	19 (11.4)	0	1 (****)	16 (19.0)
Obese <sup>5</sup>	0	1 (****)	3 (3.5)	3 (1.8)	0	0	1 (1.2)
Very Obese <sup>5</sup>	0	1 (****)	6 (7.0)	7 (4.2)	0	0	5 (6.0)
<b>2018 Total</b>	<b>8</b>	<b>13</b>	<b>106</b>	<b>165</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>89</b>
Overweight	0	1 (****)	11 (10.4)	14 (8.5)	1 (****)	0	16 (18.0)
Obese	0	0	3 (2.8)	2 (1.2)	0	0	2 (2.2)
Very Obese	0	0	8 (7.5)	9 (5.5)	0	0	5 (5.6)
<b>2017 Total</b>	<b>8</b>	<b>17</b>	<b>116</b>	<b>206</b>	<b>7</b>	<b>&lt;5</b>	<b>95</b>
Overweight	1 (****)	0	9 (7.8)	27 (13.1)	0	0	11 (11.6)
Obese	0	1 (****)	6 (5.2)	3 (1.5)	0	0	1 (1.1)
Very Obese	1 (****)	0	4 (3.4)	8 (3.9)	1 (****)	0	7 (7.4)
<b>2016 Total</b>	<b>9</b>	<b>22</b>	<b>103</b>	<b>189</b>	<b>9</b>	<b>5</b>	<b>101</b>
Overweight	0	1 (****)	11 (10.7)	26 (13.8)	2 (****)	1 (****)	10 (9.9)
Obese	0	0	1 (1.0)	1 (<1)	0	0	3 (3.0)
Very Obese	1 (****)	1 (****)	2 (1.9)	5 (2.6)	2 (****)	0	11 (10.9)
<b>2015 Total</b>	<b>7</b>	<b>17</b>	<b>96</b>	<b>202</b>	<b>10</b>	<b>6</b>	<b>105</b>
Overweight	0	1 (****)	11 (11.5)	29 (14.4)	5 (****)	2 (****)	11 (10.5)
Obese	0	1 (****)	1 (1.0)	3 (1.5)	1 (****)	0	6 (5.7)
Very Obese	1 (****)	1 (****)	2 (2.1)	5 (2.5)	0	0	7 (6.7)
<b>2014 Total</b>	<b>&lt;5</b>	<b>16</b>	<b>76</b>	<b>219</b>	<b>16</b>	<b>&lt;5</b>	<b>92</b>
Overweight	0	2 (****)	11 (14.5)	28 (12.8)	4 (****)	0	11 (12.0)
Obese	0	0	0	1 (<1)	2 (****)	0	1 (1.1)
Very Obese	0	2 (****)	4 (5.3)	6 (2.7)	3 (****)	0	3 (3.3)
<b>2013 Total</b>	<b>&lt;5</b>	<b>21</b>	<b>68</b>	<b>235</b>	<b>35</b>	<b>5</b>	<b>83</b>
Overweight	0	3 (****)	5 (7.4)	19 (8.1)	4 (11.4)	1 (****)	10 (12.0)
Obese	0	1 (****)	2 (2.9)	11 (4.7)	2 (5.7)	0	2 (2.4)
Very Obese	0	1 (****)	4 (5.9)	13 (5.5)	5 (14.3)	1 (****)	7 (8.4)
<b>2012 Total</b>	<b>7</b>	<b>28</b>	<b>68</b>	<b>222</b>	<b>38</b>	<b>&lt;5</b>	<b>90</b>
Overweight	0	4 (****)	8 (11.8)	43 (19.4)	12 (31.6)	****	12 (13.3)
Obese	0	0	3 (4.4)	4 (1.8)	12 (31.6)	****	3 (3.3)
Very Obese	1 (****)	0	5 (7.4)	6 (2.7)	5 (13.2)	****	5 (5.6)
<b>2011 Total</b>	<b>&lt;5</b>	<b>22</b>	<b>88</b>	<b>262</b>	<b>43</b>	<b>9</b>	<b>100</b>
Overweight	****	0	11 (12.5)	37 (14.1)	9 (20.9)	3 (****)	25 (25.0)
Obese	****	0	4 (4.5)	16 (6.1)	3 (7.0)	0	4 (4.0)
Very Obese	****	1 (****)	5 (5.7)	6 (2.3)	2 (4.7)	0	3 (3.0)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

CASS	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>238</b>	<b>6</b>	<b>24</b>	<b>201</b>	<b>20</b>	<b>&lt;5</b>	<b>11</b>
Overweight <sup>5</sup>	47 (19.7)	1 (****)	5 (****)	29 (14.4)	5 (****)	0	0
Obese <sup>5</sup>	17 (7.1)	1 (****)	0	10 (5.0)	1 (****)	0	0
Very Obese <sup>5</sup>	46 (19.3)	1 (****)	2 (****)	19 (9.5)	2 (****)	0	1 (****)
<b>2018 Total</b>	<b>254</b>	<b>9</b>	<b>18</b>	<b>241</b>	<b>10</b>	<b>&lt;5</b>	<b>9</b>
Overweight	45 (17.7)	0	3 (****)	43 (17.8)	2 (****)	0	0
Obese	15 (5.9)	2 (****)	1 (****)	10 (4.1)	1 (****)	0	1 (****)
Very Obese	52 (20.5)	1 (****)	5 (****)	17 (7.1)	0	0	1 (****)
<b>2017 Total</b>	<b>229</b>	<b>7</b>	<b>16</b>	<b>277</b>	<b>7</b>	<b>&lt;5</b>	<b>11</b>
Overweight	38 (16.6)	0	4 (****)	50 (18.1)	0	0	3 (****)
Obese	21 (9.2)	1 (****)	2 (****)	12 (4.3)	0	0	1 (****)
Very Obese	47 (20.5)	1 (****)	3 (****)	23 (8.3)	0	0	0
<b>2016 Total</b>	<b>256</b>	<b>5</b>	<b>14</b>	<b>311</b>	<b>7</b>	<b>&lt;5</b>	<b>9</b>
Overweight	45 (17.6)	0	3 (****)	36 (11.6)	1 (****)	0	0
Obese	25 (9.8)	0	2 (****)	18 (5.8)	0	0	0
Very Obese	50 (19.5)	0	2 (****)	19 (6.1)	0	0	0
<b>2015 Total</b>	<b>294</b>	<b>&lt;5</b>	<b>12</b>	<b>290</b>	<b>6</b>	<b>&lt;5</b>	<b>8</b>
Overweight	57 (19.4)	0	1 (****)	27 (9.3)	1 (****)	0	2 (****)
Obese	24 (8.2)	1 (****)	1 (****)	13 (4.5)	1 (****)	0	0
Very Obese	59 (20.1)	0	5 (****)	20 (6.9)	0	0	0
<b>2014 Total</b>	<b>290</b>	<b>&lt;5</b>	<b>14</b>	<b>265</b>	<b>12</b>	<b>&lt;5</b>	<b>6</b>
Overweight	58 (20.0)	0	2 (****)	28 (10.6)	2 (****)	0	0
Obese	31 (10.7)	1 (****)	2 (****)	23 (8.7)	1 (****)	0	0
Very Obese	58 (20.0)	1 (****)	2 (****)	18 (6.8)	2 (****)	0	0
<b>2013 Total</b>	<b>311</b>	<b>&lt;5</b>	<b>13</b>	<b>296</b>	<b>12</b>	<b>&lt;5</b>	<b>6</b>
Overweight	68 (21.9)	3 (****)	1 (****)	48 (16.2)	4 (****)	0	2 (****)
Obese	29 (9.3)	0	1 (****)	17 (5.7)	1 (****)	0	0
Very Obese	72 (23.2)	0	3 (****)	23 (7.8)	2 (****)	1 (****)	1 (****)
<b>2012 Total</b>	<b>328</b>	<b>5</b>	<b>14</b>	<b>323</b>	<b>16</b>	<b>0</b>	<b>&lt;5</b>
Overweight	71 (21.6)	0	4 (****)	57 (17.6)	2 (****)	0	****
Obese	38 (11.6)	0	1 (****)	18 (5.6)	1 (****)	0	****
Very Obese	78 (23.8)	1 (****)	3 (****)	26 (8.0)	4 (****)	0	****
<b>2011 Total</b>	<b>340</b>	<b>5</b>	<b>21</b>	<b>391</b>	<b>21</b>	<b>&lt;5</b>	<b>9</b>
Overweight	82 (24.1)	0	7 (****)	51 (13.0)	4 (****)	****	1 (****)
Obese	31 (9.1)	0	1 (****)	28 (7.2)	2 (****)	****	1 (****)
Very Obese	62 (18.2)	0	2 (****)	20 (5.1)	4 (****)	****	1 (****)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

CHISAGO	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>17</b>	<b>22</b>	<b>14</b>	<b>298</b>	<b>&lt;5</b>	<b>0</b>	<b>24</b>
Overweight <sup>5</sup>	2 (****)	3 (****)	0	46 (15.4)	0	0	3 (****)
Obese <sup>5</sup>	0	1 (****)	1 (****)	14 (4.7)	0	0	0
Very Obese <sup>5</sup>	8 (****)	1 (****)	1 (****)	24 (8.1)	0	0	1 (****)
<b>2018 Total</b>	<b>11</b>	<b>20</b>	<b>21</b>	<b>317</b>	<b>&lt;5</b>	<b>0</b>	<b>19</b>
Overweight	4 (****)	1 (****)	2 (****)	43 (13.6)	1 (****)	0	4 (****)
Obese	0	0	1 (****)	13 (4.1)	0	0	0
Very Obese	3 (****)	1 (****)	2 (****)	27 (8.5)	0	0	1 (****)
<b>2017 Total</b>	<b>14</b>	<b>16</b>	<b>20</b>	<b>331</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>25</b>
Overweight	8 (****)	2 (****)	6 (****)	46 (13.9)	0	1 (****)	5 (****)
Obese	0	0	0	8 (2.4)	0	0	0
Very Obese	2 (****)	2 (****)	1 (****)	25 (7.6)	0	0	2 (****)
<b>2016 Total</b>	<b>18</b>	<b>13</b>	<b>18</b>	<b>357</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>26</b>
Overweight	7 (****)	2 (****)	2 (****)	47 (13.2)	1 (****)	0	4 (****)
Obese	0	0	2 (****)	16 (4.5)	0	0	2 (****)
Very Obese	1 (****)	1 (****)	2 (****)	23 (6.4)	1 (****)	0	4 (****)
<b>2015 Total</b>	<b>12</b>	<b>17</b>	<b>17</b>	<b>367</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>30</b>
Overweight	4 (****)	2 (****)	2 (****)	49 (13.4)	1 (****)	1 (****)	6 (20.0)
Obese	2 (****)	1 (****)	2 (****)	17 (4.6)	0	0	1 (3.3)
Very Obese	0	1 (****)	1 (****)	23 (6.3)	0	0	1 (3.3)
<b>2014 Total</b>	<b>14</b>	<b>13</b>	<b>12</b>	<b>348</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>27</b>
Overweight	3 (****)	3 (****)	3 (****)	47 (13.5)	1 (****)	0	2 (****)
Obese	0	0	0	17 (4.9)	1 (****)	0	3 (****)
Very Obese	4 (****)	0	1 (****)	19 (5.5)	1 (****)	1 (****)	4 (****)
<b>2013 Total</b>	<b>11</b>	<b>11</b>	<b>15</b>	<b>414</b>	<b>5</b>	<b>&lt;5</b>	<b>30</b>
Overweight	0	2 (****)	2 (****)	59 (14.3)	1 (****)	0	2 (6.7)
Obese	0	0	0	20 (4.8)	1 (****)	2 (****)	3 (10.0)
Very Obese	3 (****)	1 (****)	3 (****)	20 (4.8)	0	0	6 (20.0)
<b>2012 Total</b>	<b>11</b>	<b>11</b>	<b>18</b>	<b>424</b>	<b>&lt;5</b>	<b>5</b>	<b>18</b>
Overweight	1 (****)	1 (****)	2 (****)	58 (13.7)	****	1 (****)	0
Obese	0	0	2 (****)	19 (4.5)	****	1 (****)	1 (****)
Very Obese	0	0	4 (****)	22 (5.2)	****	0	5 (****)
<b>2011 Total</b>	<b>19</b>	<b>11</b>	<b>23</b>	<b>463</b>	<b>8</b>	<b>5</b>	<b>30</b>
Overweight	2 (****)	1 (****)	4 (****)	72 (15.6)	2 (****)	1 (****)	5 (16.7)
Obese	2 (****)	0	0	17 (3.7)	0	0	3 (10.0)
Very Obese	0	1 (****)	6 (****)	34 (7.3)	0	0	4 (13.3)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

COUNTRYSIDE	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>22</b>	<b>42</b>	<b>20</b>	<b>402</b>	<b>7</b>	<b>5</b>	<b>111</b>
Overweight <sup>5</sup>	3 (****)	11 (26.2)	1 (****)	78 (19.4)	1 (****)	1 (****)	26 (23.4)
Obese <sup>5</sup>	2 (****)	2 (4.8)	4 (****)	25 (6.2)	0	1 (****)	6 (5.4)
Very Obese <sup>5</sup>	8 (****)	5 (11.9)	2 (****)	30 (7.5)	0	2 (****)	13 (11.7)
<b>2018 Total</b>	<b>27</b>	<b>44</b>	<b>17</b>	<b>419</b>	<b>7</b>	<b>7</b>	<b>136</b>
Overweight	5 (****)	11 (25.0)	5 (****)	81 (19.3)	2 (****)	1 (****)	32 (23.5)
Obese	4 (****)	4 (9.1)	0	21 (5.0)	0	0	10 (7.4)
Very Obese	4 (****)	6 (13.6)	1 (****)	32 (7.6)	1 (****)	1 (****)	19 (14.0)
<b>2017 Total</b>	<b>28</b>	<b>37</b>	<b>29</b>	<b>434</b>	<b>10</b>	<b>&lt;5</b>	<b>135</b>
Overweight	6 (****)	10 (27.0)	3 (****)	76 (17.5)	0	0	16 (11.9)
Obese	3 (****)	3 (8.1)	0	21 (4.8)	1 (****)	0	4 (3.0)
Very Obese	4 (****)	7 (18.9)	3 (****)	36 (8.3)	1 (****)	0	15 (11.1)
<b>2016 Total</b>	<b>16</b>	<b>27</b>	<b>32</b>	<b>468</b>	<b>7</b>	<b>7</b>	<b>129</b>
Overweight	4 (****)	6 (****)	3 (9.4)	101 (21.6)	0	2 (****)	25 (19.4)
Obese	2 (****)	5 (****)	0	23 (4.9)	0	2 (****)	7 (5.4)
Very Obese	2 (****)	1 (****)	4 (12.5)	30 (6.4)	3 (****)	1 (****)	16 (12.4)
<b>2015 Total</b>	<b>19</b>	<b>32</b>	<b>28</b>	<b>499</b>	<b>12</b>	<b>6</b>	<b>136</b>
Overweight	4 (****)	9 (28.1)	3 (****)	96 (19.2)	3 (****)	2 (****)	26 (19.1)
Obese	0	1 (3.1)	2 (****)	22 (4.4)	1 (****)	0	9 (6.6)
Very Obese	1 (****)	4 (12.5)	1 (****)	18 (3.6)	1 (****)	1 (****)	18 (13.2)
<b>2014 Total</b>	<b>19</b>	<b>27</b>	<b>26</b>	<b>496</b>	<b>9</b>	<b>6</b>	<b>130</b>
Overweight	2 (****)	6 (****)	4 (****)	85 (17.1)	0	1 (****)	23 (17.7)
Obese	5 (****)	2 (****)	0	18 (3.6)	1 (****)	1 (****)	11 (8.5)
Very Obese	1 (****)	4 (****)	1 (****)	30 (6.0)	0	0	12 (9.2)
<b>2013 Total</b>	<b>17</b>	<b>20</b>	<b>18</b>	<b>536</b>	<b>9</b>	<b>5</b>	<b>109</b>
Overweight	2 (****)	2 (****)	3 (****)	87 (16.2)	3 (****)	1 (****)	18 (16.5)
Obese	1 (****)	3 (****)	0	20 (3.7)	1 (****)	0	8 (7.3)
Very Obese	4 (****)	3 (****)	3 (****)	38 (7.1)	0	0	11 (10.1)
<b>2012 Total</b>	<b>24</b>	<b>15</b>	<b>25</b>	<b>589</b>	<b>7</b>	<b>&lt;5</b>	<b>116</b>
Overweight	5 (****)	4 (****)	3 (****)	89 (15.1)	3 (****)	****	21 (18.1)
Obese	0	1 (****)	0	21 (3.6)	0	****	7 (6.0)
Very Obese	4 (****)	3 (****)	4 (****)	39 (6.6)	0	****	14 (12.1)
<b>2011 Total</b>	<b>20</b>	<b>17</b>	<b>24</b>	<b>635</b>	<b>9</b>	<b>&lt;5</b>	<b>109</b>
Overweight	2 (****)	5 (****)	4 (****)	89 (14.0)	0	****	19 (17.4)
Obese	1 (****)	3 (****)	2 (****)	32 (5.0)	1 (****)	****	10 (9.2)
Very Obese	5 (****)	1 (****)	4 (****)	49 (7.7)	1 (****)	****	13 (11.9)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

CROW WING	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>66</b>	<b>5</b>	<b>32</b>	<b>571</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>27</b>
Overweight <sup>5</sup>	16 (24.2)	2 (****)	5 (15.6)	88 (15.4)	0	0	4 (****)
Obese <sup>5</sup>	2 (3.0)	0	1 (3.1)	36 (6.3)	1 (****)	1 (****)	4 (****)
Very Obese <sup>5</sup>	9 (13.6)	1 (****)	5 (15.6)	35 (6.1)	2 (****)	1 (****)	5 (****)
<b>2018 Total</b>	<b>51</b>	<b>&lt;5</b>	<b>44</b>	<b>565</b>	<b>&lt;5</b>	<b>5</b>	<b>29</b>
Overweight	10 (19.6)	0	8 (18.2)	112 (19.8)	1 (****)	0	7 (****)
Obese	6 (11.8)	0	0	19 (3.4)	0	1 (****)	3 (****)
Very Obese	8 (15.7)	0	6 (13.6)	35 (6.2)	1 (****)	1 (****)	2 (****)
<b>2017 Total</b>	<b>45</b>	<b>5</b>	<b>48</b>	<b>626</b>	<b>&lt;5</b>	<b>10</b>	<b>30</b>
Overweight	15 (33.3)	0	11 (22.9)	115 (18.4)	1 (****)	1 (****)	6 (20.0)
Obese	4 (8.9)	0	3 (6.2)	37 (5.9)	0	0	2 (6.7)
Very Obese	7 (15.6)	0	6 (12.5)	36 (5.8)	1 (****)	2 (****)	4 (13.3)
<b>2016 Total</b>	<b>50</b>	<b>8</b>	<b>52</b>	<b>686</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>26</b>
Overweight	8 (16.0)	2 (****)	9 (17.3)	123 (17.9)	0	1 (****)	6 (****)
Obese	4 (8.0)	0	2 (3.8)	28 (4.1)	0	1 (****)	1 (****)
Very Obese	12 (24.0)	0	3 (5.8)	50 (7.3)	0	0	0
<b>2015 Total</b>	<b>52</b>	<b>12</b>	<b>49</b>	<b>712</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>23</b>
Overweight	10 (19.2)	0	7 (14.3)	122 (17.1)	0	1 (****)	5 (****)
Obese	3 (5.8)	1 (****)	1 (2.0)	25 (3.5)	1 (****)	0	1 (****)
Very Obese	9 (17.3)	1 (****)	9 (18.4)	41 (5.8)	0	0	0
<b>2014 Total</b>	<b>51</b>	<b>&lt;5</b>	<b>47</b>	<b>718</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>19</b>
Overweight	10 (19.6)	1 (****)	8 (17.0)	102 (14.2)	0	1 (****)	5 (****)
Obese	8 (15.7)	0	2 (4.3)	33 (4.6)	0	0	0
Very Obese	7 (13.7)	1 (****)	2 (4.3)	41 (5.7)	1 (****)	1 (****)	3 (****)
<b>2013 Total</b>	<b>47</b>	<b>5</b>	<b>30</b>	<b>790</b>	<b>6</b>	<b>5</b>	<b>17</b>
Overweight	12 (25.5)	0	8 (26.7)	107 (13.5)	0	2 (****)	1 (****)
Obese	3 (6.4)	0	3 (10.0)	43 (5.4)	1 (****)	1 (****)	3 (****)
Very Obese	6 (12.8)	0	3 (10.0)	50 (6.3)	1 (****)	1 (****)	0
<b>2012 Total</b>	<b>32</b>	<b>7</b>	<b>35</b>	<b>916</b>	<b>&lt;5</b>	<b>7</b>	<b>26</b>
Overweight	4 (12.5)	1 (****)	7 (20.0)	134 (14.6)	****	1 (****)	3 (****)
Obese	5 (15.6)	0	3 (8.6)	42 (4.6)	****	1 (****)	1 (****)
Very Obese	6 (18.8)	0	2 (5.7)	49 (5.3)	****	0	0
<b>2011 Total</b>	<b>28</b>	<b>&lt;5</b>	<b>36</b>	<b>983</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>15</b>
Overweight	7 (****)	****	8 (22.2)	142 (14.4)	****	****	3 (****)
Obese	2 (****)	****	1 (2.8)	44 (4.5)	****	****	0
Very Obese	4 (****)	****	1 (2.8)	39 (4.0)	****	****	2 (****)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

DAKOTA	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>46</b>	<b>192</b>	<b>1,145</b>	<b>947</b>	<b>91</b>	<b>76</b>	<b>672</b>
Overweight <sup>5</sup>	9 (19.6)	23 (12.0)	136 (11.9)	144 (15.2)	11 (12.1)	10 (13.2)	97 (14.4)
Obese <sup>5</sup>	1 (2.2)	7 (3.6)	43 (3.8)	33 (3.5)	2 (2.2)	2 (2.6)	40 (6.0)
Very Obese <sup>5</sup>	5 (10.9)	11 (5.7)	82 (7.2)	55 (5.8)	14 (15.4)	5 (6.6)	66 (9.8)
<b>2018 Total</b>	<b>56</b>	<b>198</b>	<b>1,262</b>	<b>1,011</b>	<b>115</b>	<b>85</b>	<b>758</b>
Overweight	5 (8.9)	28 (14.1)	181 (14.3)	145 (14.3)	16 (13.9)	13 (15.3)	126 (16.6)
Obese	5 (8.9)	11 (5.6)	51 (4.0)	29 (2.9)	9 (7.8)	3 (3.5)	44 (5.8)
Very Obese	4 (7.1)	8 (4.0)	75 (5.9)	55 (5.4)	10 (8.7)	10 (11.8)	84 (11.1)
<b>2017 Total</b>	<b>54</b>	<b>209</b>	<b>1,209</b>	<b>1,029</b>	<b>136</b>	<b>87</b>	<b>707</b>
Overweight	11 (20.4)	19 (9.1)	179 (14.8)	145 (14.1)	27 (19.9)	18 (20.7)	111 (15.7)
Obese	1 (1.9)	9 (4.3)	54 (4.5)	29 (2.8)	4 (2.9)	3 (3.4)	34 (4.8)
Very Obese	1 (1.9)	14 (6.7)	69 (5.7)	61 (5.9)	22 (16.2)	9 (10.3)	81 (11.5)
<b>2016 Total</b>	<b>56</b>	<b>217</b>	<b>1,193</b>	<b>1,161</b>	<b>207</b>	<b>97</b>	<b>701</b>
Overweight	15 (26.8)	29 (13.4)	159 (13.3)	169 (14.6)	34 (16.4)	11 (11.3)	96 (13.7)
Obese	2 (3.6)	3 (1.4)	40 (3.4)	49 (4.2)	13 (6.3)	6 (6.2)	24 (3.4)
Very Obese	5 (8.9)	15 (6.9)	75 (6.3)	56 (4.8)	23 (11.1)	8 (8.2)	74 (10.6)
<b>2015 Total</b>	<b>68</b>	<b>200</b>	<b>1,191</b>	<b>1,215</b>	<b>263</b>	<b>98</b>	<b>761</b>
Overweight	15 (22.1)	26 (13.0)	168 (14.1)	165 (13.6)	35 (13.3)	19 (19.4)	126 (16.6)
Obese	5 (7.4)	8 (4.0)	45 (3.8)	47 (3.9)	15 (5.7)	7 (7.1)	38 (5.0)
Very Obese	5 (7.4)	10 (5.0)	91 (7.6)	68 (5.6)	33 (12.5)	6 (6.1)	79 (10.4)
<b>2014 Total</b>	<b>52</b>	<b>181</b>	<b>1,133</b>	<b>1,240</b>	<b>380</b>	<b>76</b>	<b>691</b>
Overweight	7 (13.5)	11 (6.1)	135 (11.9)	162 (13.1)	58 (15.3)	13 (17.1)	125 (18.1)
Obese	3 (5.8)	4 (2.2)	41 (3.6)	45 (3.6)	23 (6.1)	3 (3.9)	37 (5.4)
Very Obese	5 (9.6)	11 (6.1)	82 (7.2)	71 (5.7)	44 (11.6)	9 (11.8)	70 (10.1)
<b>2013 Total</b>	<b>57</b>	<b>191</b>	<b>1,146</b>	<b>1,346</b>	<b>489</b>	<b>70</b>	<b>662</b>
Overweight	5 (8.8)	22 (11.5)	165 (14.4)	212 (15.8)	85 (17.4)	7 (10.0)	111 (16.8)
Obese	3 (5.3)	6 (3.1)	46 (4.0)	51 (3.8)	22 (4.5)	6 (8.6)	26 (3.9)
Very Obese	4 (7.0)	10 (5.2)	77 (6.7)	65 (4.8)	47 (9.6)	8 (11.4)	66 (10.0)
<b>2012 Total</b>	<b>58</b>	<b>184</b>	<b>1,091</b>	<b>1,402</b>	<b>593</b>	<b>59</b>	<b>615</b>
Overweight	12 (20.7)	23 (12.5)	156 (14.3)	213 (15.2)	91 (15.3)	8 (13.6)	95 (15.4)
Obese	1 (1.7)	6 (3.3)	48 (4.4)	44 (3.1)	29 (4.9)	1 (1.7)	33 (5.4)
Very Obese	3 (5.2)	8 (4.3)	71 (6.5)	84 (6.0)	57 (9.6)	7 (11.9)	54 (8.8)
<b>2011 Total</b>	<b>77</b>	<b>197</b>	<b>1,153</b>	<b>1,474</b>	<b>673</b>	<b>81</b>	<b>584</b>
Overweight	9 (11.7)	20 (10.2)	172 (14.9)	203 (13.8)	114 (16.9)	13 (16.0)	109 (18.7)
Obese	9 (11.7)	6 (3.0)	55 (4.8)	64 (4.3)	41 (6.1)	5 (6.2)	32 (5.5)
Very Obese	3 (3.9)	14 (7.1)	70 (6.1)	63 (4.3)	75 (11.1)	6 (7.4)	36 (6.2)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>DES MOINES VALLEY</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>6</b>	<b>19</b>	<b>20</b>	<b>167</b>	<b>&lt;5</b>	<b>5</b>	<b>63</b>
Overweight <sup>5</sup>	0	3 (****)	0	36 (21.6)	1 (****)	1 (****)	12 (19.0)
Obese <sup>5</sup>	0	1 (****)	0	5 (3.0)	0	0	5 (7.9)
Very Obese <sup>5</sup>	1 (****)	0	3 (****)	18 (10.8)	1 (****)	1 (****)	7 (11.1)
<b>2018 Total</b>	<b>6</b>	<b>23</b>	<b>22</b>	<b>161</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>70</b>
Overweight	2 (****)	2 (****)	1 (****)	28 (17.4)	0	0	12 (17.1)
Obese	0	0	2 (****)	8 (5.0)	0	0	5 (7.1)
Very Obese	2 (****)	1 (****)	1 (****)	14 (8.7)	****	****	5 (7.1)
<b>2017 Total</b>	<b>14</b>	<b>25</b>	<b>22</b>	<b>168</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>69</b>
Overweight	3 (****)	2 (****)	2 (****)	29 (17.3)	****	0	18 (26.1)
Obese	0	0	0	7 (4.2)	0	0	0
Very Obese	4 (****)	1 (****)	3 (****)	14 (8.3)	0	****	4 (5.8)
<b>2016 Total</b>	<b>17</b>	<b>18</b>	<b>20</b>	<b>185</b>	<b>5</b>	<b>&lt;5</b>	<b>67</b>
Overweight	2 (****)	4 (****)	5 (****)	35 (18.9)	2 (****)	0	12 (17.9)
Obese	1 (****)	0	2 (****)	5 (2.7)	0	0	3 (4.5)
Very Obese	6 (****)	0	1 (****)	16 (8.6)	1 (****)	****	7 (10.4)
<b>2015 Total</b>	<b>27</b>	<b>35</b>	<b>17</b>	<b>196</b>	<b>8</b>	<b>&lt;5</b>	<b>70</b>
Overweight	5 (****)	4 (11.4)	4 (****)	39 (19.9)	3 (****)	0	12 (17.1)
Obese	0	0	1 (****)	9 (4.6)	0	0	2 (2.9)
Very Obese	5 (****)	3 (8.6)	2 (****)	13 (6.6)	2 (****)	****	10 (14.3)
<b>2014 Total</b>	<b>29</b>	<b>25</b>	<b>12</b>	<b>194</b>	<b>10</b>	<b>&lt;5</b>	<b>69</b>
Overweight	2 (****)	1 (****)	1 (****)	19 (9.8)	3 (****)	1 (****)	18 (26.1)
Obese	2 (****)	0	2 (****)	15 (7.7)	1 (****)	0	5 (7.2)
Very Obese	2 (****)	1 (****)	0	17 (8.8)	2 (****)	0	6 (8.7)
<b>2013 Total</b>	<b>26</b>	<b>25</b>	<b>12</b>	<b>218</b>	<b>6</b>	<b>&lt;5</b>	<b>70</b>
Overweight	5 (****)	4 (****)	1 (****)	27 (12.4)	5 (****)	2 (****)	19 (27.1)
Obese	1 (****)	0	1 (****)	7 (3.2)	0	0	4 (5.7)
Very Obese	1 (****)	1 (****)	0	16 (7.3)	0	1 (****)	8 (11.4)
<b>2012 Total</b>	<b>24</b>	<b>20</b>	<b>13</b>	<b>231</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>64</b>
Overweight	2 (****)	3 (****)	1 (****)	33 (14.3)	****	****	16 (25.0)
Obese	2 (****)	1 (****)	0	14 (6.1)	****	****	3 (4.7)
Very Obese	1 (****)	2 (****)	2 (****)	5 (2.2)	****	****	8 (12.5)
<b>2011 Total</b>	<b>20</b>	<b>32</b>	<b>8</b>	<b>228</b>	<b>7</b>	<b>&lt;5</b>	<b>73</b>
Overweight	2 (****)	1 (3.1)	2 (****)	33 (14.5)	4 (****)	****	19 (26.0)
Obese	1 (****)	0	0	12 (5.3)	0	****	4 (5.5)
Very Obese	0	5 (15.6)	0	12 (5.3)	1 (****)	0	10 (13.7)



**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>DODGE-STEELE</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>7</b>	<b>12</b>	<b>129</b>	<b>326</b>	<b>5</b>	<b>5</b>	<b>148</b>
Overweight <sup>5</sup>	2 (****)	0	16 (12.4)	57 (17.5)	0	2 (****)	32 (21.6)
Obese <sup>5</sup>	0	0	6 (4.7)	18 (5.5)	0	0	5 (3.4)
Very Obese <sup>5</sup>	0	0	24 (18.6)	24 (7.4)	0	1 (****)	18 (12.2)
<b>2018 Total</b>	<b>6</b>	<b>15</b>	<b>129</b>	<b>355</b>	<b>6</b>	<b>&lt;5</b>	<b>153</b>
Overweight	1 (****)	1 (****)	19 (14.7)	57 (16.1)	1 (****)	****	34 (22.2)
Obese	0	0	5 (3.9)	15 (4.2)	0	0	6 (3.9)
Very Obese	0	0	18 (14.0)	23 (6.5)	0	0	20 (13.1)
<b>2017 Total</b>	<b>5</b>	<b>17</b>	<b>126</b>	<b>384</b>	<b>&lt;5</b>	<b>7</b>	<b>181</b>
Overweight	1 (****)	0	16 (12.7)	66 (17.2)	****	3 (****)	43 (23.8)
Obese	1 (****)	1 (****)	11 (8.7)	21 (5.5)	0	0	4 (2.2)
Very Obese	0	0	9 (7.1)	24 (6.2)	0	1 (****)	22 (12.2)
<b>2016 Total</b>	<b>10</b>	<b>23</b>	<b>135</b>	<b>442</b>	<b>6</b>	<b>7</b>	<b>193</b>
Overweight	1 (****)	2 (****)	19 (14.1)	89 (20.1)	0	1 (****)	33 (17.1)
Obese	2 (****)	2 (****)	9 (6.7)	16 (3.6)	2 (****)	2 (****)	11 (5.7)
Very Obese	0	4 (****)	10 (7.4)	36 (8.1)	1 (****)	0	28 (14.5)
<b>2015 Total</b>	<b>8</b>	<b>13</b>	<b>139</b>	<b>435</b>	<b>&lt;5</b>	<b>10</b>	<b>211</b>
Overweight	0	2 (****)	17 (12.2)	64 (14.7)	0	1 (****)	36 (17.1)
Obese	1 (****)	2 (****)	6 (4.3)	18 (4.1)	****	1 (****)	10 (4.7)
Very Obese	2 (****)	0	11 (7.9)	26 (6.0)	0	0	31 (14.7)
<b>2014 Total</b>	<b>15</b>	<b>9</b>	<b>132</b>	<b>442</b>	<b>7</b>	<b>6</b>	<b>180</b>
Overweight	3 (****)	3 (****)	17 (12.9)	74 (16.7)	2 (****)	1 (****)	35 (19.4)
Obese	1 (****)	0	4 (3.0)	14 (3.2)	0	0	8 (4.4)
Very Obese	3 (****)	0	11 (8.3)	24 (5.4)	1 (****)	0	22 (12.2)
<b>2013 Total</b>	<b>20</b>	<b>10</b>	<b>152</b>	<b>504</b>	<b>13</b>	<b>6</b>	<b>197</b>
Overweight	6 (****)	1 (****)	23 (15.1)	84 (16.7)	3 (****)	1 (****)	30 (15.2)
Obese	0	0	7 (4.6)	26 (5.2)	0	0	13 (6.6)
Very Obese	2 (****)	1 (****)	11 (7.2)	22 (4.4)	2 (****)	0	21 (10.7)
<b>2012 Total</b>	<b>16</b>	<b>13</b>	<b>155</b>	<b>549</b>	<b>10</b>	<b>&lt;5</b>	<b>205</b>
Overweight	3 (****)	3 (****)	34 (21.9)	93 (16.9)	2 (****)	****	43 (21.0)
Obese	1 (****)	1 (****)	5 (3.2)	23 (4.2)	0	****	13 (6.3)
Very Obese	1 (****)	0	12 (7.7)	29 (5.3)	1 (****)	****	23 (11.2)
<b>2011 Total</b>	<b>15</b>	<b>13</b>	<b>143</b>	<b>613</b>	<b>18</b>	<b>&lt;5</b>	<b>235</b>
Overweight	2 (****)	3 (****)	23 (16.1)	88 (14.4)	1 (****)	****	34 (14.5)
Obese	1 (****)	0	10 (7.0)	26 (4.2)	1 (****)	0	12 (5.1)
Very Obese	1 (****)	0	9 (6.3)	38 (6.2)	2 (****)	0	25 (10.6)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>FARIBAULT-MARTIN</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<5	<5	11	268	<5	<5	125
Overweight <sup>5</sup>	2 (****)	0	2 (****)	39 (14.6)	1 (****)	0	26 (20.8)
Obese <sup>5</sup>	1 (****)	0	1 (****)	9 (3.4)	0	0	3 (2.4)
Very Obese <sup>5</sup>	0	0	0	30 (11.2)	0	1 (****)	28 (22.4)
<b>2018 Total</b>	<5	<5	8	266	<5	<5	134
Overweight	****	0	0	40 (15.0)	****	****	23 (17.2)
Obese	****	0	0	18 (6.8)	0	0	12 (9.0)
Very Obese	0	****	****	27 (10.2)	****	0	34 (25.4)
<b>2017 Total</b>	9	6	13	269	<5	<5	119
Overweight	1 (****)	1 (****)	1 (****)	55 (20.4)	****	****	30 (25.2)
Obese	1 (****)	0	1 (****)	15 (5.6)	****	****	14 (11.8)
Very Obese	0	1 (****)	1 (****)	20 (7.4)	****	0	20 (16.8)
<b>2016 Total</b>	9	<5	14	331	5	<5	96
Overweight	1 (****)	0	2 (****)	60 (18.1)	2 (****)	****	20 (20.8)
Obese	2 (****)	0	0	11 (3.3)	0	0	7 (7.3)
Very Obese	0	1 (****)	2 (****)	29 (8.8)	2 (****)	0	17 (17.7)
<b>2015 Total</b>	8	6	15	343	6	<5	104
Overweight	1 (****)	1 (****)	2 (****)	52 (15.2)	2 (****)	****	21 (20.2)
Obese	1 (****)	0	1 (****)	15 (4.4)	0	0	6 (5.8)
Very Obese	0	1 (****)	2 (****)	25 (7.3)	3 (****)	0	20 (19.2)
<b>2014 Total</b>	7	6	15	390	5	<5	87
Overweight	0	1 (****)	0	64 (16.4)	3 (****)	2 (****)	18 (20.7)
Obese	0	1 (****)	1 (****)	25 (6.4)	1 (****)	0	14 (16.1)
Very Obese	1 (****)	1 (****)	1 (****)	35 (9.0)	1 (****)	0	12 (13.8)
<b>2013 Total</b>	7	7	16	392	5	<5	100
Overweight	1 (****)	1 (****)	0	64 (16.3)	2 (****)	0	21 (21.0)
Obese	0	0	0	24 (6.1)	0	0	7 (7.0)
Very Obese	0	0	0	27 (6.9)	1 (****)	0	16 (16.0)
<b>2012 Total</b>	10	6	18	415	7	<5	107
Overweight	1 (****)	1 (****)	1 (****)	67 (16.1)	1 (****)	****	21 (19.6)
Obese	1 (****)	0	0	30 (7.2)	1 (****)	****	8 (7.5)
Very Obese	1 (****)	1 (****)	3 (****)	23 (5.5)	1 (****)	****	14 (13.1)
<b>2011 Total</b>	9	6	17	419	11	5	115
Overweight	1 (****)	2 (****)	1 (****)	60 (14.3)	5 (****)	3 (****)	33 (28.7)
Obese	2 (****)	0	4 (****)	23 (5.5)	0	0	6 (5.2)
Very Obese	0	0	1 (****)	25 (6.0)	0	0	12 (10.4)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>FILLMORE-HOUSTON</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<5	10	10	291	0	<5	14
Overweight <sup>5</sup>	1 (****)	0	1 (****)	41 (14.1)	0	1 (****)	5 (****)
Obese <sup>5</sup>	1 (****)	1 (****)	1 (****)	17 (5.8)	0	0	0
Very Obese <sup>5</sup>	0	0	0	16 (5.5)	0	0	1 (****)
<b>2018 Total</b>	7	9	25	306	0	<5	15
Overweight	2 (****)	0	12 (****)	66 (21.6)	0	****	5 (****)
Obese	0	0	0	10 (3.3)	0	0	1 (****)
Very Obese	1 (****)	0	2 (****)	17 (5.6)	0	0	0
<b>2017 Total</b>	5	7	24	325	<5	<5	20
Overweight	2 (****)	0	7 (****)	57 (17.5)	0	****	6 (****)
Obese	0	0	3 (****)	19 (5.8)	0	0	0
Very Obese	1 (****)	0	2 (****)	12 (3.7)	0	0	1 (****)
<b>2016 Total</b>	5	6	19	328	<5	<5	15
Overweight	3 (****)	1 (****)	3 (****)	54 (16.5)	0	0	3 (****)
Obese	0	0	1 (****)	10 (3.0)	0	0	1 (****)
Very Obese	1 (****)	0	1 (****)	19 (5.8)	0	0	1 (****)
<b>2015 Total</b>	<5	5	17	322	<5	<5	14
Overweight	0	0	4 (****)	46 (14.3)	0	0	3 (****)
Obese	****	0	2 (****)	15 (4.7)	0	0	2 (****)
Very Obese	****	0	0	22 (6.8)	****	****	1 (****)
<b>2014 Total</b>	<5	<5	13	308	<5	<5	14
Overweight	0	0	4 (****)	40 (13.0)	0	0	0
Obese	0	0	1 (****)	17 (5.5)	0	0	1 (****)
Very Obese	0	1 (****)	1 (****)	20 (6.5)	0	0	2 (****)
<b>2013 Total</b>	<5	<5	9	318	<5	<5	12
Overweight	0	0	1 (****)	55 (17.3)	1 (****)	****	1 (****)
Obese	0	0	0	19 (6.0)	0	0	0
Very Obese	0	0	0	17 (5.3)	0	0	3 (****)
<b>2012 Total</b>	0	<5	18	352	0	<5	8
Overweight	0	****	3 (****)	46 (13.1)	0	****	0
Obese	0	****	0	21 (6.0)	0	****	0
Very Obese	0	****	1 (****)	20 (5.7)	0	****	2 (****)
<b>2011 Total</b>	0	<5	17	403	<5	<5	8
Overweight	0	****	3 (****)	73 (18.1)	0	0	1 (****)
Obese	0	****	0	24 (6.0)	0	0	0
Very Obese	0	0	1 (****)	21 (5.2)	0	0	0

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>FREEBORN</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<5	56	28	196	<5	<5	116
Overweight <sup>5</sup>	1 (****)	6 (10.7)	3 (****)	21 (10.7)	0	0	16 (13.8)
Obese <sup>5</sup>	0	2 (3.6)	2 (****)	23 (11.7)	0	0	9 (7.8)
Very Obese <sup>5</sup>	0	4 (7.1)	5 (****)	22 (11.2)	0	0	19 (16.4)
<b>2018 Total</b>	<5	61	24	213	<5	<5	113
Overweight	****	10 (16.4)	6 (****)	41 (19.2)	0	****	18 (15.9)
Obese	0	2 (3.3)	0	8 (3.8)	0	0	9 (8.0)
Very Obese	0	5 (8.2)	2 (****)	19 (8.9)	0	1 (****)	18 (15.9)
<b>2017 Total</b>	<5	51	29	231	0	6	130
Overweight	****	9 (17.6)	1 (****)	41 (17.7)	0	1 (****)	29 (22.3)
Obese	0	1 (2.0)	1 (****)	11 (4.8)	0	0	8 (6.2)
Very Obese	0	7 (13.7)	3 (****)	17 (7.4)	0	0	13 (10.0)
<b>2016 Total</b>	<5	60	37	267	<5	<5	111
Overweight	0	6 (10.0)	1 (2.7)	42 (15.7)	1 (****)	****	20 (18.0)
Obese	0	1 (1.7)	2 (5.4)	14 (5.2)	0	0	7 (6.3)
Very Obese	0	5 (8.3)	4 (10.8)	20 (7.5)	0	0	16 (14.4)
<b>2015 Total</b>	<5	42	46	296	6	6	158
Overweight	0	7 (16.7)	6 (13.0)	46 (15.5)	2 (****)	0	28 (17.7)
Obese	0	4 (9.5)	2 (4.3)	19 (6.4)	0	0	7 (4.4)
Very Obese	1 (****)	1 (2.4)	4 (8.7)	28 (9.5)	0	0	16 (10.1)
<b>2014 Total</b>	<5	28	42	297	<5	5	163
Overweight	****	3 (****)	5 (11.9)	41 (13.8)	0	0	34 (20.9)
Obese	0	3 (****)	0	18 (6.1)	0	0	12 (7.4)
Very Obese	0	1 (****)	1 (2.4)	21 (7.1)	****	****	12 (7.4)
<b>2013 Total</b>	<5	24	30	306	6	12	184
Overweight	0	5 (****)	2 (6.7)	46 (15.0)	0	3 (****)	31 (16.8)
Obese	****	2 (****)	2 (6.7)	18 (5.9)	1 (****)	2 (****)	13 (7.1)
Very Obese	0	1 (****)	2 (6.7)	14 (4.6)	0	0	13 (7.1)
<b>2012 Total</b>	5	15	28	322	8	15	220
Overweight	0	3 (****)	0	40 (12.4)	1 (****)	1 (****)	41 (18.6)
Obese	1 (****)	0	1 (****)	18 (5.6)	1 (****)	1 (****)	13 (5.9)
Very Obese	1 (****)	1 (****)	3 (****)	23 (7.1)	1 (****)	1 (****)	18 (8.2)
<b>2011 Total</b>	7	25	27	332	9	10	190
Overweight	0	2 (****)	1 (****)	57 (17.2)	0	1 (****)	31 (16.3)
Obese	1 (****)	0	2 (****)	12 (3.6)	1 (****)	0	18 (9.5)
Very Obese	1 (****)	2 (****)	3 (****)	17 (5.1)	1 (****)	0	20 (10.5)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>GOODHUE</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>13</b>	<b>&lt;5</b>	<b>43</b>	<b>238</b>	<b>27</b>	<b>&lt;5</b>	<b>23</b>
Overweight <sup>5</sup>	1 (****)	0	6 (14.0)	44 (18.5)	5 (****)	0	3 (****)
Obese <sup>5</sup>	0	0	2 (4.7)	12 (5.0)	2 (****)	0	1 (****)
Very Obese <sup>5</sup>	2 (****)	0	7 (16.3)	20 (8.4)	1 (****)	0	2 (****)
<b>2018 Total</b>	<b>24</b>	<b>6</b>	<b>45</b>	<b>252</b>	<b>25</b>	<b>&lt;5</b>	<b>20</b>
Overweight	5 (****)	1 (****)	9 (20.0)	48 (19.0)	6 (****)	0	5 (****)
Obese	1 (****)	0	0	10 (4.0)	1 (****)	0	0
Very Obese	3 (****)	0	7 (15.6)	14 (5.6)	3 (****)	0	5 (****)
<b>2017 Total</b>	<b>21</b>	<b>10</b>	<b>46</b>	<b>278</b>	<b>31</b>	<b>&lt;5</b>	<b>22</b>
Overweight	2 (****)	0	5 (10.9)	45 (16.2)	7 (22.6)	1 (****)	3 (****)
Obese	1 (****)	0	3 (6.5)	12 (4.3)	1 (3.2)	0	3 (****)
Very Obese	3 (****)	0	5 (10.9)	24 (8.6)	3 (9.7)	0	5 (****)
<b>2016 Total</b>	<b>18</b>	<b>8</b>	<b>41</b>	<b>284</b>	<b>39</b>	<b>5</b>	<b>30</b>
Overweight	2 (****)	1 (****)	8 (19.5)	38 (13.4)	4 (10.3)	1 (****)	6 (20.0)
Obese	1 (****)	1 (****)	1 (2.4)	14 (4.9)	3 (7.7)	0	1 (3.3)
Very Obese	3 (****)	1 (****)	6 (14.6)	22 (7.7)	6 (15.4)	0	2 (6.7)
<b>2015 Total</b>	<b>17</b>	<b>5</b>	<b>39</b>	<b>294</b>	<b>43</b>	<b>5</b>	<b>37</b>
Overweight	2 (****)	1 (****)	12 (30.8)	42 (14.3)	6 (14.0)	2 (****)	2 (5.4)
Obese	1 (****)	0	1 (2.6)	14 (4.8)	2 (4.7)	0	0
Very Obese	3 (****)	2 (****)	1 (2.6)	15 (5.1)	7 (16.3)	2 (****)	4 (10.8)
<b>2014 Total</b>	<b>16</b>	<b>6</b>	<b>42</b>	<b>297</b>	<b>45</b>	<b>10</b>	<b>34</b>
Overweight	0	2 (****)	7 (16.7)	42 (14.1)	7 (15.6)	1 (****)	3 (8.8)
Obese	0	0	0	14 (4.7)	2 (4.4)	2 (****)	0
Very Obese	4 (****)	0	4 (9.5)	23 (7.7)	5 (11.1)	0	4 (11.8)
<b>2013 Total</b>	<b>21</b>	<b>&lt;5</b>	<b>42</b>	<b>317</b>	<b>54</b>	<b>8</b>	<b>34</b>
Overweight	1 (****)	0	7 (16.7)	70 (22.1)	11 (20.4)	2 (****)	2 (5.9)
Obese	0	0	3 (7.1)	9 (2.8)	2 (3.7)	0	2 (5.9)
Very Obese	6 (****)	0	6 (14.3)	22 (6.9)	5 (9.3)	1 (****)	3 (8.8)
<b>2012 Total</b>	<b>19</b>	<b>&lt;5</b>	<b>50</b>	<b>341</b>	<b>52</b>	<b>&lt;5</b>	<b>32</b>
Overweight	3 (****)	****	12 (24.0)	56 (16.4)	10 (19.2)	****	4 (12.5)
Obese	1 (****)	****	3 (6.0)	12 (3.5)	3 (5.8)	****	4 (12.5)
Very Obese	6 (****)	****	4 (8.0)	26 (7.6)	11 (21.2)	****	6 (18.8)
<b>2011 Total</b>	<b>17</b>	<b>6</b>	<b>39</b>	<b>372</b>	<b>60</b>	<b>&lt;5</b>	<b>42</b>
Overweight	4 (****)	0	11 (28.2)	62 (16.7)	14 (23.3)	****	13 (31.0)
Obese	2 (****)	1 (****)	4 (10.3)	17 (4.6)	7 (11.7)	****	4 (9.5)
Very Obese	3 (****)	0	1 (2.6)	25 (6.7)	7 (11.7)	****	2 (4.8)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>HENNEPIN- BLOOMINGTON</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>7</b>	<b>39</b>	<b>354</b>	<b>146</b>	<b>31</b>	<b>18</b>	<b>165</b>
Overweight <sup>5</sup>	1 (****)	3 (7.7)	46 (13.0)	17 (11.6)	3 (9.7)	5 (****)	34 (20.6)
Obese <sup>5</sup>	0	2 (5.1)	14 (4.0)	4 (2.7)	1 (3.2)	0	5 (3.0)
Very Obese <sup>5</sup>	4 (****)	3 (7.7)	18 (5.1)	10 (6.8)	5 (16.1)	3 (****)	13 (7.9)
<b>2018 Total</b>	<b>13</b>	<b>56</b>	<b>324</b>	<b>140</b>	<b>56</b>	<b>13</b>	<b>171</b>
Overweight	5 (****)	7 (12.5)	41 (12.7)	22 (15.7)	7 (12.5)	3 (****)	30 (17.5)
Obese	0	0	16 (4.9)	2 (1.4)	3 (5.4)	1 (****)	9 (5.3)
Very Obese	2 (****)	5 (8.9)	14 (4.3)	5 (3.6)	4 (7.1)	1 (****)	17 (9.9)
<b>2017 Total</b>	<b>9</b>	<b>66</b>	<b>324</b>	<b>162</b>	<b>73</b>	<b>15</b>	<b>172</b>
Overweight	0	6 (9.1)	44 (13.6)	25 (15.4)	5 (6.8)	2 (****)	17 (9.9)
Obese	1 (****)	2 (3.0)	10 (3.1)	6 (3.7)	4 (5.5)	2 (****)	16 (9.3)
Very Obese	0	2 (3.0)	28 (8.6)	7 (4.3)	10 (13.7)	0	21 (12.2)
<b>2016 Total</b>	<b>15</b>	<b>74</b>	<b>331</b>	<b>170</b>	<b>87</b>	<b>14</b>	<b>175</b>
Overweight	3 (****)	9 (12.2)	56 (16.9)	24 (14.1)	16 (18.4)	1 (****)	31 (17.7)
Obese	0	2 (2.7)	12 (3.6)	6 (3.5)	5 (5.7)	0	13 (7.4)
Very Obese	1 (****)	0	24 (7.3)	9 (5.3)	12 (13.8)	0	17 (9.7)
<b>2015 Total</b>	<b>17</b>	<b>71</b>	<b>355</b>	<b>166</b>	<b>105</b>	<b>11</b>	<b>181</b>
Overweight	1 (****)	5 (7.0)	41 (11.5)	14 (8.4)	15 (14.3)	1 (****)	26 (14.4)
Obese	2 (****)	2 (2.8)	17 (4.8)	7 (4.2)	3 (2.9)	0	12 (6.6)
Very Obese	1 (****)	2 (2.8)	22 (6.2)	7 (4.2)	15 (14.3)	0	16 (8.8)
<b>2014 Total</b>	<b>19</b>	<b>45</b>	<b>315</b>	<b>180</b>	<b>103</b>	<b>11</b>	<b>140</b>
Overweight	2 (****)	3 (6.7)	45 (14.3)	24 (13.3)	9 (8.7)	0	17 (12.1)
Obese	1 (****)	1 (2.2)	11 (3.5)	8 (4.4)	3 (2.9)	0	4 (2.9)
Very Obese	2 (****)	1 (2.2)	23 (7.3)	9 (5.0)	19 (18.4)	2 (****)	19 (13.6)
<b>2013 Total</b>	<b>12</b>	<b>53</b>	<b>305</b>	<b>222</b>	<b>114</b>	<b>13</b>	<b>175</b>
Overweight	2 (****)	9 (17.0)	39 (12.8)	33 (14.9)	18 (15.8)	2 (****)	32 (18.3)
Obese	0	3 (5.7)	13 (4.3)	7 (3.2)	9 (7.9)	0	9 (5.1)
Very Obese	2 (****)	1 (1.9)	29 (9.5)	14 (6.3)	11 (9.6)	1 (****)	13 (7.4)
<b>2012 Total</b>	<b>13</b>	<b>57</b>	<b>319</b>	<b>214</b>	<b>111</b>	<b>15</b>	<b>204</b>
Overweight	2 (****)	6 (10.5)	41 (12.9)	28 (13.1)	19 (17.1)	3 (****)	33 (16.2)
Obese	0	6 (10.5)	16 (5.0)	7 (3.3)	4 (3.6)	0	12 (5.9)
Very Obese	0	1 (1.8)	24 (7.5)	14 (6.5)	18 (16.2)	4 (****)	17 (8.3)
<b>2011 Total</b>	<b>18</b>	<b>65</b>	<b>313</b>	<b>208</b>	<b>80</b>	<b>14</b>	<b>245</b>
Overweight	4 (****)	6 (9.2)	47 (15.0)	42 (20.2)	16 (20.0)	1 (****)	44 (18.0)
Obese	0	2 (3.1)	11 (3.5)	4 (1.9)	6 (7.5)	2 (****)	14 (5.7)
Very Obese	0	1 (1.5)	24 (7.7)	12 (5.8)	7 (8.8)	2 (****)	22 (9.0)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>HENNEPIN-EDINA</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>&lt;5</b>	<b>7</b>	<b>45</b>	<b>22</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>17</b>
Overweight <sup>5</sup>	1 (****)	0	4 (8.9)	5 (****)	0	0	3 (****)
Obese <sup>5</sup>	0	0	3 (6.7)	0	0	0	0
Very Obese <sup>5</sup>	1 (****)	0	2 (4.4)	0	0	1 (****)	2 (****)
<b>2018 Total</b>	<b>&lt;5</b>	<b>7</b>	<b>41</b>	<b>31</b>	<b>&lt;5</b>	<b>0</b>	<b>11</b>
Overweight	****	1 (****)	9 (22.0)	6 (19.4)	****	0	3 (****)
Obese	0	0	2 (4.9)	1 (3.2)	****	0	0
Very Obese	0	0	3 (7.3)	0	0	0	0
<b>2017 Total</b>	<b>&lt;5</b>	<b>7</b>	<b>53</b>	<b>28</b>	<b>7</b>	<b>&lt;5</b>	<b>10</b>
Overweight	0	0	7 (13.2)	2 (****)	1 (****)	0	0
Obese	0	0	1 (1.9)	1 (****)	2 (****)	0	1 (****)
Very Obese	0	1 (****)	6 (11.3)	2 (****)	0	0	0
<b>2016 Total</b>	<b>&lt;5</b>	<b>9</b>	<b>54</b>	<b>29</b>	<b>7</b>	<b>&lt;5</b>	<b>12</b>
Overweight	0	0	6 (11.1)	4 (****)	2 (****)	0	0
Obese	0	0	3 (5.6)	1 (****)	0	0	0
Very Obese	0	1 (****)	6 (11.1)	2 (****)	1 (****)	0	2 (****)
<b>2015 Total</b>	<b>&lt;5</b>	<b>6</b>	<b>59</b>	<b>30</b>	<b>&lt;5</b>	<b>0</b>	<b>17</b>
Overweight	0	1 (****)	9 (15.3)	2 (6.7)	1 (****)	0	5 (****)
Obese	0	0	2 (3.4)	1 (3.3)	0	0	0
Very Obese	0	1 (****)	3 (5.1)	1 (3.3)	0	0	1 (****)
<b>2014 Total</b>	<b>&lt;5</b>	<b>6</b>	<b>65</b>	<b>37</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>16</b>
Overweight	0	1 (****)	13 (20.0)	2 (5.4)	0	0	1 (****)
Obese	****	0	4 (6.2)	1 (2.7)	0	0	3 (****)
Very Obese	0	1 (****)	6 (9.2)	4 (10.8)	1 (****)	0	2 (****)
<b>2013 Total</b>	<b>&lt;5</b>	<b>10</b>	<b>62</b>	<b>40</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>17</b>
Overweight	0	2 (****)	9 (14.5)	4 (10.0)	1 (****)	0	2 (****)
Obese	0	0	4 (6.5)	0	0	****	1 (****)
Very Obese	0	1 (****)	8 (12.9)	3 (7.5)	0	0	3 (****)
<b>2012 Total</b>	<b>&lt;5</b>	<b>6</b>	<b>65</b>	<b>32</b>	<b>6</b>	<b>&lt;5</b>	<b>19</b>
Overweight	****	2 (****)	8 (12.3)	3 (9.4)	1 (****)	****	1 (****)
Obese	****	1 (****)	5 (7.7)	3 (9.4)	0	****	2 (****)
Very Obese	****	0	3 (4.6)	2 (6.2)	2 (****)	****	3 (****)
<b>2011 Total</b>	<b>&lt;5</b>	<b>9</b>	<b>70</b>	<b>25</b>	<b>6</b>	<b>&lt;5</b>	<b>17</b>
Overweight	0	1 (****)	10 (14.3)	2 (****)	1 (****)	0	3 (****)
Obese	0	2 (****)	4 (5.7)	0	0	0	1 (****)
Very Obese	0	1 (****)	2 (2.9)	1 (****)	1 (****)	0	2 (****)



**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>HENNEPIN- MINNEAPOLIS</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>184</b>	<b>423</b>	<b>3,063</b>	<b>515</b>	<b>280</b>	<b>102</b>	<b>989</b>
Overweight <sup>5</sup>	38 (20.7)	86 (20.3)	420 (13.7)	70 (13.6)	38 (13.6)	20 (19.6)	173 (17.5)
Obese <sup>5</sup>	11 (6.0)	22 (5.2)	120 (3.9)	21 (4.1)	14 (5.0)	5 (4.9)	49 (5.0)
Very Obese <sup>5</sup>	22 (12.0)	46 (10.9)	210 (6.9)	26 (5.0)	43 (15.4)	6 (5.9)	100 (10.1)
<b>2018 Total</b>	<b>216</b>	<b>514</b>	<b>3,508</b>	<b>577</b>	<b>363</b>	<b>121</b>	<b>1,112</b>
Overweight	41 (19.0)	100 (19.5)	486 (13.9)	82 (14.2)	61 (16.8)	27 (22.3)	183 (16.5)
Obese	16 (7.4)	30 (5.8)	133 (3.8)	21 (3.6)	22 (6.1)	4 (3.3)	67 (6.0)
Very Obese	38 (17.6)	46 (8.9)	262 (7.5)	41 (7.1)	48 (13.2)	10 (8.3)	125 (11.2)
<b>2017 Total</b>	<b>243</b>	<b>581</b>	<b>3,740</b>	<b>652</b>	<b>494</b>	<b>162</b>	<b>1,259</b>
Overweight	43 (17.7)	111 (19.1)	486 (13.0)	91 (14.0)	68 (13.8)	23 (14.2)	218 (17.3)
Obese	21 (8.6)	21 (3.6)	168 (4.5)	35 (5.4)	37 (7.5)	13 (8.0)	66 (5.2)
Very Obese	37 (15.2)	62 (10.7)	254 (6.8)	39 (6.0)	77 (15.6)	11 (6.8)	150 (11.9)
<b>2016 Total</b>	<b>319</b>	<b>647</b>	<b>4,019</b>	<b>758</b>	<b>654</b>	<b>179</b>	<b>1,414</b>
Overweight	61 (19.1)	116 (17.9)	529 (13.2)	114 (15.0)	115 (17.6)	36 (20.1)	251 (17.8)
Obese	33 (10.3)	35 (5.4)	160 (4.0)	35 (4.6)	36 (5.5)	6 (3.4)	73 (5.2)
Very Obese	51 (16.0)	61 (9.4)	236 (5.9)	43 (5.7)	97 (14.8)	16 (8.9)	180 (12.7)
<b>2015 Total</b>	<b>346</b>	<b>696</b>	<b>4,118</b>	<b>783</b>	<b>775</b>	<b>156</b>	<b>1,579</b>
Overweight	64 (18.5)	117 (16.8)	567 (13.8)	121 (15.5)	146 (18.8)	35 (22.4)	289 (18.3)
Obese	22 (6.4)	37 (5.3)	161 (3.9)	28 (3.6)	30 (3.9)	5 (3.2)	77 (4.9)
Very Obese	53 (15.3)	51 (7.3)	268 (6.5)	51 (6.5)	94 (12.1)	11 (7.1)	152 (9.6)
<b>2014 Total</b>	<b>356</b>	<b>662</b>	<b>3,906</b>	<b>847</b>	<b>844</b>	<b>154</b>	<b>1,734</b>
Overweight	55 (15.4)	117 (17.7)	504 (12.9)	117 (13.8)	134 (15.9)	26 (16.9)	308 (17.8)
Obese	27 (7.6)	24 (3.6)	186 (4.8)	36 (4.3)	50 (5.9)	5 (3.2)	89 (5.1)
Very Obese	51 (14.3)	65 (9.8)	290 (7.4)	52 (6.1)	102 (12.1)	9 (5.8)	196 (11.3)
<b>2013 Total</b>	<b>348</b>	<b>680</b>	<b>3,879</b>	<b>912</b>	<b>967</b>	<b>155</b>	<b>1,926</b>
Overweight	72 (20.7)	110 (16.2)	532 (13.7)	136 (14.9)	164 (17.0)	30 (19.4)	355 (18.4)
Obese	32 (9.2)	32 (4.7)	176 (4.5)	30 (3.3)	62 (6.4)	3 (1.9)	109 (5.7)
Very Obese	46 (13.2)	73 (10.7)	319 (8.2)	71 (7.8)	105 (10.9)	10 (6.5)	197 (10.2)
<b>2012 Total</b>	<b>394</b>	<b>667</b>	<b>3,881</b>	<b>976</b>	<b>1,200</b>	<b>173</b>	<b>2,101</b>
Overweight	87 (22.1)	125 (18.7)	571 (14.7)	153 (15.7)	208 (17.3)	31 (17.9)	353 (16.8)
Obese	24 (6.1)	34 (5.1)	172 (4.4)	36 (3.7)	77 (6.4)	8 (4.6)	121 (5.8)
Very Obese	56 (14.2)	69 (10.3)	300 (7.7)	76 (7.8)	150 (12.5)	21 (12.1)	210 (10.0)
<b>2011 Total</b>	<b>425</b>	<b>695</b>	<b>3,817</b>	<b>1,018</b>	<b>1,323</b>	<b>190</b>	<b>2,332</b>
Overweight	80 (18.8)	131 (18.8)	544 (14.3)	159 (15.6)	247 (18.7)	33 (17.4)	396 (17.0)
Obese	39 (9.2)	40 (5.8)	223 (5.8)	62 (6.1)	88 (6.7)	12 (6.3)	145 (6.2)
Very Obese	52 (12.2)	79 (11.4)	280 (7.3)	66 (6.5)	157 (11.9)	15 (7.9)	243 (10.4)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>HENNEPIN-RICHFIELD</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>12</b>	<b>26</b>	<b>110</b>	<b>56</b>	<b>40</b>	<b>11</b>	<b>129</b>
Overweight <sup>5</sup>	2 (****)	3 (****)	18 (16.4)	10 (17.9)	6 (15.0)	0	18 (14.0)
Obese <sup>5</sup>	1 (****)	0	6 (5.5)	3 (5.4)	1 (2.5)	0	7 (5.4)
Very Obese <sup>5</sup>	0	2 (****)	8 (7.3)	3 (5.4)	6 (15.0)	3 (****)	13 (10.1)
<b>2018 Total</b>	<b>11</b>	<b>22</b>	<b>112</b>	<b>67</b>	<b>61</b>	<b>8</b>	<b>153</b>
Overweight	1 (****)	3 (****)	10 (8.9)	8 (11.9)	13 (21.3)	0	23 (15.0)
Obese	0	0	11 (9.8)	3 (4.5)	2 (3.3)	0	7 (4.6)
Very Obese	2 (****)	1 (****)	9 (8.0)	3 (4.5)	7 (11.5)	3 (****)	15 (9.8)
<b>2017 Total</b>	<b>9</b>	<b>24</b>	<b>119</b>	<b>78</b>	<b>83</b>	<b>9</b>	<b>169</b>
Overweight	0	2 (****)	11 (9.2)	9 (11.5)	10 (12.0)	0	25 (14.8)
Obese	0	1 (****)	6 (5.0)	2 (2.6)	1 (1.2)	0	7 (4.1)
Very Obese	0	2 (****)	10 (8.4)	3 (3.8)	9 (10.8)	2 (****)	9 (5.3)
<b>2016 Total</b>	<b>10</b>	<b>20</b>	<b>118</b>	<b>76</b>	<b>113</b>	<b>6</b>	<b>174</b>
Overweight	1 (****)	2 (****)	11 (9.3)	2 (2.6)	16 (14.2)	1 (****)	19 (10.9)
Obese	0	0	8 (6.8)	3 (3.9)	6 (5.3)	1 (****)	19 (10.9)
Very Obese	1 (****)	1 (****)	6 (5.1)	3 (3.9)	7 (6.2)	1 (****)	14 (8.0)
<b>2015 Total</b>	<b>7</b>	<b>30</b>	<b>128</b>	<b>86</b>	<b>144</b>	<b>6</b>	<b>200</b>
Overweight	1 (****)	3 (10.0)	14 (10.9)	8 (9.3)	22 (15.3)	1 (****)	30 (15.0)
Obese	0	2 (6.7)	3 (2.3)	3 (3.5)	2 (1.4)	0	13 (6.5)
Very Obese	1 (****)	1 (3.3)	11 (8.6)	4 (4.7)	16 (11.1)	1 (****)	15 (7.5)
<b>2014 Total</b>	<b>10</b>	<b>29</b>	<b>118</b>	<b>73</b>	<b>152</b>	<b>10</b>	<b>179</b>
Overweight	1 (****)	3 (****)	13 (11.0)	12 (16.4)	19 (12.5)	0	35 (19.6)
Obese	0	0	2 (1.7)	2 (2.7)	8 (5.3)	1 (****)	7 (3.9)
Very Obese	0	1 (****)	13 (11.0)	4 (5.5)	18 (11.8)	0	12 (6.7)
<b>2013 Total</b>	<b>12</b>	<b>29</b>	<b>120</b>	<b>82</b>	<b>176</b>	<b>11</b>	<b>209</b>
Overweight	2 (****)	4 (****)	20 (16.7)	15 (18.3)	32 (18.2)	2 (****)	37 (17.7)
Obese	0	0	6 (5.0)	1 (1.2)	7 (4.0)	0	20 (9.6)
Very Obese	1 (****)	4 (****)	11 (9.2)	3 (3.7)	18 (10.2)	1 (****)	21 (10.0)
<b>2012 Total</b>	<b>12</b>	<b>39</b>	<b>113</b>	<b>93</b>	<b>153</b>	<b>12</b>	<b>246</b>
Overweight	3 (****)	5 (12.8)	18 (15.9)	11 (11.8)	33 (21.6)	4 (****)	52 (21.1)
Obese	0	1 (2.6)	4 (3.5)	3 (3.2)	8 (5.2)	0	11 (4.5)
Very Obese	1 (****)	6 (15.4)	11 (9.7)	5 (5.4)	6 (3.9)	1 (****)	19 (7.7)
<b>2011 Total</b>	<b>9</b>	<b>24</b>	<b>101</b>	<b>96</b>	<b>131</b>	<b>12</b>	<b>339</b>
Overweight	1 (****)	0	12 (11.9)	5 (5.2)	26 (19.8)	2 (****)	73 (21.5)
Obese	0	1 (****)	5 (5.0)	5 (5.2)	8 (6.1)	1 (****)	21 (6.2)
Very Obese	1 (****)	2 (****)	7 (6.9)	8 (8.3)	11 (8.4)	2 (****)	28 (8.3)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>HENNEPIN-SUBURBAN</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>87</b>	<b>724</b>	<b>2,253</b>	<b>856</b>	<b>96</b>	<b>72</b>	<b>473</b>
Overweight <sup>5</sup>	21 (24.1)	122 (16.9)	293 (13.0)	110 (12.9)	15 (15.6)	13 (18.1)	79 (16.7)
Obese <sup>5</sup>	4 (4.6)	32 (4.4)	81 (3.6)	26 (3.0)	4 (4.2)	3 (4.2)	29 (6.1)
Very Obese <sup>5</sup>	3 (3.4)	71 (9.8)	164 (7.3)	43 (5.0)	9 (9.4)	6 (8.3)	59 (12.5)
<b>2018 Total</b>	<b>103</b>	<b>806</b>	<b>2,498</b>	<b>1,004</b>	<b>102</b>	<b>93</b>	<b>547</b>
Overweight	25 (24.3)	121 (15.0)	338 (13.5)	156 (15.5)	20 (19.6)	21 (22.6)	99 (18.1)
Obese	6 (5.8)	35 (4.3)	100 (4.0)	35 (3.5)	4 (3.9)	1 (1.1)	32 (5.9)
Very Obese	9 (8.7)	84 (10.4)	159 (6.4)	56 (5.6)	13 (12.7)	6 (6.5)	64 (11.7)
<b>2017 Total</b>	<b>96</b>	<b>850</b>	<b>2,680</b>	<b>1,097</b>	<b>111</b>	<b>103</b>	<b>648</b>
Overweight	11 (11.5)	126 (14.8)	409 (15.3)	172 (15.7)	27 (24.3)	16 (15.5)	117 (18.1)
Obese	6 (6.2)	35 (4.1)	98 (3.7)	48 (4.4)	9 (8.1)	4 (3.9)	31 (4.8)
Very Obese	6 (6.2)	85 (10.0)	190 (7.1)	57 (5.2)	11 (9.9)	7 (6.8)	79 (12.2)
<b>2016 Total</b>	<b>119</b>	<b>890</b>	<b>2,662</b>	<b>1,220</b>	<b>157</b>	<b>107</b>	<b>639</b>
Overweight	24 (20.2)	153 (17.2)	411 (15.4)	185 (15.2)	21 (13.4)	16 (15.0)	102 (16.0)
Obese	3 (2.5)	35 (3.9)	117 (4.4)	56 (4.6)	11 (7.0)	4 (3.7)	36 (5.6)
Very Obese	9 (7.6)	83 (9.3)	171 (6.4)	62 (5.1)	20 (12.7)	5 (4.7)	65 (10.2)
<b>2015 Total</b>	<b>123</b>	<b>900</b>	<b>2,773</b>	<b>1,218</b>	<b>230</b>	<b>107</b>	<b>713</b>
Overweight	28 (22.8)	162 (18.0)	392 (14.1)	187 (15.4)	43 (18.7)	22 (20.6)	107 (15.0)
Obese	5 (4.1)	46 (5.1)	122 (4.4)	39 (3.2)	13 (5.7)	2 (1.9)	34 (4.8)
Very Obese	6 (4.9)	78 (8.7)	167 (6.0)	61 (5.0)	22 (9.6)	5 (4.7)	57 (8.0)
<b>2014 Total</b>	<b>118</b>	<b>807</b>	<b>2,644</b>	<b>1,194</b>	<b>296</b>	<b>104</b>	<b>724</b>
Overweight	18 (15.3)	108 (13.4)	332 (12.6)	150 (12.6)	44 (14.9)	16 (15.4)	95 (13.1)
Obese	8 (6.8)	25 (3.1)	103 (3.9)	30 (2.5)	14 (4.7)	4 (3.8)	24 (3.3)
Very Obese	9 (7.6)	70 (8.7)	146 (5.5)	59 (4.9)	26 (8.8)	13 (12.5)	59 (8.1)
<b>2013 Total</b>	<b>100</b>	<b>780</b>	<b>2,609</b>	<b>1,261</b>	<b>322</b>	<b>112</b>	<b>773</b>
Overweight	13 (13.0)	123 (15.8)	330 (12.6)	147 (11.7)	54 (16.8)	16 (14.3)	112 (14.5)
Obese	3 (3.0)	34 (4.4)	90 (3.5)	49 (3.9)	12 (3.7)	5 (4.5)	29 (3.7)
Very Obese	11 (11.0)	79 (10.1)	169 (6.5)	68 (5.4)	20 (6.2)	11 (9.8)	53 (6.9)
<b>2012 Total</b>	<b>137</b>	<b>831</b>	<b>2,932</b>	<b>1,439</b>	<b>387</b>	<b>113</b>	<b>942</b>
Overweight	29 (21.2)	117 (14.1)	396 (13.5)	206 (14.3)	48 (12.4)	16 (14.2)	143 (15.2)
Obese	14 (10.2)	26 (3.1)	115 (3.9)	38 (2.6)	19 (4.9)	4 (3.5)	52 (5.5)
Very Obese	18 (13.1)	74 (8.9)	196 (6.7)	81 (5.6)	44 (11.4)	11 (9.7)	70 (7.4)
<b>2011 Total</b>	<b>107</b>	<b>833</b>	<b>2,803</b>	<b>1,467</b>	<b>393</b>	<b>114</b>	<b>995</b>
Overweight	17 (15.9)	143 (17.2)	409 (14.6)	216 (14.7)	65 (16.5)	16 (14.0)	151 (15.2)
Obese	6 (5.6)	42 (5.0)	97 (3.5)	65 (4.4)	21 (5.3)	3 (2.6)	67 (6.7)
Very Obese	9 (8.4)	76 (9.1)	206 (7.3)	79 (5.4)	42 (10.7)	14 (12.3)	94 (9.4)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

HORIZON	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>22</b>	<b>7</b>	<b>31</b>	<b>528</b>	<b>&lt;5</b>	<b>7</b>	<b>71</b>
Overweight <sup>5</sup>	6 (****)	0	6 (19.4)	87 (16.5)	2 (****)	2 (****)	11 (15.5)
Obese <sup>5</sup>	0	0	2 (6.5)	23 (4.4)	0	1 (****)	5 (7.0)
Very Obese <sup>5</sup>	5 (****)	0	4 (12.9)	28 (5.3)	0	0	8 (11.3)
<b>2018 Total</b>	<b>18</b>	<b>9</b>	<b>28</b>	<b>605</b>	<b>8</b>	<b>8</b>	<b>87</b>
Overweight	3 (****)	0	3 (****)	74 (12.2)	1 (****)	1 (****)	11 (12.6)
Obese	0	0	2 (****)	32 (5.3)	1 (****)	1 (****)	10 (11.5)
Very Obese	3 (****)	0	3 (****)	36 (6.0)	0	0	10 (11.5)
<b>2017 Total</b>	<b>19</b>	<b>8</b>	<b>35</b>	<b>646</b>	<b>10</b>	<b>7</b>	<b>85</b>
Overweight	2 (****)	0	6 (17.1)	111 (17.2)	1 (****)	1 (****)	11 (12.9)
Obese	1 (****)	0	0	30 (4.6)	1 (****)	1 (****)	7 (8.2)
Very Obese	3 (****)	0	4 (11.4)	37 (5.7)	0	0	10 (11.8)
<b>2016 Total</b>	<b>16</b>	<b>9</b>	<b>34</b>	<b>681</b>	<b>7</b>	<b>6</b>	<b>86</b>
Overweight	6 (****)	1 (****)	6 (17.6)	118 (17.3)	1 (****)	1 (****)	12 (14.0)
Obese	2 (****)	0	0	23 (3.4)	0	0	2 (2.3)
Very Obese	1 (****)	0	4 (11.8)	43 (6.3)	1 (****)	1 (****)	13 (15.1)
<b>2015 Total</b>	<b>25</b>	<b>8</b>	<b>35</b>	<b>716</b>	<b>9</b>	<b>9</b>	<b>89</b>
Overweight	5 (****)	1 (****)	6 (17.1)	123 (17.2)	1 (****)	2 (****)	16 (18.0)
Obese	2 (****)	3 (****)	1 (2.9)	26 (3.6)	0	0	4 (4.5)
Very Obese	1 (****)	0	3 (8.6)	33 (4.6)	0	0	11 (12.4)
<b>2014 Total</b>	<b>17</b>	<b>8</b>	<b>44</b>	<b>725</b>	<b>8</b>	<b>10</b>	<b>85</b>
Overweight	4 (****)	1 (****)	10 (22.7)	113 (15.6)	0	0	9 (10.6)
Obese	2 (****)	0	2 (4.5)	25 (3.4)	0	0	2 (2.4)
Very Obese	0	0	3 (6.8)	40 (5.5)	1 (****)	0	9 (10.6)
<b>2013 Total</b>	<b>30</b>	<b>12</b>	<b>33</b>	<b>783</b>	<b>&lt;5</b>	<b>7</b>	<b>75</b>
Overweight	4 (13.3)	2 (****)	10 (30.3)	144 (18.4)	0	1 (****)	11 (14.7)
Obese	4 (13.3)	0	2 (6.1)	30 (3.8)	0	0	7 (9.3)
Very Obese	5 (16.7)	1 (****)	3 (9.1)	43 (5.5)	0	0	3 (4.0)
<b>2012 Total</b>	<b>28</b>	<b>12</b>	<b>36</b>	<b>836</b>	<b>8</b>	<b>&lt;5</b>	<b>67</b>
Overweight	6 (****)	0	6 (16.7)	130 (15.6)	1 (****)	****	7 (10.4)
Obese	2 (****)	0	3 (8.3)	28 (3.3)	1 (****)	****	4 (6.0)
Very Obese	5 (****)	1 (****)	2 (5.6)	53 (6.3)	1 (****)	****	2 (3.0)
<b>2011 Total</b>	<b>30</b>	<b>13</b>	<b>26</b>	<b>909</b>	<b>11</b>	<b>6</b>	<b>69</b>
Overweight	4 (13.3)	1 (****)	5 (****)	124 (13.6)	1 (****)	1 (****)	7 (10.1)
Obese	2 (6.7)	1 (****)	2 (****)	53 (5.8)	0	0	4 (5.8)
Very Obese	7 (23.3)	2 (****)	3 (****)	49 (5.4)	2 (****)	0	3 (4.3)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

ISANTI	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>16</b>	<b>15</b>	<b>21</b>	<b>348</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>14</b>
Overweight <sup>5</sup>	3 (****)	2 (****)	5 (****)	53 (15.2)	0	0	2 (****)
Obese <sup>5</sup>	1 (****)	2 (****)	0	11 (3.2)	0	0	1 (****)
Very Obese <sup>5</sup>	1 (****)	0	1 (****)	31 (8.9)	0	1 (****)	1 (****)
<b>2018 Total</b>	<b>18</b>	<b>15</b>	<b>19</b>	<b>363</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>24</b>
Overweight	2 (****)	2 (****)	2 (****)	56 (15.4)	0	0	4 (****)
Obese	1 (****)	0	0	14 (3.9)	0	0	0
Very Obese	3 (****)	0	1 (****)	26 (7.2)	0	0	2 (****)
<b>2017 Total</b>	<b>19</b>	<b>15</b>	<b>19</b>	<b>401</b>	<b>5</b>	<b>&lt;5</b>	<b>28</b>
Overweight	3 (****)	1 (****)	4 (****)	66 (16.5)	0	0	4 (****)
Obese	1 (****)	1 (****)	0	13 (3.2)	0	0	1 (****)
Very Obese	3 (****)	1 (****)	1 (****)	21 (5.2)	1 (****)	0	2 (****)
<b>2016 Total</b>	<b>20</b>	<b>14</b>	<b>19</b>	<b>411</b>	<b>5</b>	<b>&lt;5</b>	<b>26</b>
Overweight	2 (****)	1 (****)	1 (****)	53 (12.9)	1 (****)	0	7 (****)
Obese	0	1 (****)	1 (****)	14 (3.4)	1 (****)	1 (****)	1 (****)
Very Obese	1 (****)	2 (****)	4 (****)	26 (6.3)	0	0	1 (****)
<b>2015 Total</b>	<b>20</b>	<b>14</b>	<b>26</b>	<b>458</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>24</b>
Overweight	4 (****)	0	6 (****)	67 (14.6)	1 (****)	0	5 (****)
Obese	0	2 (****)	2 (****)	19 (4.1)	0	0	3 (****)
Very Obese	1 (****)	1 (****)	4 (****)	22 (4.8)	0	0	4 (****)
<b>2014 Total</b>	<b>15</b>	<b>14</b>	<b>15</b>	<b>381</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>26</b>
Overweight	1 (****)	2 (****)	2 (****)	52 (13.6)	0	0	4 (****)
Obese	1 (****)	0	1 (****)	13 (3.4)	0	0	2 (****)
Very Obese	1 (****)	0	3 (****)	31 (8.1)	1 (****)	0	1 (****)
<b>2013 Total</b>	<b>13</b>	<b>15</b>	<b>17</b>	<b>459</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>20</b>
Overweight	2 (****)	1 (****)	0	67 (14.6)	1 (****)	0	5 (****)
Obese	1 (****)	0	3 (****)	21 (4.6)	0	0	1 (****)
Very Obese	1 (****)	0	1 (****)	36 (7.8)	0	0	1 (****)
<b>2012 Total</b>	<b>12</b>	<b>16</b>	<b>22</b>	<b>513</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>23</b>
Overweight	2 (****)	2 (****)	4 (****)	71 (13.8)	****	****	1 (****)
Obese	1 (****)	1 (****)	2 (****)	25 (4.9)	****	****	3 (****)
Very Obese	2 (****)	0	3 (****)	30 (5.8)	****	****	3 (****)
<b>2011 Total</b>	<b>13</b>	<b>11</b>	<b>18</b>	<b>532</b>	<b>7</b>	<b>6</b>	<b>33</b>
Overweight	0	1 (****)	1 (****)	96 (18.0)	1 (****)	0	4 (12.1)
Obese	1 (****)	0	0	19 (3.6)	0	1 (****)	3 (9.1)
Very Obese	0	1 (****)	2 (****)	19 (3.6)	1 (****)	2 (****)	3 (9.1)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

KANABEC	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>11</b>	<b>6</b>	<b>&lt;5</b>	<b>178</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>10</b>
Overweight <sup>5</sup>	1 (****)	2 (****)	1 (****)	32 (18.0)	1 (****)	1 (****)	3 (****)
Obese <sup>5</sup>	2 (****)	0	0	7 (3.9)	0	0	1 (****)
Very Obese <sup>5</sup>	1 (****)	0	0	9 (5.1)	0	0	1 (****)
<b>2018 Total</b>	<b>12</b>	<b>6</b>	<b>5</b>	<b>183</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>16</b>
Overweight	1 (****)	0	1 (****)	34 (18.6)	1 (****)	1 (****)	4 (****)
Obese	0	0	1 (****)	4 (2.2)	0	0	1 (****)
Very Obese	2 (****)	1 (****)	0	11 (6.0)	1 (****)	0	3 (****)
<b>2017 Total</b>	<b>15</b>	<b>5</b>	<b>10</b>	<b>195</b>	<b>&lt;5</b>	<b>6</b>	<b>15</b>
Overweight	2 (****)	1 (****)	1 (****)	26 (13.3)	0	0	2 (****)
Obese	0	0	0	6 (3.1)	0	1 (****)	3 (****)
Very Obese	2 (****)	0	0	13 (6.7)	0	0	2 (****)
<b>2016 Total</b>	<b>12</b>	<b>&lt;5</b>	<b>12</b>	<b>201</b>	<b>&lt;5</b>	<b>5</b>	<b>17</b>
Overweight	3 (****)	0	0	22 (10.9)	0	1 (****)	3 (****)
Obese	0	0	0	8 (4.0)	0	1 (****)	2 (****)
Very Obese	0	0	0	8 (4.0)	0	0	4 (****)
<b>2015 Total</b>	<b>8</b>	<b>&lt;5</b>	<b>10</b>	<b>197</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>20</b>
Overweight	0	0	2 (****)	26 (13.2)	0	0	5 (****)
Obese	0	0	0	7 (3.6)	0	0	0
Very Obese	0	0	0	6 (3.0)	0	0	2 (****)
<b>2014 Total</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>6</b>	<b>196</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>13</b>
Overweight	0	0	1 (****)	17 (8.7)	0	0	2 (****)
Obese	0	0	0	10 (5.1)	0	0	1 (****)
Very Obese	0	0	1 (****)	11 (5.6)	0	0	1 (****)
<b>2013 Total</b>	<b>9</b>	<b>&lt;5</b>	<b>9</b>	<b>232</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>15</b>
Overweight	2 (****)	****	1 (****)	39 (16.8)	****	****	0
Obese	0	****	0	11 (4.7)	****	****	0
Very Obese	0	****	1 (****)	13 (5.6)	****	****	2 (****)
<b>2012 Total</b>	<b>9</b>	<b>&lt;5</b>	<b>9</b>	<b>232</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>15</b>
Overweight	2 (****)	****	1 (****)	39 (16.8)	****	****	0
Obese	0	****	0	11 (4.7)	****	****	0
Very Obese	0	****	1 (****)	13 (5.6)	****	****	2 (****)
<b>2011 Total</b>	<b>8</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>229</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>14</b>
Overweight	1 (****)	****	****	36 (15.7)	****	****	2 (****)
Obese	1 (****)	****	****	16 (7.0)	****	****	1 (****)
Very Obese	2 (****)	****	****	15 (6.6)	****	****	3 (****)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

KANDIYOHI-RENVILLE	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>21</b>	<b>33</b>	<b>280</b>	<b>400</b>	<b>18</b>	<b>9</b>	<b>340</b>
Overweight <sup>5</sup>	6 (****)	7 (21.2)	48 (17.1)	53 (13.2)	4 (****)	3 (****)	65 (19.1)
Obese <sup>5</sup>	1 (****)	0	20 (7.1)	23 (5.8)	0	0	20 (5.9)
Very Obese <sup>5</sup>	2 (****)	1 (3.0)	30 (10.7)	30 (7.5)	3 (****)	1 (****)	56 (16.5)
<b>2018 Total</b>	<b>22</b>	<b>31</b>	<b>278</b>	<b>434</b>	<b>12</b>	<b>6</b>	<b>345</b>
Overweight	6 (****)	7 (22.6)	45 (16.2)	82 (18.9)	3 (****)	2 (****)	56 (16.2)
Obese	0	1 (3.2)	16 (5.8)	12 (2.8)	1 (****)	0	19 (5.5)
Very Obese	3 (****)	1 (3.2)	26 (9.4)	33 (7.6)	0	0	49 (14.2)
<b>2017 Total</b>	<b>20</b>	<b>18</b>	<b>286</b>	<b>445</b>	<b>13</b>	<b>5</b>	<b>344</b>
Overweight	2 (****)	4 (****)	35 (12.2)	75 (16.9)	2 (****)	0	69 (20.1)
Obese	2 (****)	0	17 (5.9)	19 (4.3)	3 (****)	1 (****)	20 (5.8)
Very Obese	5 (****)	0	34 (11.9)	35 (7.9)	0	0	45 (13.1)
<b>2016 Total</b>	<b>19</b>	<b>16</b>	<b>268</b>	<b>462</b>	<b>9</b>	<b>&lt;5</b>	<b>346</b>
Overweight	2 (****)	1 (****)	34 (12.7)	67 (14.5)	2 (****)	****	67 (19.4)
Obese	0	1 (****)	9 (3.4)	22 (4.8)	1 (****)	0	21 (6.1)
Very Obese	2 (****)	1 (****)	19 (7.1)	41 (8.9)	0	0	57 (16.5)
<b>2015 Total</b>	<b>19</b>	<b>11</b>	<b>229</b>	<b>468</b>	<b>10</b>	<b>&lt;5</b>	<b>369</b>
Overweight	4 (****)	4 (****)	32 (14.0)	74 (15.8)	4 (****)	****	63 (17.1)
Obese	1 (****)	0	8 (3.5)	18 (3.8)	1 (****)	****	22 (6.0)
Very Obese	1 (****)	0	20 (8.7)	43 (9.2)	1 (****)	0	46 (12.5)
<b>2014 Total</b>	<b>11</b>	<b>17</b>	<b>204</b>	<b>464</b>	<b>13</b>	<b>&lt;5</b>	<b>340</b>
Overweight	3 (****)	4 (****)	22 (10.8)	65 (14.0)	4 (****)	****	57 (16.8)
Obese	0	0	5 (2.5)	24 (5.2)	0	0	20 (5.9)
Very Obese	2 (****)	1 (****)	12 (5.9)	37 (8.0)	1 (****)	0	48 (14.1)
<b>2013 Total</b>	<b>13</b>	<b>15</b>	<b>171</b>	<b>509</b>	<b>13</b>	<b>&lt;5</b>	<b>375</b>
Overweight	4 (****)	0	13 (7.6)	83 (16.3)	1 (****)	0	77 (20.5)
Obese	0	0	6 (3.5)	32 (6.3)	1 (****)	0	22 (5.9)
Very Obese	2 (****)	1 (****)	17 (9.9)	35 (6.9)	1 (****)	0	43 (11.5)
<b>2012 Total</b>	<b>32</b>	<b>9</b>	<b>152</b>	<b>580</b>	<b>9</b>	<b>&lt;5</b>	<b>380</b>
Overweight	5 (15.6)	1 (****)	20 (13.2)	91 (15.7)	1 (****)	****	73 (19.2)
Obese	2 (6.2)	0	7 (4.6)	21 (3.6)	0	****	16 (4.2)
Very Obese	5 (15.6)	1 (****)	14 (9.2)	36 (6.2)	0	****	46 (12.1)
<b>2011 Total</b>	<b>33</b>	<b>17</b>	<b>113</b>	<b>606</b>	<b>9</b>	<b>6</b>	<b>431</b>
Overweight	5 (15.2)	0	22 (19.5)	75 (12.4)	1 (****)	1 (****)	83 (19.3)
Obese	3 (9.1)	0	7 (6.2)	28 (4.6)	1 (****)	0	40 (9.3)
Very Obese	7 (21.2)	1 (****)	6 (5.3)	49 (8.1)	1 (****)	2 (****)	45 (10.4)



**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

LE SUEUR-WASECA	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>5</b>	<b>6</b>	<b>39</b>	<b>289</b>	<b>&lt;5</b>	<b>5</b>	<b>102</b>
Overweight <sup>5</sup>	0	2 (****)	7 (17.9)	49 (17.0)	1 (****)	1 (****)	17 (16.7)
Obese <sup>5</sup>	0	0	3 (7.7)	13 (4.5)	0	0	6 (5.9)
Very Obese <sup>5</sup>	0	0	1 (2.6)	17 (5.9)	0	2 (****)	12 (11.8)
<b>2018 Total</b>	<b>5</b>	<b>&lt;5</b>	<b>38</b>	<b>288</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>120</b>
Overweight	2 (****)	0	7 (18.4)	35 (12.2)	****	****	15 (12.5)
Obese	0	0	2 (5.3)	12 (4.2)	0	0	4 (3.3)
Very Obese	0	0	3 (7.9)	8 (2.8)	0	0	13 (10.8)
<b>2017 Total</b>	<b>6</b>	<b>&lt;5</b>	<b>41</b>	<b>309</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>144</b>
Overweight	1 (****)	****	4 (9.8)	51 (16.5)	0	****	26 (18.1)
Obese	0	0	4 (9.8)	14 (4.5)	****	0	10 (6.9)
Very Obese	1 (****)	0	4 (9.8)	17 (5.5)	0	0	17 (11.8)
<b>2016 Total</b>	<b>6</b>	<b>&lt;5</b>	<b>47</b>	<b>324</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>128</b>
Overweight	2 (****)	0	8 (17.0)	55 (17.0)	0	****	21 (16.4)
Obese	1 (****)	0	2 (4.3)	10 (3.1)	0	0	4 (3.1)
Very Obese	1 (****)	0	8 (17.0)	26 (8.0)	0	0	20 (15.6)
<b>2015 Total</b>	<b>9</b>	<b>7</b>	<b>33</b>	<b>338</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>137</b>
Overweight	3 (****)	2 (****)	3 (9.1)	57 (16.9)	0	0	18 (13.1)
Obese	0	0	1 (3.0)	10 (3.0)	0	****	9 (6.6)
Very Obese	1 (****)	1 (****)	6 (18.2)	22 (6.5)	0	0	20 (14.6)
<b>2014 Total</b>	<b>&lt;5</b>	<b>6</b>	<b>38</b>	<b>321</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>107</b>
Overweight	****	1 (****)	5 (13.2)	47 (14.6)	0	****	14 (13.1)
Obese	0	0	2 (5.3)	12 (3.7)	0	0	6 (5.6)
Very Obese	0	0	2 (5.3)	23 (7.2)	0	0	15 (14.0)
<b>2013 Total</b>	<b>7</b>	<b>6</b>	<b>38</b>	<b>344</b>	<b>&lt;5</b>	<b>0</b>	<b>126</b>
Overweight	1 (****)	1 (****)	7 (18.4)	52 (15.1)	0	0	23 (18.3)
Obese	0	0	0	11 (3.2)	0	0	5 (4.0)
Very Obese	0	0	4 (10.5)	23 (6.7)	0	0	15 (11.9)
<b>2012 Total</b>	<b>8</b>	<b>&lt;5</b>	<b>34</b>	<b>401</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>124</b>
Overweight	2 (****)	****	9 (26.5)	59 (14.7)	****	****	17 (13.7)
Obese	0	****	2 (5.9)	15 (3.7)	****	****	5 (4.0)
Very Obese	0	****	2 (5.9)	29 (7.2)	****	****	17 (13.7)
<b>2011 Total</b>	<b>9</b>	<b>&lt;5</b>	<b>27</b>	<b>427</b>	<b>7</b>	<b>&lt;5</b>	<b>124</b>
Overweight	1 (****)	0	6 (****)	70 (16.4)	1 (****)	****	18 (14.5)
Obese	0	0	0	13 (3.0)	0	0	7 (5.6)
Very Obese	0	0	1 (****)	17 (4.0)	1 (****)	0	10 (8.1)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>MEEKER-MCLEOD-SIBLEY</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>10</b>	<b>5</b>	<b>43</b>	<b>523</b>	<b>5</b>	<b>&lt;5</b>	<b>203</b>
Overweight <sup>5</sup>	2 (****)	1 (****)	8 (18.6)	84 (16.1)	0	0	38 (18.7)
Obese <sup>5</sup>	1 (****)	0	3 (7.0)	19 (3.6)	0	0	15 (7.4)
Very Obese <sup>5</sup>	2 (****)	1 (****)	1 (2.3)	37 (7.1)	0	0	20 (9.9)
<b>2018 Total</b>	<b>10</b>	<b>5</b>	<b>34</b>	<b>547</b>	<b>5</b>	<b>5</b>	<b>223</b>
Overweight	2 (****)	0	2 (5.9)	90 (16.5)	0	1 (****)	37 (16.6)
Obese	0	0	0	27 (4.9)	2 (****)	0	18 (8.1)
Very Obese	0	1 (****)	2 (5.9)	43 (7.9)	0	1 (****)	29 (13.0)
<b>2017 Total</b>	<b>17</b>	<b>13</b>	<b>32</b>	<b>601</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>228</b>
Overweight	2 (****)	0	5 (15.6)	117 (19.5)	0	0	35 (15.4)
Obese	0	0	2 (6.2)	24 (4.0)	0	0	10 (4.4)
Very Obese	2 (****)	2 (****)	2 (6.2)	41 (6.8)	0	0	40 (17.5)
<b>2016 Total</b>	<b>15</b>	<b>15</b>	<b>35</b>	<b>628</b>	<b>5</b>	<b>&lt;5</b>	<b>235</b>
Overweight	2 (****)	1 (****)	4 (11.4)	108 (17.2)	1 (****)	0	32 (13.6)
Obese	0	1 (****)	2 (5.7)	31 (4.9)	1 (****)	0	16 (6.8)
Very Obese	2 (****)	0	1 (2.9)	46 (7.3)	1 (****)	0	35 (14.9)
<b>2015 Total</b>	<b>13</b>	<b>14</b>	<b>38</b>	<b>687</b>	<b>5</b>	<b>&lt;5</b>	<b>228</b>
Overweight	0	0	4 (10.5)	103 (15.0)	1 (****)	0	38 (16.7)
Obese	1 (****)	1 (****)	3 (7.9)	26 (3.8)	0	0	10 (4.4)
Very Obese	0	1 (****)	3 (7.9)	58 (8.4)	1 (****)	0	32 (14.0)
<b>2014 Total</b>	<b>10</b>	<b>9</b>	<b>41</b>	<b>679</b>	<b>5</b>	<b>&lt;5</b>	<b>196</b>
Overweight	0	1 (****)	8 (19.5)	92 (13.5)	1 (****)	****	34 (17.3)
Obese	0	2 (****)	0	19 (2.8)	1 (****)	0	12 (6.1)
Very Obese	1 (****)	0	5 (12.2)	44 (6.5)	1 (****)	0	28 (14.3)
<b>2013 Total</b>	<b>14</b>	<b>8</b>	<b>36</b>	<b>722</b>	<b>&lt;5</b>	<b>10</b>	<b>215</b>
Overweight	3 (****)	0	8 (22.2)	114 (15.8)	****	1 (****)	41 (19.1)
Obese	0	0	1 (2.8)	34 (4.7)	0	0	6 (2.8)
Very Obese	1 (****)	1 (****)	4 (11.1)	55 (7.6)	0	1 (****)	33 (15.3)
<b>2012 Total</b>	<b>11</b>	<b>14</b>	<b>29</b>	<b>797</b>	<b>&lt;5</b>	<b>7</b>	<b>206</b>
Overweight	3 (****)	3 (****)	4 (****)	144 (18.1)	****	1 (****)	47 (22.8)
Obese	0	1 (****)	1 (****)	29 (3.6)	****	1 (****)	13 (6.3)
Very Obese	0	3 (****)	3 (****)	56 (7.0)	****	1 (****)	26 (12.6)
<b>2011 Total</b>	<b>17</b>	<b>14</b>	<b>30</b>	<b>879</b>	<b>8</b>	<b>5</b>	<b>256</b>
Overweight	4 (****)	1 (****)	7 (23.3)	144 (16.4)	1 (****)	0	40 (15.6)
Obese	2 (****)	1 (****)	2 (6.7)	42 (4.8)	1 (****)	0	22 (8.6)
Very Obese	2 (****)	1 (****)	1 (3.3)	44 (5.0)	2 (****)	1 (****)	28 (10.9)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

MORRISON-TODD-WADENA	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>25</b>	<b>10</b>	<b>44</b>	<b>669</b>	<b>5</b>	<b>8</b>	<b>99</b>
Overweight <sup>5</sup>	3 (****)	0	7 (15.9)	106 (15.8)	0	1 (****)	18 (18.2)
Obese <sup>5</sup>	1 (****)	1 (****)	1 (2.3)	28 (4.2)	0	0	5 (5.1)
Very Obese <sup>5</sup>	4 (****)	1 (****)	6 (13.6)	40 (6.0)	2 (****)	1 (****)	13 (13.1)
<b>2018 Total</b>	<b>30</b>	<b>15</b>	<b>47</b>	<b>789</b>	<b>6</b>	<b>7</b>	<b>109</b>
Overweight	4 (13.3)	2 (****)	8 (17.0)	130 (16.5)	1 (****)	0	21 (19.3)
Obese	1 (3.3)	0	2 (4.3)	31 (3.9)	1 (****)	0	7 (6.4)
Very Obese	3 (10.0)	1 (****)	5 (10.6)	49 (6.2)	2 (****)	3 (****)	16 (14.7)
<b>2017 Total</b>	<b>22</b>	<b>14</b>	<b>55</b>	<b>836</b>	<b>8</b>	<b>10</b>	<b>120</b>
Overweight	2 (****)	1 (****)	9 (16.4)	127 (15.2)	1 (****)	0	21 (17.5)
Obese	3 (****)	0	2 (3.6)	47 (5.6)	1 (****)	0	6 (5.0)
Very Obese	3 (****)	3 (****)	3 (5.5)	64 (7.7)	2 (****)	3 (****)	15 (12.5)
<b>2016 Total</b>	<b>22</b>	<b>19</b>	<b>55</b>	<b>875</b>	<b>7</b>	<b>10</b>	<b>135</b>
Overweight	5 (****)	4 (****)	6 (10.9)	146 (16.7)	3 (****)	4 (****)	26 (19.3)
Obese	0	1 (****)	4 (7.3)	45 (5.1)	0	0	4 (3.0)
Very Obese	4 (****)	1 (****)	3 (5.5)	71 (8.1)	1 (****)	1 (****)	16 (11.9)
<b>2015 Total</b>	<b>20</b>	<b>18</b>	<b>55</b>	<b>911</b>	<b>8</b>	<b>7</b>	<b>124</b>
Overweight	3 (****)	4 (****)	7 (12.7)	139 (15.3)	2 (****)	1 (****)	30 (24.2)
Obese	3 (****)	0	3 (5.5)	43 (4.7)	0	0	7 (5.6)
Very Obese	2 (****)	0	4 (7.3)	63 (6.9)	3 (****)	1 (****)	16 (12.9)
<b>2014 Total</b>	<b>20</b>	<b>14</b>	<b>38</b>	<b>818</b>	<b>&lt;5</b>	<b>6</b>	<b>120</b>
Overweight	3 (****)	2 (****)	5 (13.2)	135 (16.5)	0	0	22 (18.3)
Obese	0	0	2 (5.3)	38 (4.6)	0	1 (****)	9 (7.5)
Very Obese	5 (****)	0	0	48 (5.9)	****	1 (****)	22 (18.3)
<b>2013 Total</b>	<b>20</b>	<b>14</b>	<b>33</b>	<b>883</b>	<b>&lt;5</b>	<b>5</b>	<b>133</b>
Overweight	2 (****)	1 (****)	3 (9.1)	137 (15.5)	0	2 (****)	30 (22.6)
Obese	0	0	3 (9.1)	42 (4.8)	0	0	11 (8.3)
Very Obese	2 (****)	1 (****)	2 (6.1)	45 (5.1)	1 (****)	1 (****)	18 (13.5)
<b>2012 Total</b>	<b>18</b>	<b>15</b>	<b>41</b>	<b>987</b>	<b>6</b>	<b>6</b>	<b>146</b>
Overweight	3 (****)	1 (****)	6 (14.6)	141 (14.3)	1 (****)	2 (****)	32 (21.9)
Obese	1 (****)	0	5 (12.2)	36 (3.6)	1 (****)	0	8 (5.5)
Very Obese	1 (****)	0	3 (7.3)	50 (5.1)	0	0	16 (11.0)
<b>2011 Total</b>	<b>25</b>	<b>5</b>	<b>34</b>	<b>1,072</b>	<b>5</b>	<b>7</b>	<b>139</b>
Overweight	6 (****)	0	6 (17.6)	165 (15.4)	1 (****)	0	30 (21.6)
Obese	0	0	2 (5.9)	50 (4.7)	0	0	11 (7.9)
Very Obese	1 (****)	0	5 (14.7)	53 (4.9)	0	0	13 (9.4)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

MILLE LACS CO	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>89</b>	<b>5</b>	<b>11</b>	<b>311</b>	<b>7</b>	<b>&lt;5</b>	<b>14</b>
Overweight <sup>5</sup>	12 (13.5)	2 (****)	2 (****)	35 (11.3)	2 (****)	0	2 (****)
Obese <sup>5</sup>	9 (10.1)	1 (****)	0	19 (6.1)	0	0	0
Very Obese <sup>5</sup>	17 (19.1)	0	0	14 (4.5)	0	0	0
<b>2018 Total</b>	<b>94</b>	<b>7</b>	<b>12</b>	<b>292</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>13</b>
Overweight	28 (29.8)	1 (****)	4 (****)	44 (15.1)	0	0	2 (****)
Obese	8 (8.5)	0	0	21 (7.2)	1 (****)	0	0
Very Obese	15 (16.0)	3 (****)	2 (****)	16 (5.5)	0	0	1 (****)
<b>2017 Total</b>	<b>80</b>	<b>8</b>	<b>11</b>	<b>288</b>	<b>5</b>	<b>&lt;5</b>	<b>16</b>
Overweight	13 (16.2)	1 (****)	4 (****)	45 (15.6)	0	0	3 (****)
Obese	5 (6.2)	1 (****)	0	5 (1.7)	1 (****)	0	0
Very Obese	14 (17.5)	1 (****)	0	24 (8.3)	1 (****)	0	1 (****)
<b>2016 Total</b>	<b>103</b>	<b>9</b>	<b>11</b>	<b>286</b>	<b>8</b>	<b>&lt;5</b>	<b>16</b>
Overweight	20 (19.4)	1 (****)	1 (****)	58 (20.3)	1 (****)	0	3 (****)
Obese	15 (14.6)	1 (****)	1 (****)	10 (3.5)	0	0	1 (****)
Very Obese	14 (13.6)	0	1 (****)	19 (6.6)	1 (****)	0	1 (****)
<b>2015 Total</b>	<b>101</b>	<b>&lt;5</b>	<b>16</b>	<b>318</b>	<b>12</b>	<b>&lt;5</b>	<b>19</b>
Overweight	20 (19.8)	0	3 (****)	44 (13.8)	2 (****)	0	2 (****)
Obese	7 (6.9)	0	0	19 (6.0)	1 (****)	0	1 (****)
Very Obese	20 (19.8)	0	1 (****)	19 (6.0)	0	0	0
<b>2014 Total</b>	<b>97</b>	<b>&lt;5</b>	<b>10</b>	<b>302</b>	<b>7</b>	<b>&lt;5</b>	<b>10</b>
Overweight	28 (28.9)	0	1 (****)	43 (14.2)	2 (****)	0	1 (****)
Obese	6 (6.2)	0	1 (****)	9 (3.0)	1 (****)	0	1 (****)
Very Obese	15 (15.5)	0	0	14 (4.6)	0	0	0
<b>2013 Total</b>	<b>120</b>	<b>&lt;5</b>	<b>7</b>	<b>325</b>	<b>7</b>	<b>0</b>	<b>14</b>
Overweight	31 (25.8)	1 (****)	1 (****)	51 (15.7)	1 (****)	0	2 (****)
Obese	6 (5.0)	0	0	20 (6.2)	0	0	1 (****)
Very Obese	18 (15.0)	1 (****)	1 (****)	14 (4.3)	2 (****)	0	2 (****)
<b>2012 Total</b>	<b>113</b>	<b>5</b>	<b>12</b>	<b>378</b>	<b>7</b>	<b>&lt;5</b>	<b>19</b>
Overweight	22 (19.5)	1 (****)	3 (****)	57 (15.1)	0	****	5 (****)
Obese	5 (4.4)	1 (****)	0	17 (4.5)	1 (****)	****	0
Very Obese	12 (10.6)	1 (****)	0	17 (4.5)	1 (****)	****	1 (****)
<b>2011 Total</b>	<b>106</b>	<b>5</b>	<b>12</b>	<b>406</b>	<b>12</b>	<b>&lt;5</b>	<b>18</b>
Overweight	26 (24.5)	2 (****)	2 (****)	60 (14.8)	2 (****)	****	6 (****)
Obese	5 (4.7)	0	1 (****)	17 (4.2)	2 (****)	****	3 (****)
Very Obese	17 (16.0)	0	1 (****)	31 (7.6)	0	****	1 (****)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

MOWER	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>&lt;5</b>	<b>124</b>	<b>110</b>	<b>224</b>	<b>7</b>	<b>12</b>	<b>181</b>
Overweight <sup>5</sup>	2 (****)	11 (8.9)	19 (17.3)	45 (20.1)	3 (****)	2 (****)	42 (23.2)
Obese <sup>5</sup>	0	2 (1.6)	4 (3.6)	12 (5.4)	0	0	14 (7.7)
Very Obese <sup>5</sup>	0	6 (4.8)	12 (10.9)	15 (6.7)	0	1 (****)	26 (14.4)
<b>2018 Total</b>	<b>0</b>	<b>114</b>	<b>104</b>	<b>219</b>	<b>9</b>	<b>11</b>	<b>198</b>
Overweight	0	9 (7.9)	16 (15.4)	38 (17.4)	3 (****)	0	37 (18.7)
Obese	0	4 (3.5)	8 (7.7)	14 (6.4)	0	1 (****)	14 (7.1)
Very Obese	0	6 (5.3)	13 (12.5)	16 (7.3)	0	4 (****)	36 (18.2)
<b>2017 Total</b>	<b>&lt;5</b>	<b>96</b>	<b>99</b>	<b>242</b>	<b>12</b>	<b>10</b>	<b>196</b>
Overweight	0	10 (10.4)	21 (21.2)	42 (17.4)	1 (****)	0	32 (16.3)
Obese	0	6 (6.2)	8 (8.1)	8 (3.3)	0	3 (****)	16 (8.2)
Very Obese	0	7 (7.3)	8 (8.1)	22 (9.1)	0	5 (****)	35 (17.9)
<b>2016 Total</b>	<b>8</b>	<b>81</b>	<b>100</b>	<b>274</b>	<b>15</b>	<b>6</b>	<b>203</b>
Overweight	1 (****)	7 (8.6)	13 (13.0)	51 (18.6)	2 (****)	2 (****)	47 (23.2)
Obese	0	2 (2.5)	5 (5.0)	14 (5.1)	1 (****)	1 (****)	19 (9.4)
Very Obese	0	3 (3.7)	16 (16.0)	28 (10.2)	2 (****)	1 (****)	31 (15.3)
<b>2015 Total</b>	<b>7</b>	<b>68</b>	<b>95</b>	<b>295</b>	<b>24</b>	<b>9</b>	<b>198</b>
Overweight	0	8 (11.8)	15 (15.8)	50 (16.9)	4 (****)	3 (****)	46 (23.2)
Obese	1 (****)	0	5 (5.3)	15 (5.1)	2 (****)	0	17 (8.6)
Very Obese	0	5 (7.4)	14 (14.7)	21 (7.1)	4 (****)	1 (****)	30 (15.2)
<b>2014 Total</b>	<b>6</b>	<b>70</b>	<b>109</b>	<b>291</b>	<b>25</b>	<b>8</b>	<b>219</b>
Overweight	0	7 (10.0)	19 (17.4)	47 (16.2)	7 (****)	1 (****)	49 (22.4)
Obese	2 (****)	3 (4.3)	7 (6.4)	17 (5.8)	1 (****)	0	20 (9.1)
Very Obese	0	1 (1.4)	5 (4.6)	18 (6.2)	5 (****)	3 (****)	24 (11.0)
<b>2013 Total</b>	<b>5</b>	<b>57</b>	<b>115</b>	<b>359</b>	<b>48</b>	<b>12</b>	<b>263</b>
Overweight	2 (****)	5 (8.8)	19 (16.5)	69 (19.2)	9 (18.8)	1 (****)	49 (18.6)
Obese	0	2 (3.5)	4 (3.5)	17 (4.7)	3 (6.2)	0	25 (9.5)
Very Obese	0	3 (5.3)	10 (8.7)	28 (7.8)	9 (18.8)	4 (****)	38 (14.4)
<b>2012 Total</b>	<b>7</b>	<b>37</b>	<b>103</b>	<b>398</b>	<b>71</b>	<b>11</b>	<b>270</b>
Overweight	1 (****)	3 (8.1)	17 (16.5)	75 (18.8)	18 (25.4)	2 (****)	60 (22.2)
Obese	1 (****)	3 (8.1)	6 (5.8)	18 (4.5)	7 (9.9)	2 (****)	25 (9.3)
Very Obese	2 (****)	6 (16.2)	9 (8.7)	31 (7.8)	9 (12.7)	1 (****)	33 (12.2)
<b>2011 Total</b>	<b>&lt;5</b>	<b>31</b>	<b>97</b>	<b>368</b>	<b>88</b>	<b>13</b>	<b>248</b>
Overweight	****	3 (9.7)	13 (13.4)	65 (17.7)	15 (17.0)	2 (****)	55 (22.2)
Obese	****	1 (3.2)	7 (7.2)	18 (4.9)	9 (10.2)	3 (****)	21 (8.5)
Very Obese	****	2 (6.5)	11 (11.3)	27 (7.3)	15 (17.0)	1 (****)	24 (9.7)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

NOBLES	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>&lt;5</b>	<b>55</b>	<b>58</b>	<b>85</b>	<b>49</b>	<b>6</b>	<b>319</b>
Overweight <sup>5</sup>	1 (****)	8 (14.5)	12 (20.7)	11 (12.9)	14 (28.6)	1 (****)	54 (16.9)
Obese <sup>5</sup>	0	1 (1.8)	3 (5.2)	8 (9.4)	2 (4.1)	1 (****)	18 (5.6)
Very Obese <sup>5</sup>	0	5 (9.1)	5 (8.6)	7 (8.2)	8 (16.3)	1 (****)	49 (15.4)
<b>2018 Total</b>	<b>&lt;5</b>	<b>59</b>	<b>59</b>	<b>82</b>	<b>69</b>	<b>10</b>	<b>333</b>
Overweight	0	9 (15.3)	8 (13.6)	7 (8.5)	23 (33.3)	2 (****)	68 (20.4)
Obese	0	3 (5.1)	2 (3.4)	7 (8.5)	5 (7.2)	0	16 (4.8)
Very Obese	0	6 (10.2)	5 (8.5)	6 (7.3)	9 (13.0)	1 (****)	39 (11.7)
<b>2017 Total</b>	<b>&lt;5</b>	<b>57</b>	<b>51</b>	<b>99</b>	<b>90</b>	<b>&lt;5</b>	<b>276</b>
Overweight	0	7 (12.3)	8 (15.7)	18 (18.2)	23 (25.6)	0	48 (17.4)
Obese	0	4 (7.0)	2 (3.9)	6 (6.1)	8 (8.9)	1 (****)	20 (7.2)
Very Obese	0	4 (7.0)	5 (9.8)	5 (5.1)	12 (13.3)	0	32 (11.6)
<b>2016 Total</b>	<b>5</b>	<b>51</b>	<b>52</b>	<b>111</b>	<b>110</b>	<b>10</b>	<b>278</b>
Overweight	0	6 (11.8)	7 (13.5)	17 (15.3)	25 (22.7)	2 (****)	51 (18.3)
Obese	1 (****)	1 (2.0)	1 (1.9)	3 (2.7)	4 (3.6)	0	22 (7.9)
Very Obese	0	2 (3.9)	4 (7.7)	8 (7.2)	18 (16.4)	0	36 (12.9)
<b>2015 Total</b>	<b>8</b>	<b>46</b>	<b>47</b>	<b>115</b>	<b>102</b>	<b>&lt;5</b>	<b>240</b>
Overweight	3 (****)	4 (8.7)	11 (23.4)	16 (13.9)	23 (22.5)	0	58 (24.2)
Obese	1 (****)	1 (2.2)	4 (8.5)	6 (5.2)	4 (3.9)	0	12 (5.0)
Very Obese	0	3 (6.5)	2 (4.3)	4 (3.5)	12 (11.8)	0	30 (12.5)
<b>2014 Total</b>	<b>8</b>	<b>47</b>	<b>40</b>	<b>103</b>	<b>95</b>	<b>7</b>	<b>225</b>
Overweight	3 (****)	4 (8.5)	7 (17.5)	16 (15.5)	17 (17.9)	3 (****)	43 (19.1)
Obese	0	1 (2.1)	4 (10.0)	3 (2.9)	7 (7.4)	0	17 (7.6)
Very Obese	1 (****)	0	2 (5.0)	4 (3.9)	9 (9.5)	1 (****)	21 (9.3)
<b>2013 Total</b>	<b>6</b>	<b>49</b>	<b>50</b>	<b>107</b>	<b>93</b>	<b>9</b>	<b>249</b>
Overweight	1 (****)	6 (12.2)	4 (8.0)	12 (11.2)	17 (18.3)	4 (****)	55 (22.1)
Obese	0	4 (8.2)	3 (6.0)	4 (3.7)	4 (4.3)	0	14 (5.6)
Very Obese	0	3 (6.1)	4 (8.0)	4 (3.7)	11 (11.8)	0	31 (12.4)
<b>2012 Total</b>	<b>&lt;5</b>	<b>41</b>	<b>32</b>	<b>113</b>	<b>76</b>	<b>13</b>	<b>287</b>
Overweight	****	6 (14.6)	5 (15.6)	9 (8.0)	20 (26.3)	4 (****)	60 (20.9)
Obese	****	2 (4.9)	2 (6.2)	3 (2.7)	4 (5.3)	0	17 (5.9)
Very Obese	****	2 (4.9)	4 (12.5)	7 (6.2)	6 (7.9)	0	40 (13.9)
<b>2011 Total</b>	<b>&lt;5</b>	<b>38</b>	<b>27</b>	<b>111</b>	<b>82</b>	<b>6</b>	<b>286</b>
Overweight	****	3 (7.9)	5 (****)	13 (11.7)	18 (22.0)	1 (****)	56 (19.6)
Obese	****	1 (2.6)	0	7 (6.3)	8 (9.8)	0	23 (8.0)
Very Obese	****	2 (5.3)	1 (****)	4 (3.6)	8 (9.8)	0	50 (17.5)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>NORTH COUNTRY</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>83</b>	<b>10</b>	<b>20</b>	<b>350</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>15</b>
Overweight <sup>5</sup>	13 (15.7)	1 (****)	3 (****)	44 (12.6)	****	****	1 (****)
Obese <sup>5</sup>	6 (7.2)	0	2 (****)	12 (3.4)	0	0	0
Very Obese <sup>5</sup>	17 (20.5)	1 (****)	1 (****)	28 (8.0)	0	0	1 (****)
<b>2018 Total</b>	<b>91</b>	<b>9</b>	<b>19</b>	<b>381</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>22</b>
Overweight	22 (24.2)	2 (****)	3 (****)	123 (15.5)	****	****	****
Obese	9 (9.9)	0	1 (****)	35 (4.4)	0	0	****
Very Obese	14 (15.4)	1 (****)	2 (****)	67 (8.4)	0	0	****
<b>2017 Total</b>	<b>98</b>	<b>&lt;5</b>	<b>18</b>	<b>371</b>	<b>7</b>	<b>&lt;5</b>	<b>19</b>
Overweight	15 (15.3)	0	5 (****)	148 (18.2)	****	****	****
Obese	6 (6.1)	****	1 (****)	37 (4.6)	****	0	0
Very Obese	23 (23.5)	****	1 (****)	61 (7.5)	****	0	****
<b>2016 Total</b>	<b>85</b>	<b>6</b>	<b>17</b>	<b>371</b>	<b>5</b>	<b>0</b>	<b>20</b>
Overweight	17 (20.0)	2 (****)	2 (****)	141 (16.8)	****	0	****
Obese	10 (11.8)	1 (****)	3 (****)	43 (5.1)	****	0	****
Very Obese	9 (10.6)	3 (****)	2 (****)	56 (6.7)	****	0	****
<b>2015 Total</b>	<b>93</b>	<b>5</b>	<b>13</b>	<b>390</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>22</b>
Overweight	20 (21.5)	0	2 (****)	135 (15.3)	0	****	****
Obese	4 (4.3)	1 (****)	0	59 (6.7)	****	****	0
Very Obese	11 (11.8)	1 (****)	0	53 (6.0)	****	****	****
<b>2014 Total</b>	<b>88</b>	<b>&lt;5</b>	<b>15</b>	<b>381</b>	<b>&lt;5</b>	<b>0</b>	<b>23</b>
Overweight	15 (17.0)	0	0	126 (13.7)	****	0	****
Obese	7	0	2 (****)	40 (4.3)	0	0	****
Very Obese	12	0	0	52 (5.6)	0	0	****
<b>2013 Total</b>	<b>94</b>	<b>&lt;5</b>	<b>16</b>	<b>484</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>21</b>
Overweight	16 (17.0)	0	3 (****)	176 (16.7)	****	****	****
Obese	6 (8.4)	0	1 (****)	46 (4.4)	0	****	****
Very Obese	12 (12.8)	****	0	71 (6.8)	****	0	0
<b>2012 Total</b>	<b>84</b>	<b>&lt;5</b>	<b>16</b>	<b>491</b>	<b>7</b>	<b>&lt;5</b>	<b>23</b>
Overweight	11 (13.1)	****	2 (****)	169 (15.3)	2 (****)	****	****
Obese	7 (8.3)	****	1 (****)	54 (4.9)	6 (****)	0	****
Very Obese	11 (13.1)	****	1 (****)	71 (6.4)	2 (****)	0	****
<b>2011 Total</b>	<b>73</b>	<b>&lt;5</b>	<b>16</b>	<b>506</b>	<b>8</b>	<b>&lt;5</b>	<b>20</b>
Overweight	18 (24.7)	0	3 (****)	194 (16.8)	2 (****)	0	****
Obese	5 (6.8)	0	0	43 (3.7)	0	0	0
Very Obese	10 (13.7)	0	0	72 (6.2)	2 (****)	0	****

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>OLMSTED</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>16</b>	<b>143</b>	<b>674</b>	<b>600</b>	<b>9</b>	<b>40</b>	<b>268</b>
Overweight <sup>5</sup>	2 (****)	19 (13.3)	92 (13.6)	97 (16.2)	2 (****)	6 (15.0)	41 (15.3)
Obese <sup>5</sup>	0	3 (2.1)	28 (4.2)	29 (4.8)	0	3 (7.5)	23 (8.6)
Very Obese <sup>5</sup>	4 (****)	8 (5.6)	48 (7.1)	43 (7.2)	2 (****)	4 (10.0)	44 (16.4)
<b>2018 Total</b>	<b>24</b>	<b>133</b>	<b>654</b>	<b>623</b>	<b>9</b>	<b>36</b>	<b>313</b>
Overweight	4 (****)	14 (10.5)	76 (11.6)	104 (16.7)	3 (****)	9 (25.0)	62 (19.8)
Obese	2 (****)	3 (2.3)	26 (4.0)	24 (3.9)	0	1 (2.8)	18 (5.8)
Very Obese	4 (****)	7 (5.3)	45 (6.9)	52 (8.3)	2 (****)	4 (11.1)	51 (16.3)
<b>2017 Total</b>	<b>23</b>	<b>159</b>	<b>631</b>	<b>670</b>	<b>7</b>	<b>25</b>	<b>302</b>
Overweight	5 (****)	18 (11.3)	87 (13.8)	104 (15.5)	2 (****)	4 (****)	48 (15.9)
Obese	0	5 (3.1)	24 (3.8)	33 (4.9)	0	1 (****)	15 (5.0)
Very Obese	0	5 (3.1)	36 (5.7)	58 (8.7)	0	1 (****)	45 (14.9)
<b>2016 Total</b>	<b>29</b>	<b>188</b>	<b>665</b>	<b>815</b>	<b>6</b>	<b>32</b>	<b>294</b>
Overweight	9 (****)	16 (8.5)	83 (13.4)	124 (15.9)	0	7 (23.3)	61 (20.5)
Obese	3 (****)	2 (1.1)	31 (5.0)	38 (4.9)	1 (****)	0	22 (7.4)
Very Obese	2 (****)	8 (4.2)	37 (6.0)	64 (8.2)	0	3 (10.0)	38 (12.8)
<b>2015 Total</b>	<b>29</b>	<b>188</b>	<b>665</b>	<b>815</b>	<b>6</b>	<b>32</b>	<b>294</b>
Overweight	6 (****)	23 (12.2)	89 (13.4)	127 (15.6)	1 (****)	7 (21.9)	59 (20.1)
Obese	2 (****)	3 (1.6)	21 (3.2)	38 (4.7)	0	3 (9.4)	20 (6.8)
Very Obese	2 (****)	8 (4.3)	47 (7.1)	57 (7.0)	1 (****)	3 (9.4)	38 (12.9)
<b>2014 Total</b>	<b>20</b>	<b>162</b>	<b>661</b>	<b>826</b>	<b>5</b>	<b>25</b>	<b>303</b>
Overweight	2 (****)	17 (10.5)	77 (11.6)	140 (16.9)	1 (****)	6 (****)	59 (19.5)
Obese	2 (****)	6 (3.7)	27 (4.1)	43 (5.2)	0	0	18 (5.9)
Very Obese	2 (****)	5 (3.1)	49 (7.4)	48 (5.8)	1 (****)	3 (****)	40 (13.2)
<b>2013 Total</b>	<b>18</b>	<b>215</b>	<b>657</b>	<b>889</b>	<b>8</b>	<b>30</b>	<b>332</b>
Overweight	5 (****)	37 (17.2)	91 (13.9)	144 (16.2)	4 (****)	4 (13.3)	63 (19.0)
Obese	0	4 (1.9)	19 (2.9)	39 (4.4)	0	4 (13.3)	28 (8.4)
Very Obese	2 (****)	8 (3.7)	43 (6.5)	53 (6.0)	1 (****)	2 (6.7)	56 (16.9)
<b>2012 Total</b>	<b>24</b>	<b>216</b>	<b>631</b>	<b>1,028</b>	<b>12</b>	<b>30</b>	<b>376</b>
Overweight	4 (****)	22 (10.2)	84 (13.3)	164 (16.0)	3 (****)	5 (16.7)	79 (21.0)
Obese	1 (****)	6 (2.8)	22 (3.5)	45 (4.4)	2 (****)	5 (16.7)	21 (5.6)
Very Obese	1 (****)	4 (1.9)	36 (5.7)	54 (5.3)	1 (****)	3 (10.0)	46 (12.2)
<b>2011 Total</b>	<b>35</b>	<b>224</b>	<b>623</b>	<b>1,031</b>	<b>12</b>	<b>35</b>	<b>385</b>
Overweight	11 (31.4)	18 (8.0)	105 (16.9)	162 (15.7)	3 (****)	3 (8.6)	65 (16.9)
Obese	2 (5.7)	11 (4.9)	26 (4.2)	49 (4.8)	1 (****)	3 (8.6)	20 (5.2)
Very Obese	1 (2.9)	6 (2.7)	36 (5.8)	58 (5.6)	1 (****)	1 (2.9)	36 (9.4)



**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>PARTNERSHIP 4 HEALTH</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>247</b>	<b>36</b>	<b>316</b>	<b>1,306</b>	<b>38</b>	<b>21</b>	<b>207</b>
Overweight <sup>5</sup>	50 (20.2)	0	43 (13.6)	190 (14.5)	6 (15.8)	6 (****)	37 (17.9)
Obese <sup>5</sup>	7 (2.8)	5 (13.9)	8 (2.5)	57 (4.4)	0	0	15 (7.2)
Very Obese <sup>5</sup>	43 (17.4)	0	30 (9.5)	101 (7.7)	5 (13.2)	1 (****)	23 (11.1)
<b>2018 Total</b>	<b>277</b>	<b>46</b>	<b>330</b>	<b>1,414</b>	<b>43</b>	<b>18</b>	<b>209</b>
Overweight	54 (19.5)	7 (15.2)	49 (14.8)	225 (15.9)	5 (11.6)	7 (****)	34 (16.3)
Obese	13 (4.7)	1 (2.2)	13 (3.9)	70 (5.0)	5 (11.6)	0	11 (5.3)
Very Obese	49 (17.7)	3 (6.5)	36 (10.9)	103 (7.3)	7 (16.3)	0	28 (13.4)
<b>2017 Total</b>	<b>264</b>	<b>41</b>	<b>301</b>	<b>1,442</b>	<b>66</b>	<b>16</b>	<b>224</b>
Overweight	47 (17.8)	5 (12.2)	36 (12.0)	207 (14.4)	13 (19.7)	3 (****)	39 (17.4)
Obese	27 (10.2)	2 (4.9)	13 (4.3)	61 (4.2)	6 (9.1)	1 (****)	12 (5.4)
Very Obese	41 (15.5)	2 (4.9)	22 (7.3)	100 (6.9)	11 (16.7)	1 (****)	27 (12.1)
<b>2016 Total</b>	<b>286</b>	<b>39</b>	<b>276</b>	<b>1,509</b>	<b>76</b>	<b>15</b>	<b>247</b>
Overweight	51 (17.8)	5 (12.8)	37 (13.4)	222 (14.7)	20 (26.3)	2 (****)	46 (18.6)
Obese	32 (11.2)	0	19 (6.9)	57 (3.8)	2 (2.6)	0	12 (4.9)
Very Obese	46 (16.1)	2 (5.1)	23 (8.3)	103 (6.8)	11 (14.5)	1 (****)	28 (11.3)
<b>2015 Total</b>	<b>309</b>	<b>33</b>	<b>243</b>	<b>1,533</b>	<b>76</b>	<b>23</b>	<b>254</b>
Overweight	67 (21.7)	3 (9.1)	41 (16.9)	225 (14.7)	16 (21.1)	3 (13.0)	41 (16.1)
Obese	22 (7.1)	0	8 (3.3)	72 (4.7)	3 (3.9)	1 (4.3)	10 (3.9)
Very Obese	39 (12.6)	1 (3.0)	14 (5.8)	52 (3.4)	7 (9.2)	0	14 (5.5)
<b>2014 Total</b>	<b>313</b>	<b>31</b>	<b>196</b>	<b>1,516</b>	<b>92</b>	<b>22</b>	<b>238</b>
Overweight	60 (19.2)	5 (16.1)	31 (15.8)	231 (15.2)	20 (21.7)	4 (****)	47 (19.7)
Obese	27 (8.6)	0	11 (5.6)	49 (3.2)	4 (4.3)	0	12 (5.0)
Very Obese	49 (15.7)	0	20 (10.2)	101 (6.7)	12 (13.0)	1 (****)	22 (9.2)
<b>2013 Total</b>	<b>324</b>	<b>41</b>	<b>161</b>	<b>1,593</b>	<b>90</b>	<b>26</b>	<b>225</b>
Overweight	63 (19.4)	7 (17.1)	24 (14.9)	271 (17.0)	13 (14.4)	3 (****)	36 (16.0)
Obese	29 (9.0)	2 (4.9)	11 (6.8)	69 (4.3)	8 (8.9)	1 (****)	15 (6.7)
Very Obese	54 (16.7)	0	21 (13.0)	112 (7.0)	20 (22.2)	3 (****)	25 (11.1)
<b>2012 Total</b>	<b>323</b>	<b>51</b>	<b>160</b>	<b>1,784</b>	<b>98</b>	<b>24</b>	<b>223</b>
Overweight	69 (21.4)	3 (5.9)	31 (19.4)	273 (15.3)	18 (18.4)	2 (****)	34 (15.2)
Obese	23 (7.1)	2 (3.9)	6 (3.8)	68 (3.8)	10 (10.2)	0	13 (5.8)
Very Obese	53 (16.4)	1 (2.0)	11 (6.9)	89 (5.0)	17 (17.3)	1 (****)	25 (11.2)
<b>2011 Total</b>	<b>330</b>	<b>59</b>	<b>144</b>	<b>1,882</b>	<b>102</b>	<b>21</b>	<b>218</b>
Overweight	75 (22.7)	8 (13.6)	24 (16.7)	296 (15.7)	15 (14.7)	6 (****)	35 (16.1)
Obese	29 (8.8)	2 (3.4)	7 (4.9)	81 (4.3)	7 (6.9)	0	14 (6.4)
Very Obese	43 (13.0)	4 (6.8)	11 (7.6)	92 (4.9)	16 (15.7)	1 (****)	24 (11.0)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

PINE	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>56</b>	<b>8</b>	<b>19</b>	<b>269</b>	<b>5</b>	<b>&lt;5</b>	<b>14</b>
Overweight <sup>5</sup>	14 (25.0)	1 (****)	4 (****)	44 (16.4)	0	0	1 (****)
Obese <sup>5</sup>	6 (10.7)	1 (****)	0	15 (5.6)	0	0	0
Very Obese <sup>5</sup>	8 (14.3)	0	3 (****)	25 (9.3)	2 (****)	1 (****)	1 (****)
<b>2018 Total</b>	<b>49</b>	<b>8</b>	<b>12</b>	<b>263</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>20</b>
Overweight	11 (22.4)	3 (****)	2 (****)	48 (18.3)	0	0	2 (****)
Obese	3 (6.1)	1 (****)	0	12 (4.6)	0	0	0
Very Obese	7 (14.3)	1 (****)	2 (****)	22 (8.4)	1 (****)	1 (****)	3 (****)
<b>2017 Total</b>	<b>44</b>	<b>&lt;5</b>	<b>12</b>	<b>295</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>18</b>
Overweight	8 (18.2)	2 (****)	5 (****)	60 (20.3)	0	0	2 (****)
Obese	3 (6.8)	0	1 (****)	13 (4.4)	0	0	1 (****)
Very Obese	5 (11.4)	0	3 (****)	20 (6.8)	1 (****)	1 (****)	1 (****)
<b>2016 Total</b>	<b>28</b>	<b>&lt;5</b>	<b>13</b>	<b>273</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>15</b>
Overweight	6 (****)	1 (****)	2 (****)	52 (19.0)	1 (****)	0	4 (****)
Obese	1 (****)	0	1 (****)	10 (3.7)	0	0	0
Very Obese	4 (****)	0	1 (****)	21 (7.7)	0	0	0
<b>2015 Total</b>	<b>50</b>	<b>5</b>	<b>17</b>	<b>294</b>	<b>0</b>	<b>0</b>	<b>14</b>
Overweight	8 (16.0)	0	3 (****)	51 (17.3)	0	0	2 (****)
Obese	2 (4.0)	0	1 (****)	14 (4.8)	0	0	2 (****)
Very Obese	9 (18.0)	0	1 (****)	25 (8.5)	0	0	0
<b>2014 Total</b>	<b>38</b>	<b>&lt;5</b>	<b>10</b>	<b>291</b>	<b>&lt;5</b>	<b>0</b>	<b>8</b>
Overweight	7 (18.4)	0	2 (****)	39 (13.4)	0	0	4 (****)
Obese	2 (5.3)	0	1 (****)	6 (2.1)	0	0	0
Very Obese	10 (26.3)	0	0	18 (6.2)	0	0	1 (****)
<b>2013 Total</b>	<b>35</b>	<b>7</b>	<b>10</b>	<b>309</b>	<b>&lt;5</b>	<b>0</b>	<b>11</b>
Overweight	8 (22.9)	1 (****)	3 (****)	41 (13.3)	0	0	5 (****)
Obese	2 (5.7)	1 (****)	0	12 (3.9)	0	0	1 (****)
Very Obese	8 (22.9)	0	2 (****)	22 (7.1)	1 (****)	0	1 (****)
<b>2012 Total</b>	<b>40</b>	<b>10</b>	<b>14</b>	<b>389</b>	<b>3&lt;5</b>	<b>0</b>	<b>13</b>
Overweight	9 (22.5)	1 (****)	3 (****)	62 (15.9)	****	0	2 (****)
Obese	3 (7.5)	1 (****)	1 (****)	24 (6.2)	****	0	0
Very Obese	3 (7.5)	0	1 (****)	25 (6.4)	****	0	2 (****)
<b>2011 Total</b>	<b>38</b>	<b>10</b>	<b>13</b>	<b>422</b>	<b>&lt;5</b>	<b>0</b>	<b>20</b>
Overweight	9 (23.7)	0	2 (****)	59 (14.0)	****	0	2 (****)
Obese	1 (2.6)	0	1 (****)	17 (4.0)	****	0	1 (****)
Very Obese	6 (15.8)	1 (****)	3 (****)	37 (8.8)	****	0	3 (****)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>POLK-NORMAN- MAHNOMEN</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>196</b>	<b>3</b>	<b>84</b>	<b>326</b>	<b>33</b>	<b>9</b>	<b>127</b>
Overweight <sup>5</sup>	41 (20.9)	0	15 (17.9)	54 (16.6)	7 (21.2)	0	20 (15.7)
Obese <sup>5</sup>	17 (8.7)	0	6 (7.1)	5 (1.5)	2 (6.1)	1 (****)	5 (3.9)
Very Obese <sup>5</sup>	46 (23.5)	0	7 (8.3)	17 (5.2)	6 (18.2)	3 (****)	14 (11.0)
<b>2018 Total</b>	<b>219</b>	<b>5</b>	<b>101</b>	<b>376</b>	<b>25</b>	<b>10</b>	<b>117</b>
Overweight	52 (23.7)	0	16 (15.8)	60 (16.0)	6 (****)	2 (****)	24 (20.5)
Obese	19 (8.7)	0	4 (4.0)	11 (2.9)	2 (****)	0	5 (4.3)
Very Obese	51 (23.3)	0	7 (6.9)	22 (5.9)	3 (****)	2 (****)	13 (11.1)
<b>2017 Total</b>	<b>222</b>	<b>&lt;5</b>	<b>103</b>	<b>388</b>	<b>27</b>	<b>10</b>	<b>124</b>
Overweight	47 (21.2)	0	13 (12.6)	56 (14.4)	4 (****)	2 (****)	20 (16.1)
Obese	18 (8.1)	0	3 (2.9)	13 (3.4)	1 (****)	0	5 (4.0)
Very Obese	44 (19.8)	0	4 (3.9)	29 (7.5)	6 (****)	2 (****)	20 (16.1)
<b>2016 Total</b>	<b>233</b>	<b>7</b>	<b>81</b>	<b>433</b>	<b>32</b>	<b>9</b>	<b>126</b>
Overweight	52 (22.3)	0	11 (13.6)	77 (17.8)	4 (12.5)	2 (****)	19 (15.1)
Obese	21 (9.0)	1 (****)	3 (3.7)	15 (3.5)	2 (6.2)	1 (****)	5 (4.0)
Very Obese	51 (21.9)	1 (****)	5 (6.2)	35 (8.1)	5 (15.6)	0	12 (9.5)
<b>2015 Total</b>	<b>227</b>	<b>9</b>	<b>65</b>	<b>466</b>	<b>29</b>	<b>13</b>	<b>133</b>
Overweight	43 (18.9)	1 (****)	11 (16.9)	70 (15.0)	9 (****)	1 (****)	28 (21.1)
Obese	25 (11.0)	1 (****)	5 (7.7)	22 (4.7)	1 (****)	2 (****)	1 (<1)
Very Obese	48 (21.1)	1 (****)	3 (4.6)	35 (7.5)	3 (****)	3 (****)	15 (11.3)
<b>2014 Total</b>	<b>248</b>	<b>7</b>	<b>62</b>	<b>498</b>	<b>29</b>	<b>9</b>	<b>125</b>
Overweight	53 (21.4)	1 (****)	6 (9.7)	86 (17.3)	7 (****)	2 (****)	17 (13.6)
Obese	18 (7.3)	0	3 (4.8)	22 (4.4)	2 (****)	0	5 (4.0)
Very Obese	49 (19.8)	1 (****)	6 (9.7)	34 (6.8)	3 (****)	4 (****)	16 (12.8)
<b>2013 Total</b>	<b>246</b>	<b>9</b>	<b>59</b>	<b>520</b>	<b>22</b>	<b>6</b>	<b>130</b>
Overweight	46 (18.7)	1 (****)	7 (11.9)	82 (15.8)	7 (****)	1 (****)	20 (15.4)
Obese	26 (10.6)	0	0	28 (5.4)	3 (****)	1 (****)	5 (3.8)
Very Obese	48 (19.5)	1 (****)	5 (8.5)	38 (7.3)	4 (****)	0	17 (13.1)
<b>2012 Total</b>	<b>243</b>	<b>8</b>	<b>54</b>	<b>565</b>	<b>32</b>	<b>9</b>	<b>139</b>
Overweight	53 (21.8)	2 (****)	4 (7.4)	96 (17.0)	5 (15.6)	1 (****)	25 (18.0)
Obese	13 (5.3)	0	4 (7.4)	20 (3.5)	3 (9.4)	1 (****)	9 (6.5)
Very Obese	43 (17.7)	1 (****)	2 (3.7)	28 (5.0)	5 (15.6)	1 (****)	11 (7.9)
<b>2011 Total</b>	<b>243</b>	<b>8</b>	<b>40</b>	<b>568</b>	<b>39</b>	<b>8</b>	<b>153</b>
Overweight	56 (23.0)	2 (****)	3 (7.5)	100 (17.6)	11 (28.2)	1 (****)	30 (19.6)
Obese	22 (9.1)	0	2 (5.0)	27 (4.8)	4 (10.3)	1 (****)	10 (6.5)
Very Obese	33 (13.6)	0	7 (17.5)	28 (4.9)	4 (10.3)	2 (****)	12 (7.8)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

QUIN	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>29</b>	<b>22</b>	<b>18</b>	<b>511</b>	<b>6</b>	<b>8</b>	<b>62</b>
Overweight <sup>5</sup>	4 (****)	3 (****)	3 (****)	88 (17.2)	1 (****)	2 (****)	8 (12.9)
Obese <sup>5</sup>	1 (****)	1 (****)	0	31 (6.1)	1 (****)	0	2 (3.2)
Very Obese <sup>5</sup>	11 (****)	2 (****)	2 (****)	32 (6.3)	1 (****)	1 (****)	11 (17.7)
<b>2018 Total</b>	<b>28</b>	<b>23</b>	<b>18</b>	<b>564</b>	<b>8</b>	<b>6</b>	<b>66</b>
Overweight	4 (****)	3 (****)	3 (****)	93 (16.5)	2 (****)	0	6 (9.1)
Obese	2 (****)	1 (****)	1 (****)	38 (6.7)	1 (****)	0	7 (10.6)
Very Obese	8 (****)	2 (****)	1 (****)	44 (7.8)	2 (****)	1 (****)	4 (6.1)
<b>2017 Total</b>	<b>37</b>	<b>21</b>	<b>22</b>	<b>624</b>	<b>9</b>	<b>5</b>	<b>66</b>
Overweight	9 (24.3)	4 (****)	1 (****)	117 (18.8)	0	0	13 (19.7)
Obese	3 (8.1)	1 (****)	1 (****)	51 (8.2)	1 (****)	0	3 (4.5)
Very Obese	9 (24.3)	1 (****)	2 (****)	48 (7.7)	3 (****)	0	5 (7.6)
<b>2016 Total</b>	<b>40</b>	<b>23</b>	<b>21</b>	<b>652</b>	<b>7</b>	<b>8</b>	<b>61</b>
Overweight	7 (17.5)	1 (****)	4 (****)	125 (19.2)	1 (****)	0	11 (18.0)
Obese	1 (2.5)	0	0	35 (5.4)	0	0	5 (8.2)
Very Obese	6 (15.0)	2 (****)	2 (****)	56 (8.6)	3 (****)	1 (****)	6 (9.8)
<b>2015 Total</b>	<b>46</b>	<b>33</b>	<b>21</b>	<b>665</b>	<b>11</b>	<b>7</b>	<b>68</b>
Overweight	10 (21.7)	4 (12.1)	0	113 (17.0)	1 (****)	1 (****)	7 (10.3)
Obese	2 (4.3)	2 (6.1)	2 (****)	45 (6.8)	1 (****)	0	2 (2.9)
Very Obese	7 (15.2)	1 (3.0)	0	44 (6.6)	3 (****)	1 (****)	10 (14.7)
<b>2014 Total</b>	<b>46</b>	<b>26</b>	<b>20</b>	<b>608</b>	<b>10</b>	<b>6</b>	<b>71</b>
Overweight	14 (30.4)	4 (****)	3 (****)	122 (20.1)	5 (****)	0	3 (4.2)
Obese	2 (4.3)	1 (****)	1 (****)	29 (4.8)	0	0	5 (7.0)
Very Obese	4 (8.7)	3 (****)	1 (****)	45 (7.4)	1 (****)	1 (****)	8 (11.3)
<b>2013 Total</b>	<b>34</b>	<b>36</b>	<b>15</b>	<b>682</b>	<b>13</b>	<b>&lt;5</b>	<b>68</b>
Overweight	4 (11.8)	6 (16.7)	3 (****)	119 (17.4)	4 (****)	0	8 (11.8)
Obese	2 (5.9)	1 (2.8)	1 (****)	37 (5.4)	0	0	1 (1.5)
Very Obese	5 (14.7)	3 (8.3)	0	51 (7.5)	0	0	3 (4.4)
<b>2012 Total</b>	<b>33</b>	<b>26</b>	<b>22</b>	<b>694</b>	<b>9</b>	<b>6</b>	<b>63</b>
Overweight	8 (24.2)	3 (****)	2 (****)	115 (16.6)	2 (****)	0	7 (11.1)
Obese	2 (6.1)	2 (****)	1 (****)	28 (4.0)	0	0	2 (3.2)
Very Obese	5 (15.2)	2 (****)	2 (****)	63 (9.1)	0	0	4 (6.3)
<b>2011 Total</b>	<b>46</b>	<b>21</b>	<b>25</b>	<b>706</b>	<b>7</b>	<b>7</b>	<b>62</b>
Overweight	7 (15.2)	3 (****)	4 (****)	119 (16.9)	1 (****)	1 (****)	11 (17.7)
Obese	2 (4.3)	1 (****)	1 (****)	35 (5.0)	0	0	1 (1.6)
Very Obese	6 (13.0)	0	2 (****)	57 (8.1)	0	0	4 (6.5)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>RAMSEY</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>154</b>	<b>3,267</b>	<b>3,087</b>	<b>1,232</b>	<b>208</b>	<b>235</b>	<b>918</b>
Overweight <sup>5</sup>	28 (18.2)	578 (17.7)	463 (15.0)	194 (15.7)	38 (18.3)	35 (14.9)	170 (18.5)
Obese <sup>5</sup>	7 (4.5)	128 (3.9)	119 (3.9)	37 (3.0)	10 (4.8)	7 (3.0)	44 (4.8)
Very Obese <sup>5</sup>	19 (12.3)	368 (11.3)	238 (7.7)	88 (7.1)	28 (13.5)	20 (8.5)	100 (10.9)
<b>2018 Total</b>	<b>170</b>	<b>3,564</b>	<b>3,262</b>	<b>1,358</b>	<b>217</b>	<b>234</b>	<b>1,009</b>
Overweight	36 (21.2)	592 (16.6)	481 (14.7)	199 (14.7)	35 (16.1)	40 (17.1)	169 (16.7)
Obese	4 (2.4)	151 (4.2)	137 (4.2)	46 (3.4)	11 (5.1)	10 (4.3)	54 (5.4)
Very Obese	19 (11.2)	374 (10.5)	231 (7.1)	93 (6.8)	24 (11.1)	20 (8.5)	113 (11.2)
<b>2017 Total</b>	<b>197</b>	<b>3,707</b>	<b>3,357</b>	<b>1,502</b>	<b>236</b>	<b>260</b>	<b>1,182</b>
Overweight	34 (17.3)	595 (16.1)	498 (14.8)	239 (15.9)	35 (14.8)	34 (13.1)	192 (16.2)
Obese	10 (5.1)	170 (4.6)	151 (4.5)	65 (4.3)	13 (5.5)	14 (5.4)	67 (5.7)
Very Obese	20 (10.2)	391 (10.5)	239 (7.1)	82 (5.5)	28 (11.9)	25 (9.6)	128 (10.8)
<b>2016 Total</b>	<b>237</b>	<b>3,874</b>	<b>3,521</b>	<b>1,674</b>	<b>252</b>	<b>270</b>	<b>1,313</b>
Overweight	40 (16.9)	616 (15.9)	538 (15.3)	244 (14.6)	49 (19.4)	47 (17.4)	240 (18.3)
Obese	12 (5.1)	160 (4.1)	149 (4.2)	75 (4.5)	15 (6.0)	15 (5.6)	61 (4.6)
Very Obese	22 (9.3)	409 (10.6)	233 (6.6)	102 (6.1)	33 (13.1)	16 (5.9)	143 (10.9)
<b>2015 Total</b>	<b>244</b>	<b>3,860</b>	<b>3,547</b>	<b>1,716</b>	<b>303</b>	<b>293</b>	<b>1,414</b>
Overweight	52 (21.3)	620 (16.1)	527 (14.9)	277 (16.1)	50 (16.5)	44 (15.0)	238 (16.8)
Obese	10 (4.1)	151 (3.9)	139 (3.9)	71 (4.1)	13 (4.3)	13 (4.4)	71 (5.0)
Very Obese	32 (13.1)	378 (9.8)	226 (6.4)	115 (6.7)	28 (9.2)	20 (6.8)	145 (10.3)
<b>2014 Total</b>	<b>234</b>	<b>3,563</b>	<b>3,357</b>	<b>1,784</b>	<b>345</b>	<b>272</b>	<b>1,415</b>
Overweight	45 (19.2)	492 (13.8)	434 (12.9)	261 (14.6)	54 (15.7)	43 (15.8)	232 (16.4)
Obese	16 (6.8)	166 (4.7)	153 (4.6)	75 (4.2)	21 (6.1)	17 (6.2)	72 (5.1)
Very Obese	28 (12.0)	379 (10.6)	246 (7.3)	124 (7.0)	31 (9.0)	18 (6.6)	155 (11.0)
<b>2013 Total</b>	<b>270</b>	<b>3,691</b>	<b>3,420</b>	<b>1,851</b>	<b>476</b>	<b>303</b>	<b>1,511</b>
Overweight	54 (20.0)	571 (15.5)	514 (15.0)	291 (15.7)	80 (16.8)	42 (13.9)	243 (16.1)
Obese	16 (5.9)	199 (5.4)	158 (4.6)	100 (5.4)	31 (6.5)	16 (5.3)	92 (6.1)
Very Obese	27 (10.0)	409 (11.1)	260 (7.6)	128 (6.9)	55 (11.6)	36 (11.9)	169 (11.2)
<b>2012 Total</b>	<b>284</b>	<b>3,573</b>	<b>3,498</b>	<b>2,093</b>	<b>661</b>	<b>309</b>	<b>1,503</b>
Overweight	68 (23.9)	619 (17.3)	543 (15.5)	336 (16.1)	127 (19.2)	42 (13.6)	271 (18.0)
Obese	16 (5.6)	188 (5.3)	186 (5.3)	112 (5.4)	36 (5.4)	15 (4.9)	97 (6.5)
Very Obese	34 (12.0)	399 (11.2)	226 (6.5)	146 (7.0)	88 (13.3)	30 (9.7)	143 (9.5)
<b>2011 Total</b>	<b>304</b>	<b>3,346</b>	<b>3,397</b>	<b>1,989</b>	<b>832</b>	<b>289</b>	<b>1,377</b>
Overweight	50 (16.4)	617 (18.4)	561 (16.5)	337 (16.9)	146 (17.5)	45 (15.6)	247 (17.9)
Obese	27 (8.9)	215 (6.4)	178 (5.2)	92 (4.6)	61 (7.3)	11 (3.8)	89 (6.5)
Very Obese	36 (11.8)	307 (9.2)	221 (6.5)	133 (6.7)	88 (10.6)	26 (9.0)	122 (8.9)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

RICE	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>11</b>	<b>12</b>	<b>317</b>	<b>243</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>169</b>
Overweight <sup>5</sup>	1 (****)	2 (****)	37 (11.7)	40 (16.5)	1 (****)	0	35 (20.7)
Obese <sup>5</sup>	0	1 (****)	14 (4.4)	5 (2.1)	0	0	13 (7.7)
Very Obese <sup>5</sup>	2 (****)	1 (****)	28 (8.8)	13 (5.3)	1 (****)	0	27 (16.0)
<b>2018 Total</b>	<b>7</b>	<b>15</b>	<b>331</b>	<b>257</b>	<b>0</b>	<b>&lt;5</b>	<b>180</b>
Overweight	3 (****)	3 (****)	43 (13.0)	49 (19.1)	0	1 (****)	38 (21.1)
Obese	0	0	13 (3.9)	11 (4.3)	0	0	10 (5.6)
Very Obese	0	1 (****)	25 (7.6)	15 (5.8)	0	0	26 (14.4)
<b>2017 Total</b>	<b>11</b>	<b>13</b>	<b>342</b>	<b>303</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>210</b>
Overweight	0	1 (****)	48 (14.0)	54 (17.8)	1 (****)	0	49 (23.3)
Obese	0	0	12 (3.5)	16 (5.3)	0	0	11 (5.2)
Very Obese	2 (****)	0	27 (7.9)	23 (7.6)	0	0	28 (13.3)
<b>2016 Total</b>	<b>6</b>	<b>15</b>	<b>313</b>	<b>313</b>	<b>&lt;5</b>	<b>5</b>	<b>231</b>
Overweight	0	2 (****)	41 (13.1)	55 (17.6)	1 (****)	0	48 (20.8)
Obese	1 (****)	1 (****)	11 (3.5)	15 (4.8)	0	0	11 (4.8)
Very Obese	2 (****)	1 (****)	25 (8.0)	16 (5.1)	0	0	29 (12.6)
<b>2015 Total</b>	<b>11</b>	<b>22</b>	<b>293</b>	<b>343</b>	<b>&lt;5</b>	<b>6</b>	<b>244</b>
Overweight	0	3 (****)	37 (12.6)	50 (14.6)	0	0	39 (16.0)
Obese	3 (****)	2 (****)	9 (3.1)	13 (3.8)	0	0	19 (7.8)
Very Obese	2 (****)	1 (****)	28 (9.6)	31 (9.0)	0	0	31 (12.7)
<b>2014 Total</b>	<b>12</b>	<b>15</b>	<b>256</b>	<b>383</b>	<b>5</b>	<b>7</b>	<b>236</b>
Overweight	2 (****)	2 (****)	25 (9.8)	51 (13.3)	1 (****)	0	44 (18.6)
Obese	2 (****)	1 (****)	11 (4.3)	17 (4.4)	1 (****)	0	12 (5.1)
Very Obese	2 (****)	0	28 (10.9)	28 (7.3)	0	1 (****)	27 (11.4)
<b>2013 Total</b>	<b>7</b>	<b>18</b>	<b>240</b>	<b>434</b>	<b>8</b>	<b>&lt;5</b>	<b>278</b>
Overweight	4 (****)	4 (****)	27 (11.2)	69 (15.9)	1 (****)	1 (****)	50 (18.0)
Obese	0	1 (****)	9 (3.8)	15 (3.5)	2 (****)	0	18 (6.5)
Very Obese	0	1 (****)	20 (8.3)	27 (6.2)	0	0	34 (12.2)
<b>2012 Total</b>	<b>&lt;5</b>	<b>18</b>	<b>216</b>	<b>509</b>	<b>6</b>	<b>5</b>	<b>292</b>
Overweight	****	5 (****)	21 (9.7)	94 (18.5)	0	1 (****)	54 (18.5)
Obese	****	0	10 (4.6)	20 (3.9)	1 (****)	0	23 (7.9)
Very Obese	****	3 (****)	22 (10.2)	34 (6.7)	0	0	32 (11.0)
<b>2011 Total</b>	<b>6</b>	<b>17</b>	<b>148</b>	<b>485</b>	<b>10</b>	<b>5</b>	<b>317</b>
Overweight	3 (****)	4 (****)	17 (11.5)	69 (14.2)	1 (****)	0	58 (18.3)
Obese	0	1 (****)	4 (2.7)	21 (4.3)	1 (****)	1 (****)	25 (7.9)
Very Obese	1 (****)	1 (****)	8 (5.4)	26 (5.4)	2 (****)	1 (****)	41 (12.9)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

SCOTT	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>23</b>	<b>76</b>	<b>375</b>	<b>364</b>	<b>12</b>	<b>14</b>	<b>156</b>
Overweight <sup>5</sup>	3 (****)	6 (7.9)	40 (10.7)	44 (12.1)	2 (****)	2 (****)	24 (15.4)
Obese <sup>5</sup>	0	1 (1.3)	13 (3.5)	11 (3.0)	0	0	4 (2.6)
Very Obese <sup>5</sup>	2 (****)	3 (3.9)	24 (6.4)	16 (4.4)	0	1 (****)	25 (16.0)
<b>2018 Total</b>	<b>22</b>	<b>71</b>	<b>402</b>	<b>360</b>	<b>15</b>	<b>14</b>	<b>154</b>
Overweight	5 (****)	4 (5.6)	51 (12.7)	40 (11.1)	2 (****)	2 (****)	34 (22.1)
Obese	1 (****)	0	15 (3.7)	11 (3.1)	0	1 (****)	7 (4.5)
Very Obese	1 (****)	4 (5.6)	20 (5.0)	12 (3.3)	0	1 (****)	17 (11.0)
<b>2017 Total</b>	<b>22</b>	<b>82</b>	<b>387</b>	<b>388</b>	<b>22</b>	<b>17</b>	<b>174</b>
Overweight	2 (****)	11 (13.4)	49 (12.7)	54 (13.9)	5 (****)	4 (****)	33 (19.0)
Obese	0	0	11 (2.8)	7 (1.8)	1 (****)	0	4 (2.3)
Very Obese	0	3 (3.7)	26 (6.7)	14 (3.6)	1 (****)	1 (****)	20 (11.5)
<b>2016 Total</b>	<b>29</b>	<b>87</b>	<b>344</b>	<b>414</b>	<b>45</b>	<b>28</b>	<b>169</b>
Overweight	6 (****)	16 (18.4)	48 (14.0)	55 (13.3)	7 (15.6)	5 (****)	37 (21.9)
Obese	1 (****)	1 (1.1)	13 (3.8)	8 (1.9)	2 (4.4)	1 (****)	9 (5.3)
Very Obese	1 (****)	5 (5.7)	21 (6.1)	15 (3.6)	4 (8.9)	2 (****)	15 (8.9)
<b>2015 Total</b>	<b>35</b>	<b>90</b>	<b>356</b>	<b>437</b>	<b>49</b>	<b>27</b>	<b>151</b>
Overweight	5 (14.3)	15 (16.7)	39 (11.0)	47 (10.8)	10 (20.4)	9 (****)	29 (19.2)
Obese	0	2 (2.2)	10 (2.8)	11 (2.5)	3 (6.1)	1 (****)	7 (4.6)
Very Obese	4 (11.4)	7 (7.8)	23 (6.5)	15 (3.4)	3 (6.1)	2 (****)	18 (11.9)
<b>2014 Total</b>	<b>24</b>	<b>80</b>	<b>301</b>	<b>438</b>	<b>61</b>	<b>24</b>	<b>143</b>
Overweight	3 (****)	11 (13.8)	32 (10.6)	64 (14.6)	6 (9.8)	3 (****)	17 (11.9)
Obese	1 (****)	6 (7.5)	11 (3.7)	13 (3.0)	5 (8.2)	0	8 (5.6)
Very Obese	3 (****)	5 (6.2)	18 (6.0)	15 (3.4)	4 (6.6)	1 (****)	13 (9.1)
<b>2013 Total</b>	<b>22</b>	<b>70</b>	<b>302</b>	<b>464</b>	<b>82</b>	<b>21</b>	<b>150</b>
Overweight	2 (****)	8 (11.4)	43 (14.2)	57 (12.3)	13 (15.9)	6 (****)	16 (10.7)
Obese	3 (****)	1 (1.4)	10 (3.3)	5 (1.1)	5 (6.1)	0	10 (6.7)
Very Obese	3 (****)	5 (7.1)	22 (7.3)	20 (4.3)	7 (8.5)	2 (****)	13 (8.7)
<b>2012 Total</b>	<b>20</b>	<b>87</b>	<b>286</b>	<b>475</b>	<b>85</b>	<b>17</b>	<b>177</b>
Overweight	4 (****)	11 (12.6)	40 (14.0)	67 (14.1)	16 (18.8)	3 (****)	33 (18.6)
Obese	2 (****)	4 (4.6)	12 (4.2)	12 (2.5)	7 (8.2)	1 (****)	7 (4.0)
Very Obese	5 (****)	2 (2.3)	27 (9.4)	19 (4.0)	6 (7.1)	2 (****)	11 (6.2)
<b>2011 Total</b>	<b>25</b>	<b>100</b>	<b>311</b>	<b>527</b>	<b>97</b>	<b>18</b>	<b>168</b>
Overweight	3 (****)	12 (12.0)	43 (13.8)	68 (12.9)	23 (23.7)	4 (****)	26 (15.5)
Obese	3 (****)	2 (2.0)	16 (5.1)	13 (2.5)	4 (4.1)	2 (****)	8 (4.8)
Very Obese	6 (****)	4 (4.0)	23 (7.4)	29 (5.5)	8 (8.2)	1 (****)	17 (10.1)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

SHERBURNE	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>9</b>	<b>19</b>	<b>201</b>	<b>462</b>	<b>&lt;5</b>	<b>5</b>	<b>46</b>
Overweight <sup>5</sup>	2 (****)	3 (****)	27 (13.4)	76 (16.5)	0	0	3 (6.5)
Obese <sup>5</sup>	1 (****)	2 (****)	13 (6.5)	17 (3.7)	0	0	0
Very Obese <sup>5</sup>	1 (****)	0	25 (12.4)	36 (7.8)	1 (****)	1 (****)	6 (13.0)
<b>2018 Total</b>	<b>10</b>	<b>21</b>	<b>189</b>	<b>558</b>	<b>&lt;5</b>	<b>8</b>	<b>45</b>
Overweight	1 (****)	2 (****)	19 (10.1)	95 (17.0)	0	1 (****)	5 (11.1)
Obese	2 (****)	1 (****)	8 (4.2)	16 (2.9)	0	0	4 (8.9)
Very Obese	2 (****)	0	23 (12.2)	25 (4.5)	1 (****)	0	2 (4.4)
<b>2017 Total</b>	<b>13</b>	<b>18</b>	<b>150</b>	<b>554</b>	<b>&lt;5</b>	<b>7</b>	<b>44</b>
Overweight	1 (****)	3 (****)	20 (13.3)	76 (13.7)	0	1 (****)	9 (20.5)
Obese	0	0	4 (2.7)	18 (3.2)	0	0	2 (4.5)
Very Obese	0	1 (****)	22 (14.7)	33 (6.0)	0	1 (****)	5 (11.4)
<b>2016 Total</b>	<b>18</b>	<b>26</b>	<b>131</b>	<b>618</b>	<b>&lt;5</b>	<b>9</b>	<b>55</b>
Overweight	4 (****)	3 (****)	13 (9.9)	74 (12.0)	1 (****)	0	9 (16.4)
Obese	1 (****)	3 (****)	5 (3.8)	20 (3.2)	0	0	1 (1.8)
Very Obese	1 (****)	0	12 (9.2)	36 (5.8)	1 (****)	1 (****)	7 (12.7)
<b>2015 Total</b>	<b>24</b>	<b>17</b>	<b>130</b>	<b>631</b>	<b>6</b>	<b>9</b>	<b>43</b>
Overweight	7 (****)	1 (****)	21 (16.2)	101 (16.0)	1 (****)	1 (****)	6 (14.0)
Obese	0	0	4 (3.1)	21 (3.3)	0	0	1 (2.3)
Very Obese	5 (****)	0	13 (10.0)	37 (5.9)	1 (****)	0	2 (4.7)
<b>2014 Total</b>	<b>14</b>	<b>25</b>	<b>99</b>	<b>576</b>	<b>&lt;5</b>	<b>10</b>	<b>40</b>
Overweight	2 (****)	4 (****)	9 (9.1)	74 (12.8)	1 (****)	1 (****)	8 (20.0)
Obese	1 (****)	1 (****)	6 (6.1)	16 (2.8)	0	0	0
Very Obese	3 (****)	1 (****)	7 (7.1)	31 (5.4)	0	0	0
<b>2013 Total</b>	<b>7</b>	<b>32</b>	<b>97</b>	<b>640</b>	<b>6</b>	<b>8</b>	<b>42</b>
Overweight	3 (****)	5 (15.6)	12 (12.4)	116 (18.1)	1 (****)	0	2 (4.8)
Obese	0	0	3 (3.1)	19 (3.0)	1 (****)	1 (****)	4 (9.5)
Very Obese	0	1 (3.1)	6 (6.2)	33 (5.2)	1 (****)	1 (****)	4 (9.5)
<b>2012 Total</b>	<b>8</b>	<b>32</b>	<b>91</b>	<b>738</b>	<b>14</b>	<b>7</b>	<b>54</b>
Overweight	1 (****)	5 (15.6)	12 (13.2)	107 (14.5)	1 (****)	0	5 (9.3)
Obese	0	1 (3.1)	3 (3.3)	26 (3.5)	1 (****)	0	2 (3.7)
Very Obese	0	1 (3.1)	6 (6.6)	31 (4.2)	1 (****)	1 (****)	2 (3.7)
<b>2011 Total</b>	<b>17</b>	<b>38</b>	<b>100</b>	<b>771</b>	<b>12</b>	<b>&lt;5</b>	<b>47</b>
Overweight	2 (****)	4 (10.5)	16 (16.0)	106 (13.7)	1 (****)	****	4 (8.5)
Obese	2 (****)	1 (2.6)	4 (4.0)	19 (2.5)	0	****	1 (2.1)
Very Obese	3 (****)	2 (5.3)	5 (5.0)	24 (3.1)	2 (****)	****	4 (8.5)



**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>SOUTHWEST</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>41</b>	<b>131</b>	<b>104</b>	<b>660</b>	<b>12</b>	<b>12</b>	<b>236</b>
Overweight <sup>5</sup>	7 (17.1)	23 (17.6)	11 (10.6)	116 (17.6)	3 (****)	0	39 (16.5)
Obese <sup>5</sup>	3 (7.3)	2 (1.5)	3 (2.9)	14 (2.1)	2 (****)	1 (****)	15 (6.4)
Very Obese <sup>5</sup>	2 (4.9)	15 (11.5)	9 (8.7)	37 (5.6)	1 (****)	2 (****)	31 (13.1)
<b>2018 Total</b>	<b>44</b>	<b>144</b>	<b>123</b>	<b>728</b>	<b>20</b>	<b>15</b>	<b>240</b>
Overweight	4 (9.1)	26 (18.1)	17 (13.8)	96 (13.2)	2 (****)	1 (****)	49 (20.4)
Obese	2 (4.5)	8 (5.6)	4 (3.3)	24 (3.3)	1 (****)	3 (****)	18 (7.5)
Very Obese	3 (6.8)	14 (9.7)	9 (7.3)	30 (4.1)	3 (****)	0	18 (7.5)
<b>2017 Total</b>	<b>44</b>	<b>148</b>	<b>113</b>	<b>714</b>	<b>19</b>	<b>16</b>	<b>232</b>
Overweight	7 (15.9)	27 (18.2)	13 (11.5)	89 (12.5)	4 (****)	2 (****)	43 (18.5)
Obese	1 (2.3)	7 (4.7)	3 (2.7)	23 (3.2)	2 (****)	0	14 (6.0)
Very Obese	4 (9.1)	15 (10.1)	8 (7.1)	30 (4.2)	1 (****)	1 (****)	23 (9.9)
<b>2016 Total</b>	<b>38</b>	<b>149</b>	<b>139</b>	<b>751</b>	<b>17</b>	<b>12</b>	<b>220</b>
Overweight	9 (23.7)	28 (18.8)	23 (16.5)	109 (14.5)	7 (****)	2 (****)	39 (17.7)
Obese	1 (2.6)	5 (3.4)	1 (<1)	21 (2.8)	1 (****)	0	15 (6.8)
Very Obese	4 (10.5)	11 (7.4)	14 (10.1)	34 (4.5)	2 (****)	0	26 (11.8)
<b>2015 Total</b>	<b>34</b>	<b>134</b>	<b>136</b>	<b>795</b>	<b>18</b>	<b>17</b>	<b>237</b>
Overweight	3 (8.8)	27 (20.1)	17 (12.5)	112 (14.1)	6 (****)	1 (****)	48 (20.3)
Obese	5 (14.7)	2 (1.5)	5 (3.7)	35 (4.4)	0	3 (****)	15 (6.3)
Very Obese	2 (5.9)	11 (8.2)	13 (9.6)	42 (5.3)	2 (****)	1 (****)	18 (7.6)
<b>2014 Total</b>	<b>43</b>	<b>91</b>	<b>102</b>	<b>749</b>	<b>10</b>	<b>7</b>	<b>190</b>
Overweight	6 (14.0)	14 (15.4)	11 (10.8)	85 (11.3)	2 (****)	0	34 (17.9)
Obese	4 (9.3)	4 (4.4)	5 (4.9)	22 (2.9)	0	1 (****)	7 (3.7)
Very Obese	4 (9.3)	11 (12.1)	10 (9.8)	47 (6.3)	1 (****)	0	26 (13.7)
<b>2013 Total</b>	<b>39</b>	<b>91</b>	<b>115</b>	<b>818</b>	<b>8</b>	<b>6</b>	<b>216</b>
Overweight	7 (17.9)	13 (14.3)	13 (11.3)	114 (13.9)	3 (****)	2 (****)	42 (19.4)
Obese	2 (5.1)	6 (6.6)	11 (9.6)	34 (4.2)	1 (****)	0	8 (3.7)
Very Obese	3 (7.7)	11 (12.1)	11 (9.6)	59 (7.2)	1 (****)	1 (****)	15 (6.9)
<b>2012 Total</b>	<b>32</b>	<b>87</b>	<b>111</b>	<b>886</b>	<b>15</b>	<b>9</b>	<b>235</b>
Overweight	6 (18.8)	15 (17.2)	22 (19.8)	137 (15.5)	3 (****)	3 (****)	36 (15.3)
Obese	1 (3.1)	6 (6.9)	3 (2.7)	39 (4.4)	4 (****)	2 (****)	16 (6.8)
Very Obese	4 (12.5)	8 (9.2)	5 (4.5)	60 (6.8)	1 (****)	1 (****)	22 (9.4)
<b>2011 Total</b>	<b>35</b>	<b>67</b>	<b>91</b>	<b>929</b>	<b>16</b>	<b>10</b>	<b>229</b>
Overweight	10 (28.6)	13 (19.4)	17 (18.7)	142 (15.3)	2 (****)	2 (****)	39 (17.0)
Obese	2 (5.7)	4 (6.0)	4 (4.4)	38 (4.1)	0	0	11 (4.8)
Very Obese	6 (17.1)	8 (11.9)	7 (7.7)	62 (6.7)	1 (****)	3 (****)	32 (14.0)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

STEARNS	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>18</b>	<b>29</b>	<b>1,119</b>	<b>703</b>	<b>8</b>	<b>21</b>	<b>151</b>
Overweight <sup>5</sup>	2 (****)	3 (****)	136 (12.2)	124 (17.6)	0	4 (****)	24 (15.9)
Obese <sup>5</sup>	1 (****)	1 (****)	54 (4.8)	37 (5.3)	0	0	10 (6.6)
Very Obese <sup>5</sup>	2 (****)	1 (****)	86 (7.7)	45 (6.4)	2 (****)	3 (****)	20 (13.2)
<b>2018 Total</b>	<b>17</b>	<b>36</b>	<b>1,131</b>	<b>724</b>	<b>7</b>	<b>17</b>	<b>160</b>
Overweight	3 (****)	5 (13.9)	138 (12.2)	111 (15.3)	0	6 (****)	29 (18.1)
Obese	1 (****)	3 (8.3)	52 (4.6)	32 (4.4)	0	0	6 (3.8)
Very Obese	2 (****)	0	82 (7.3)	43 (5.9)	2 (****)	2 (****)	17 (10.6)
<b>2017 Total</b>	<b>22</b>	<b>42</b>	<b>1,061</b>	<b>816</b>	<b>6</b>	<b>20</b>	<b>179</b>
Overweight	5 (****)	5 (11.9)	131 (12.3)	121 (14.8)	0	2 (****)	34 (19.0)
Obese	1 (****)	1 (2.4)	33 (3.1)	31 (3.8)	1 (****)	0	11 (6.1)
Very Obese	3 (****)	5 (11.9)	82 (7.7)	46 (5.6)	0	2 (****)	24 (13.4)
<b>2016 Total</b>	<b>16</b>	<b>39</b>	<b>930</b>	<b>845</b>	<b>7</b>	<b>17</b>	<b>192</b>
Overweight	4 (****)	7 (17.9)	105 (11.3)	125 (14.8)	1 (****)	3 (****)	38 (19.8)
Obese	1 (****)	1 (2.6)	25 (2.7)	31 (3.7)	1 (****)	1 (****)	10 (5.2)
Very Obese	0	3 (7.7)	53 (5.7)	52 (6.2)	0	1 (****)	16 (8.3)
<b>2015 Total</b>	<b>18</b>	<b>33</b>	<b>757</b>	<b>941</b>	<b>11</b>	<b>13</b>	<b>202</b>
Overweight	3 (****)	6 (18.2)	89 (11.8)	140 (14.9)	2 (****)	2 (****)	38 (18.8)
Obese	3 (****)	0	31 (4.1)	39 (4.1)	0	0	8 (4.0)
Very Obese	0	1 (3.0)	43 (5.7)	60 (6.4)	1 (****)	2 (****)	20 (9.9)
<b>2014 Total</b>	<b>11</b>	<b>36</b>	<b>627</b>	<b>904</b>	<b>11</b>	<b>16</b>	<b>173</b>
Overweight	1 (****)	5 (13.9)	61 (9.7)	135 (14.9)	2 (****)	2 (****)	26 (15.0)
Obese	0	1 (2.8)	28 (4.5)	37 (4.1)	1 (****)	1 (****)	11 (6.4)
Very Obese	0	5 (13.9)	39 (6.2)	53 (5.9)	1 (****)	0	17 (9.8)
<b>2013 Total</b>	<b>19</b>	<b>43</b>	<b>568</b>	<b>973</b>	<b>19</b>	<b>16</b>	<b>196</b>
Overweight	0	7 (16.3)	57 (10.0)	135 (13.9)	4 (****)	5 (****)	44 (22.4)
Obese	2 (****)	2 (4.7)	15 (2.6)	23 (2.4)	0	0	7 (3.6)
Very Obese	1 (****)	4 (9.3)	23 (4.0)	50 (5.1)	2 (****)	0	19 (9.7)
<b>2012 Total</b>	<b>28</b>	<b>40</b>	<b>512</b>	<b>1,051</b>	<b>15</b>	<b>8</b>	<b>217</b>
Overweight	6 (****)	6 (15.0)	57 (11.1)	146 (13.9)	3 (****)	1 (****)	44 (20.3)
Obese	2 (****)	2 (5.0)	14 (2.7)	49 (4.7)	0	0	15 (6.9)
Very Obese	2 (****)	3 (7.5)	30 (5.9)	47 (4.5)	2 (****)	1 (****)	18 (8.3)
<b>2011 Total</b>	<b>24</b>	<b>50</b>	<b>445</b>	<b>1,066</b>	<b>16</b>	<b>8</b>	<b>234</b>
Overweight	5 (****)	9 (18.0)	70 (15.7)	176 (16.5)	5 (****)	3 (****)	46 (19.7)
Obese	4 (****)	1 (2.0)	21 (4.7)	49 (4.6)	1 (****)	1 (****)	12 (5.1)
Very Obese	3 (****)	4 (8.0)	33 (7.4)	41 (3.8)	1 (****)	0	24 (10.3)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

WABASHA	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<5	<5	6	106	<5	<5	29
Overweight <sup>5</sup>	0	0	2 (****)	16 (15.1)	0	0	4 (****)
Obese <sup>5</sup>	0	0	1 (****)	5 (4.7)	0	0	4 (****)
Very Obese <sup>5</sup>	0	0	1 (****)	6 (5.7)	0	0	3 (****)
<b>2018 Total</b>	<5	<5	5	103	<5	<5	26
Overweight	****	****	1 (****)	20 (19.4)	0	0	3 (****)
Obese	0	0	0	0	0	0	2 (****)
Very Obese	0	0	1 (****)	9 (8.7)	0	0	4 (****)
<b>2017 Total</b>	<5	<5	10	125	<5	<5	37
Overweight	****	0	2 (****)	15 (12.0)	0	0	6 (16.2)
Obese	0	0	1 (****)	12 (9.6)	1 (****)	0	1 (2.7)
Very Obese	0	1 (****)	0	12 (9.6)	0	0	7 (18.9)
<b>2016 Total</b>	<5	<5	10	158	<5	<5	32
Overweight	****	****	2 (****)	27 (17.1)	0	0	7 (21.9)
Obese	0	0	1 (****)	5 (3.2)	0	0	2 (6.2)
Very Obese	****	****	1 (****)	17 (10.8)	0	0	3 (9.4)
<b>2015 Total</b>	<5	<5	22	160	0	<5	28
Overweight	0	0	1 (****)	33 (20.6)	0	0	5 (****)
Obese	2 (****)	0	0	8 (5.0)	0	1 (****)	1 (****)
Very Obese	1 (****)	1 (****)	3 (****)	14 (8.8)	0	0	3 (****)
<b>2014 Total</b>	<5	<5	16	141	0	0	26
Overweight	****	0	2 (****)	21 (14.9)	0	0	3 (****)
Obese	0	0	1 (****)	5 (3.5)	0	0	1 (****)
Very Obese	****	****	2 (****)	16 (11.3)	0	0	8 (****)
<b>2013 Total</b>	<5	<5	9	148	0	0	25
Overweight	0	0	2 (****)	29 (19.6)	0	0	2 (****)
Obese	0	0	0	7 (4.7)	0	0	0
Very Obese	0	2 (****)	2 (****)	11 (7.4)	0	0	7 (****)
<b>2012 Total</b>	<5	7	12	163	<5	0	35
Overweight	****	0	3 (****)	28 (17.2)	****	0	11 (31.4)
Obese	****	0	0	4 (2.5)	****	0	11 (31.4)
Very Obese	****	3 (****)	1 (****)	20 (12.3)	****	0	4 (11.4)
<b>2011 Total</b>	<5	6	<5	192	<5	<5	37
Overweight	****	0	****	30 (15.6)	****	****	6 (16.2)
Obese	****	2 (****)	****	17 (8.9)	****	****	3 (8.1)
Very Obese	****	2 (****)	****	15 (7.8)	****	****	5 (13.5)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

WASHINGTON	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>29</b>	<b>180</b>	<b>337</b>	<b>617</b>	<b>21</b>	<b>32</b>	<b>121</b>
Overweight <sup>5</sup>	4 (****)	42 (23.3)	62 (18.4)	98 (15.9)	4 (****)	4 (12.5)	24 (19.8)
Obese <sup>5</sup>	2 (****)	10 (5.6)	18 (5.3)	20 (3.2)	1 (****)	0	6 (5.0)
Very Obese <sup>5</sup>	3 (****)	19 (10.6)	28 (8.3)	44 (7.1)	2 (****)	7 (21.9)	16 (13.2)
<b>2018 Total</b>	<b>20</b>	<b>205</b>	<b>354</b>	<b>623</b>	<b>14</b>	<b>29</b>	<b>130</b>
Overweight	5 (****)	37 (18.0)	62 (17.5)	97 (15.6)	2 (****)	3 (****)	18 (13.8)
Obese	0	6 (2.9)	8 (2.3)	33 (5.3)	1 (****)	1 (****)	5 (3.8)
Very Obese	1 (****)	21 (10.2)	28 (7.9)	30 (4.8)	0	3 (****)	18 (13.8)
<b>2017 Total</b>	<b>23</b>	<b>188</b>	<b>387</b>	<b>673</b>	<b>16</b>	<b>31</b>	<b>150</b>
Overweight	8 (****)	34 (18.1)	65 (16.8)	97 (14.4)	2 (****)	4 (12.9)	20 (13.3)
Obese	3 (****)	13 (6.9)	20 (5.2)	34 (5.1)	1 (****)	0	9 (6.0)
Very Obese	0	17 (9.0)	33 (8.5)	42 (6.2)	0	4 (12.9)	17 (11.3)
<b>2016 Total</b>	<b>29</b>	<b>205</b>	<b>351</b>	<b>746</b>	<b>25</b>	<b>40</b>	<b>167</b>
Overweight	7 (****)	32 (15.6)	59 (16.8)	103 (13.8)	6 (****)	9 (22.5)	28 (16.8)
Obese	1 (****)	9 (4.4)	9 (2.6)	39 (5.2)	0	1 (2.5)	5 (3.0)
Very Obese	3 (****)	19 (9.3)	25 (7.1)	39 (5.2)	3 (****)	3 (7.5)	17 (10.2)
<b>2015 Total</b>	<b>40</b>	<b>207</b>	<b>425</b>	<b>830</b>	<b>35</b>	<b>42</b>	<b>180</b>
Overweight	9 (22.5)	34 (16.4)	73 (17.2)	120 (14.5)	3 (8.6)	4 (9.5)	23 (12.8)
Obese	3 (7.5)	14 (6.8)	22 (5.2)	42 (5.1)	0	0	4 (2.2)
Very Obese	2 (5.0)	13 (6.3)	21 (4.9)	42 (5.1)	3 (8.6)	2 (4.8)	11 (6.1)
<b>2014 Total</b>	<b>44</b>	<b>177</b>	<b>386</b>	<b>839</b>	<b>37</b>	<b>30</b>	<b>192</b>
Overweight	10 (22.7)	25 (14.1)	68 (17.6)	142 (16.9)	4 (10.8)	5 (16.7)	26 (13.5)
Obese	4 (9.1)	10 (5.6)	18 (4.7)	32 (3.8)	2 (5.4)	0	8 (4.2)
Very Obese	7 (15.9)	18 (10.2)	27 (7.0)	65 (7.7)	3 (8.1)	0	12 (6.2)
<b>2013 Total</b>	<b>36</b>	<b>186</b>	<b>392</b>	<b>944</b>	<b>48</b>	<b>26</b>	<b>171</b>
Overweight	10 (27.8)	29 (15.6)	57 (14.5)	163 (17.3)	11 (22.9)	4 (****)	32 (18.7)
Obese	1 (2.8)	12 (6.5)	17 (4.3)	45 (4.8)	0	1 (****)	8 (4.7)
Very Obese	3 (8.3)	18 (9.7)	31 (7.9)	75 (7.9)	4 (8.3)	0	13 (7.6)
<b>2012 Total</b>	<b>52</b>	<b>208</b>	<b>417</b>	<b>1,041</b>	<b>52</b>	<b>37</b>	<b>192</b>
Overweight	15 (28.8)	41 (19.7)	63 (15.1)	177 (17.0)	8 (15.4)	7 (18.9)	42 (21.9)
Obese	2 (3.8)	7 (3.4)	24 (5.8)	54 (5.2)	4 (7.7)	1 (2.7)	11 (5.7)
Very Obese	5 (9.6)	26 (12.5)	26 (6.2)	68 (6.5)	5 (9.6)	2 (5.4)	9 (4.7)
<b>2011 Total</b>	<b>51</b>	<b>201</b>	<b>440</b>	<b>1,010</b>	<b>63</b>	<b>34</b>	<b>186</b>
Overweight	9 (17.6)	43 (21.4)	75 (17.0)	176 (17.4)	13 (20.6)	12 (35.3)	37 (19.9)
Obese	1 (2.0)	10 (5.0)	27 (6.1)	48 (4.8)	4 (6.3)	2 (5.9)	10 (5.4)
Very Obese	2 (3.9)	20 (10.0)	26 (5.9)	52 (5.1)	6 (9.5)	2 (5.9)	13 (7.0)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

WATONWAN	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	0	<5	0	48	<5	<5	136
Overweight <sup>5</sup>	0	0	0	8 (16.7)	1 (****)	0	19 (14.0)
Obese <sup>5</sup>	0	0	0	2 (4.2)	0	0	3 (2.2)
Very Obese <sup>5</sup>	0	0	0	3 (6.2)	0	0	18 (13.2)
<b>2018 Total</b>	<5	<5	<5	52	<5	<5	131
Overweight	0	0	0	8 (15.4)	****	****	24 (18.3)
Obese	0	0	0	4 (7.7)	0	0	5 (3.8)
Very Obese	0	0	0	3 (5.8)	0	0	12 (9.2)
<b>2017 Total</b>	<5	<5	<5	59	<5	5	139
Overweight	0	0	****	13 (22.0)	0	1 (****)	24 (17.3)
Obese	0	0	0	4 (6.8)	****	1 (****)	10 (7.2)
Very Obese	0	0	0	2 (3.4)	0	0	13 (9.4)
<b>2016 Total</b>	<5	<5	<5	65	<5	<5	159
Overweight	0	****	0	9 (13.8)	****	****	37 (23.3)
Obese	0	0	0	4 (6.2)	0	0	8 (5.0)
Very Obese	0	0	0	3 (4.6)	0	0	16 (10.1)
<b>2015 Total</b>	<5	<5	<5	69	6	<5	133
Overweight	0	****	0	12 (17.4)	1 (****)	****	28 (21.1)
Obese	0	0	0	4 (5.8)	0	0	5 (3.8)
Very Obese	0	0	0	4 (5.8)	1 (****)	0	17 (12.8)
<b>2014 Total</b>	<5	<5	<5	77	7	<5	134
Overweight	0	0	0	16 (20.8)	4 (****)	0	28 (20.9)
Obese	0	0	****	5 (6.5)	0	0	9 (6.7)
Very Obese	0	0	0	7 (9.1)	1 (****)	0	23 (17.2)
<b>2013 Total</b>	0	<5	<5	79	8	0	132
Overweight	0	0	0	12 (15.2)	3 (****)	0	34 (25.8)
Obese	0	0	0	6 (7.6)	0	0	11 (8.3)
Very Obese	0	0	0	8 (10.1)	3 (****)	0	16 (12.1)
<b>2012 Total</b>	0	<5	<5	90	18	<5	159
Overweight	0	****	****	15 (16.7)	6 (****)	****	24 (15.1)
Obese	0	****	****	2 (2.2)	1 (****)	****	14 (8.8)
Very Obese	0	****	****	3 (3.3)	2 (****)	****	30 (18.9)
<b>2011 Total</b>	<5	<5	<5	97	26	<5	149
Overweight	****	****	****	14 (14.4)	7 (****)	****	37 (24.8)
Obese	****	****	****	4 (4.1)	0	****	13 (8.7)
Very Obese	****	****	****	6 (6.2)	6 (****)	****	15 (10.1)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

<b>WINONA</b>	<b>Amer Indian AOIC NH</b>	<b>Asian AOIC NH<sup>2</sup></b>	<b>Black/ African- Amer AOIC NH<sup>3</sup></b>	<b>White AOIC NH</b>	<b>Amer Indian AOIC H</b>	<b>Other AOIC H<sup>4</sup></b>	<b>White AOIC H</b>
<b>2019 Total</b>	<b>&lt;5</b>	<b>11</b>	<b>44</b>	<b>199</b>	<b>0</b>	<b>&lt;5</b>	<b>42</b>
Overweight <sup>5</sup>	0	1 (****)	8 (18.2)	34 (17.1)	0	0	7 (16.7)
Obese <sup>5</sup>	0	2 (****)	2 (4.5)	8 (4.0)	0	0	3 (7.1)
Very Obese <sup>5</sup>	1 (****)	1 (****)	5 (11.4)	22 (11.1)	0	0	8 (19.0)
<b>2018 Total</b>	<b>&lt;5</b>	<b>17</b>	<b>40</b>	<b>210</b>	<b>0</b>	<b>&lt;5</b>	<b>47</b>
Overweight	0	2 (****)	7 (17.5)	44 (21.0)	0	0	11 (23.4)
Obese	0	1 (****)	3 (7.5)	10 (4.8)	0	0	1 (2.1)
Very Obese	****	5 (****)	5 (12.5)	23 (11.0)	0	0	10 (21.3)
<b>2017 Total</b>	<b>&lt;5</b>	<b>15</b>	<b>42</b>	<b>250</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>50</b>
Overweight	0	2 (****)	8 (19.0)	51 (20.4)	0	0	9 (18.0)
Obese	0	0	2 (4.8)	11 (4.4)	0	0	2 (4.0)
Very Obese	****	5 (****)	5 (11.9)	34 (13.6)	0	0	11 (22.0)
<b>2016 Total</b>	<b>&lt;5</b>	<b>11</b>	<b>52</b>	<b>268</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>54</b>
Overweight	0	2 (****)	10 (19.2)	52 (19.4)	0	1 (****)	4 (7.4)
Obese	0	2 (****)	1 (1.9)	15 (5.6)	0	0	3 (5.6)
Very Obese	****	4 (****)	5 (9.6)	28 (10.4)	0	0	12 (22.2)
<b>2015 Total</b>	<b>&lt;5</b>	<b>13</b>	<b>50</b>	<b>290</b>	<b>6</b>	<b>&lt;5</b>	<b>42</b>
Overweight	****	2 (****)	6 (12.0)	55 (19.0)	0	0	7 (16.7)
Obese	0	0	2 (4.0)	19 (6.6)	0	0	1 (2.4)
Very Obese	0	2 (****)	6 (12.0)	26 (9.0)	0	0	9 (21.4)
<b>2014 Total</b>	<b>0</b>	<b>13</b>	<b>37</b>	<b>316</b>	<b>12</b>	<b>0</b>	<b>40</b>
Overweight	0	1 (****)	9 (24.3)	53 (16.8)	1 (****)	0	5 (12.5)
Obese	0	0	1 (2.7)	12 (3.8)	0	0	1 (2.5)
Very Obese	0	2 (****)	3 (8.1)	25 (7.9)	2 (****)	0	4 (10.0)
<b>2013 Total</b>	<b>0</b>	<b>14</b>	<b>41</b>	<b>353</b>	<b>22</b>	<b>&lt;5</b>	<b>40</b>
Overweight	0	3 (****)	7 (17.1)	64 (18.1)	7 (****)	0	6 (15.0)
Obese	0	0	1 (2.4)	10 (2.8)	1 (****)	****	5 (12.5)
Very Obese	0	1 (****)	4 (9.8)	25 (7.1)	3 (****)	0	3 (7.5)
<b>2012 Total</b>	<b>&lt;5</b>	<b>17</b>	<b>44</b>	<b>402</b>	<b>25</b>	<b>&lt;5</b>	<b>29</b>
Overweight	****	2 (****)	3 (6.8)	66 (16.4)	3 (****)	****	4 (****)
Obese	****	0	2 (4.5)	19 (4.7)	2 (****)	****	1 (****)
Very Obese	****	2 (****)	5 (11.4)	29 (7.2)	4 (****)	****	5 (****)
<b>2011 Total</b>	<b>&lt;5</b>	<b>29</b>	<b>41</b>	<b>381</b>	<b>28</b>	<b>&lt;5</b>	<b>36</b>
Overweight	****	2 (****)	6 (14.6)	70 (18.4)	6 (****)	****	5 (13.9)
Obese	****	2 (****)	2 (4.9)	22 (5.8)	1 (****)	****	1 (2.8)
Very Obese	****	4 (****)	3 (7.3)	16 (4.2)	4 (****)	****	7 (19.4)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

WRIGHT	Amer Indian AOIC NH	Asian AOIC NH <sup>2</sup>	Black/ African- Amer AOIC NH <sup>3</sup>	White AOIC NH	Amer Indian AOIC H	Other AOIC H <sup>4</sup>	White AOIC H
<b>2019 Total</b>	<b>12</b>	<b>31</b>	<b>95</b>	<b>689</b>	<b>20</b>	<b>12</b>	<b>91</b>
Overweight <sup>5</sup>	3 (****)	7 (22.6)	21 (22.1)	119 (17.3)	4 (****)	1 (****)	18 (19.8)
Obese <sup>5</sup>	1 (****)	0	4 (4.2)	23 (3.3)	1 (****)	1 (****)	4 (4.4)
Very Obese <sup>5</sup>	0	2 (6.5)	8 (8.4)	28 (4.1)	3 (****)	0	10 (11.0)
<b>2018 Total</b>	<b>20</b>	<b>37</b>	<b>94</b>	<b>741</b>	<b>25</b>	<b>12</b>	<b>84</b>
Overweight	3 (****)	6 (16.2)	19 (20.2)	122 (16.5)	2 (****)	3 (****)	15 (17.9)
Obese	0	1 (2.7)	5 (5.3)	26 (3.5)	2 (****)	0	5 (6.0)
Very Obese	0	3 (8.1)	4 (4.3)	29 (3.9)	3 (****)	1 (****)	13 (15.5)
<b>2017 Total</b>	<b>16</b>	<b>37</b>	<b>90</b>	<b>732</b>	<b>33</b>	<b>15</b>	<b>98</b>
Overweight	2 (****)	6 (16.2)	19 (21.1)	125 (17.1)	5 (15.2)	3 (****)	23 (23.5)
Obese	2 (****)	1 (2.7)	3 (3.3)	16 (2.2)	2 (6.1)	0	4 (4.1)
Very Obese	1 (****)	4 (10.8)	3 (3.3)	31 (4.2)	1 (3.0)	3 (****)	13 (13.3)
<b>2016 Total</b>	<b>23</b>	<b>37</b>	<b>100</b>	<b>832</b>	<b>38</b>	<b>12</b>	<b>99</b>
Overweight	5 (****)	4 (10.8)	26 (26.0)	150 (18.0)	8 (21.1)	4 (****)	19 (19.2)
Obese	1 (****)	1 (2.7)	5 (5.0)	34 (4.1)	4 (10.5)	1 (****)	10 (10.1)
Very Obese	1 (****)	8 (21.6)	4 (4.0)	31 (3.7)	2 (5.3)	2 (****)	8 (8.1)
<b>2015 Total</b>	<b>26</b>	<b>33</b>	<b>98</b>	<b>872</b>	<b>40</b>	<b>12</b>	<b>100</b>
Overweight	4 (****)	4 (12.1)	15 (15.3)	141 (16.2)	8 (20.0)	4 (****)	21 (21.0)
Obese	0	1 (3.0)	6 (6.1)	29 (3.3)	3 (7.5)	2 (****)	9 (9.0)
Very Obese	0	3 (9.1)	4 (4.1)	36 (4.1)	2 (5.0)	2 (****)	10 (10.0)
<b>2014 Total</b>	<b>33</b>	<b>36</b>	<b>96</b>	<b>858</b>	<b>53</b>	<b>10</b>	<b>95</b>
Overweight	8 (24.2)	5 (13.9)	20 (20.8)	157 (18.3)	11 (20.8)	1 (****)	27 (28.4)
Obese	1 (3.0)	2 (5.6)	2 (2.1)	30 (3.5)	3 (5.7)	0	6 (6.3)
Very Obese	3 (9.1)	4 (11.1)	4 (4.2)	29 (3.4)	5 (9.4)	1 (****)	7 (7.4)
<b>2013 Total</b>	<b>28</b>	<b>30</b>	<b>86</b>	<b>917</b>	<b>59</b>	<b>10</b>	<b>102</b>
Overweight	7 (****)	2 (6.7)	15 (17.4)	163 (17.8)	7 (11.9)	0	19 (18.6)
Obese	2 (****)	4 (13.3)	4 (4.7)	37 (4.0)	5 (8.5)	0	7 (6.9)
Very Obese	2 (****)	2 (6.7)	6 (7.0)	41 (4.5)	6 (10.2)	0	8 (7.8)
<b>2012 Total</b>	<b>22</b>	<b>39</b>	<b>107</b>	<b>1,011</b>	<b>64</b>	<b>13</b>	<b>101</b>
Overweight	4 (****)	4 (10.3)	18 (16.8)	163 (16.1)	15 (23.4)	1 (****)	14 (13.9)
Obese	0	1 (2.6)	4 (3.7)	35 (3.5)	4 (6.2)	1 (****)	6 (5.9)
Very Obese	0	6 (15.4)	8 (7.5)	40 (4.0)	10 (15.6)	0	8 (7.9)
<b>2011 Total</b>	<b>28</b>	<b>32</b>	<b>104</b>	<b>1,105</b>	<b>86</b>	<b>8</b>	<b>111</b>
Overweight	8 (****)	4 (12.5)	16 (15.4)	184 (16.7)	28 (32.6)	2 (****)	25 (22.5)
Obese	0	4 (12.5)	7 (6.7)	45 (4.1)	2 (2.3)	0	3 (2.7)
Very Obese	4 (****)	3 (9.4)	9 (8.7)	38 (3.4)	14 (16.3)	0	12 (10.8)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC By Calendar Year,  
Community Health Board<sup>1</sup> of Residence and Race/Ethnicity Alone or In Combination (AOIC) with Other Races  
Minnesota WIC Information System**

\*\*\*\* percentages suppressed if denominator <30

CHB history: Nobles-Rock CHB separated to become Nobles and Rock in January 2012, and Rock joined Southwest CHB. Redwood-Renville separated in January 2013. Redwood joined Southwest in January 2013. Renville joined Kandiyohi in January 2013. Polk joined Norman-Mahnomen in January 2013. Cottonwood-Jackson is known as Des Moines Valley Health and Human Services as of January 2014. Clay, Wilkin, Becker and Otter Tail combined to form Partnership 4 Health as of January 2015. Pine and Kanabec and Isanti and Mille Lacs formed separate CHB's and Beltrami left North Country in January 2017. This document uses 2017 CHB configurations.

Analyses based on one randomly selected record per child. Excludes records with unknown data or errors.

Biologically implausible values (BIV) for weight, height and BMI at a z score +5 removed, which is consistent with previous MN WIC reports for years 2011 to 2016.

For 2017, BIV was defined for weight z score <-5 and >8; height z score <-5 and >4; BMI z score <-4 and >8.

<https://www.cdc.gov/nccdphp/dnpao/growthcharts/resources/sas.htm> These methodologies excluded <1% of all records.

Suggested Citation: MN WIC Information System. *Weight Status in Children Ages 2 to 5 Years Participating in MN WIC by Race Ethnicity Alone or In Combination (AOIC) with Other Races, Community Health Board of Residence, and Calendar Year. Minnesota WIC Program. 2022.*

For more information contact: Minnesota WIC Program 1 (800) 657-3942

<sup>1</sup>Last CHB where children resided as of January of the subsequent calendar year.

<sup>2</sup>Includes Asian and Native Hawaiian Pacific Islander groups

<sup>3</sup>Includes children from US and foreign born

<sup>4</sup>Includes Black and Asian Hispanic groups

<sup>5</sup>Total number in weight category (Percentage of total children).

Based on 2000 CDC growth chart percentiles for children 2 years of age and older; underweight is defined as

BMI-for-age < 5th percentile, overweight is defined as BMI-for-age  $\geq$ 85th to < 95th percentile,

obese is defined as  $\geq$ 95th percentile to < 97.5 percentile, and very obese is defined as  $\geq$ 97.5 percentile.